Britannia Auctions Ltd



Fork Lift, Machinery, Tooling and Accessories Available Due to Liquidation

Fork Lift, Machinery, Tooling and Accessories Available Due to Liquidation

Fromac Works
Junction Street
Hyde
Cheshire
SK14 4QN
United Kingdom

Ended 07 May 2025 16:18 BST

Lot	Description
1	Toyota Electric Fork Lift Truck. Capacity 1350kg. Forks Max Height 3M. Dimensions of Forks 1000mm x 100mm. With Cascade Side Shift and Curtis SP Point 24V 160A Single Phase Charger.
2	Colchester Student 1800 Gap Bed Centre Lathe. Swing Over Bed 13 1/4". Distance Between Centres 40". Swing in Gap 19". Spindle Bore 1 5/8" (38mm). Spindle Speeds 22 - 1800rpm. Spindle Nose No.4-D1 Camlock. Imperial Leadscrew & Dials. With 3 & 4 Jaw Chucks. Collet Chuck & Collets. Quick Ch[more]
3	Harrison M300 Centre Lathe. Swing Over Bed 330mm. Distance Between Centres 635mm. Spindle Bore 38mm. Spindle Speeds 40 - 2500rpm. Spindle Nose No.4-D1 Camlock. Metric Leadscrew & Dials. With 3 & 4 Jaw Chucks. Collet Chuck & Collets. Fixed Steady, Etc.
4	Baileigh Model CS-350M Manual Pull Down Cut Off Saw. Blade Size 350mm Max. Capacity 4.5" Tube. 4" Square. 4" x 4.5" Rectangular. Swivel Head to 45 deg. Double Clamp Vice. Coolant Pump. 3 Phase Motor 4HP.
5	Parkson No 2V Vertical Milling Machine with Swivel Head. Spindle Taper 40 ISO. Spindle Speeds 27 - 1500rpm. Table Size 50 3/4" x 12 1/2". 3 Phase Motor. 3 Axis GT Digital Readout. PLEASE NOTE: This Machine Has An Electrical Issue.
6	Bigwood Initial Pinch Powered Bending Rolls. Length of Rolls 50". Front Rolls 5" Diameter. Rear Roll 3 1/2" Diamater. 4" Wide Flat Bar Cut Out. Top Slip Roll. 3 Phase Motor.
7	ORMEROD Slotting Machine. Stroke Length 0-6". Strokes Per Min 70, 52 & 35. Throat 12". Table Size 12" Diameter. With 2 Axis GT Digital Readout. 3 Phase Motor. (PLEASE NOTE: Feeds to Table Need Attention).
8	Press & Shear (Strippit) Super 30/30/30 Fabricator Copy Punch. Total Table Size 6ft x 4ft. 2 Axis Newall Digital Readout (Working). With Pallet of Tooling. 3 Phase Motor. PLEASE NOTE: This Machine Needs Attention.
9	Nikon Model 6C Profile Projector. 280mm Diameter Screen. Table Size 280mm x 150mm With 3 Tee Slots. With Nikon 2 Axis Digital Counter CM-6F & Nikon Reader Heads X & Y. 3 x Lens 10X-A, 20X-A & 50X-DP. 240V.
10	Pryor Marking Technology Marktronic Markmate Desktop Dot Peen Engraving Machine. Marking Area 100mm x 75mm. With Markmate E Embedded Controller. Year 2022.
11	Avery Denison Type 6407 Hardness Tester. Three Rockwell Settings: 60kgf, 100kgf & 150kgf.
12	Granite Surface Table on Steel Levelling Stand. Size 2400mm x 1200mm. Thickness 200mm. Working Height 950mm.

13	Crown Granite Surface Table on Stand. Size 36" x 24". Thickness 3 7/8". Grade '1'.
14	WBJ Granite Surface Table on Steel Stand. Size 600mm x 450mm. Thickness 105mm. Working Height 800mm. Grade '0'.
15	Jones & Shipman Bench Centres. 36" Between Centres. 4 1/8" Centre Height.
16	Rowland 14" Double Ended Pedestal Grinder. 3 Phase Motor.
17	Marlco Broaching Press. Stroke 16". Distance Between Uprights 14 1/2". Table Size 9 1/4" Diameter with 5 Various Sized Slots.
18	Fly Press. Throat 3". Daylight 5 1/4". Table 24" x 6 1/2".
19	Morgan Rushworth Bench Top Corner Notcher on Steel Stand. Length of Blades 6". With Angle Guides.
20	The Tab Hand Punch/Press by G.H. Joyce Ltd. Throat 6 3/4". Adjustable Daylight. Table Size 5 1/4" x 5 1/4".
21	Miller Syncrowave 300 Tig Welder Complete With Cooler, Miller Wireless Foot Pedal & Transceiver. With Book.PLEASE NOTE: Untested.
22	Miller Maxstar 280 Tig Welder With Miller Coolmate 1.3 & Miller Wireless Foot Pedal and Transceiver. With Book.PLEASE NOTE: Untested.
23	Miller Maxstar 280 Tig Welder With Miller Coolmate 1.3 & Miller Wireless Foot Pedal and Transceiver. With Book.PLEASE NOTE: Untested.
24	ESAB Fabricator EM 401 i Mig Welder With ESAB Fabricator Feed 304W. With Book. PLEASE NOTE: Untested.
25	CROS-ARC 291C Mig Welder. With Book.PLEASE NOTE: Untested.
26	HYPERTHERM Power Max 30 XP Plasma Cutter. Single Phase.PLEASE NOTE: Untested.
27	CROS-ARC 200 DHF Tig Inverter Welder. Maximum Output 200 Amps. Dual Voltage Input 110 & 220V. (No Leads).PLEASE NOTE: Untested.
28	QLIXBI Classic Quick Connector & Gas Regulator.
29	QLIXBI Classic Quick Connector & Gas Regulator.
30	QLIXBI Classic Quick Connector & Gas Regulator.
31	QLIXBI Classic Quick Connector & Gas Regulator.
32	QLIXBI Classic Quick Connector & Gas Regulator.
33	Pressure Release Fittings. Various BSP Sizes.

34	Rotamag 6 Series Magnetic Base Fitted with Bosch 2 Speed Drill. Spindle Taper No.2 Morse. Drilling Capacity 23mm in Steel. Electric Input 110V.
35	Makita DHP485 LXT Cordless Hammer Drill. With 18V Lithium-ion 5.0AH Battery & Makita DC18SD Charger.
36	Makita DHP485 LXT Cordless Hammer Drill. With 18V Lithium-ion 3.0AH Battery & Makita DC18RC Charger. In Makita Carry Case.
37	Makita DHP485 LXT Cordless Hammer Drill. With 18V Lithium-ion 5.0AH Battery & Makita DC18RC Charger. In Makita Carry Case.
38	Makita HP2070 Hammer Drill in Carry Case. 240V.
38a	Makita Model HS7601 Circular Saw. Blade Size 190mm Diameter. Power 1200W. Input 240V. Year 2019. With Carry Case.
39	Makita HS7611 Circular Saw With Guide. 185mm-190mm Blade. 240V.
40	Makita MLS100 Mitre Saw. Tilting 45 Degrees. Double Mitre 45 Degrees. Blade Size 255mm Diameter x 30mm Bore. Table Size 480mm x 100mm. 110V.
41	Makita MLS100 Mitre Saw. Tilting 45 Degrees. Double Mitre 45 Degrees. Blade Size 255mm Diameter x 30mm Bore. Table Size 480mm x 100mm. 110V.
42	Makita MLS100 Mitre Saw. Tilting 45 Degrees. Double Mitre 45 Degrees. Blade Size 255mm Diameter x 30mm Bore. Table Size 480mm x 100mm. 110V.
43	Makita M9204 Orbital Sander. 0-125mm Sanding Discs. 240V.
44	Makita M9204 Orbital Sander. 0-125mm Sanding Discs. 240V.
45	Makita AF506 Air Nail Gun. Takes Nail 18Ga L: 15mm-50mm (5/8"-2"). Air Pressure 0.49-0.83MPa (4.9-8.3 Bar). With Carry Case.PLEASE NOTE: Untested.
46	Makita AF506 Air Nail Gun. Takes Nail 18Ga L: 15mm-50mm (5/8"-2"). Air Pressure 0.49-0.83MPa (4.9-8.3 Bar). With Carry Case.PLEASE NOTE: Untested.
46a	Makita AF506 Air Nail Gun. Takes Nail 18Ga L: 15mm-50mm (5/8"-2"). Air Pressure 0.49-0.83MPa (4.9-8.3 Bar). With Carry Case.PLEASE NOTE: Untested.
46b	2 x Clarke Model CNG1G Air Nail Guns. Nail Size 18 Gauge/15-50mm. Magazine Capacity 100. Drive Speed 200 Shots/min. With Carry Cases. PLEASE NOTE: Untested.
47	Gripmor Model 742-S Pneumatic Threaded Insert Power Tool in Carry Case.PLEASE NOTE: Untested.
48	U.S. PRO Pneumatic Thread Insert Power Tool.PLEASE NOTE: Untested.
49	Norton Pneumatic Sander in Carry Bag. With Various Discs.PLEASE NOTE: Untested.
50	ATA Model STXX22 Pneumatic Tool. 22,000rpm. PLEASE NOTE: Untested.

51	Standard Power Model SP-936 Pneumatic File / Sander.PLEASE NOTE: Untested.
52	PREVOST Model TSP 0333700 Air Needle Scaler.PLEASE NOTE: Untested.
53	DeWalt DWE62 Router. 7 Variable Speeds. 240V. With Carry Case.
54	DeWalt DCW600 Compact Cordless Router. 7 Variable Speeds. 18V XR. Type 1. With 18V XR LI-ION 2.0 AH Battery & DeWalt DCB112 Charger. With Carry Case.
55	DeWalt DCW600 Compact Cordless Router. 7 Variable Speeds. 20V XR Max. Type 1. With 18V XR LI-ION 2.0 AH Battery & DeWalt DC8118 Fast Charger.
56	Erbauer ERB658SDR Belt Sander. Belt Size 100mm x 610mm. 240V.
57	Erbauer ERB739ROU Palm Router. 240V.
58	Erbauer ER2100 Router. 6 Variable Speeds. 240V. With Carry Case.
59	Erbauer ER2100 Router. 6 Variable Speeds. 240V. With Carry Case.
60	Erbauer EMIS254C Mitre Saw. Double Mitre. 45 Degree Tilt. Blade Size 254mm Diameter x 30mm Bore. Table Size 470mm x 90mm. Table Size With Extensions Added 880mm. 240V.
61	Titan TTB287CSW Circular Saw. 235mm Blade Size. 240V.
62	Bosch GWS 115 Angle Grinder. 240V.
63	Bosch GWS-9-115-S Variable Speed Angle Grinder. 240V.
64	Bosch GWS-7-115 Angle Grinder. 240V.
65	Bosch GWS-7-115 Angle Grinder. 240V. Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V.
65	Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V.
65	Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V. PROXXON RBS/A Battery Powered Tube Belt Sander in Carry Case. Rechargeable.
65 66 67	Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V. PROXXON RBS/A Battery Powered Tube Belt Sander in Carry Case. Rechargeable. Defender 110V Transformer. 3.0KVA. 2 x 16A Outputs. 240V Input.
65 66 67 68	Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V. PROXXON RBS/A Battery Powered Tube Belt Sander in Carry Case. Rechargeable. Defender 110V Transformer. 3.0KVA. 2 x 16A Outputs. 240V Input. Defender 110V Transformer. 5.0KVA. 2 x 16A Outputs. 1 x 32A Output. 1 x Reset Button. 240V Input.
65 66 67 68 69	Bosch GST 135 BCE Professional Jigsaw. Variable Speed. With Spare Blades. In Carry Case. 240V. PROXXON RBS/A Battery Powered Tube Belt Sander in Carry Case. Rechargeable. Defender 110V Transformer. 3.0KVA. 2 x 16A Outputs. 240V Input. Defender 110V Transformer. 5.0KVA. 2 x 16A Outputs. 1 x 32A Output. 1 x Reset Button. 240V Input. Air Master Tiger 16/550 Turbo Compressor. 50 Litre Capacity. 240V.

72	Clarke Little Devil II Space Heater. Heat Output 10.3KW. Gas & 240V.PLEASE NOTE: Wire Needs Attention. Not Tested With Gas.
73	Clarke Little Devil II Space Heater. Heat Output 10.3KW. Gas & 240V.PLEASE NOTE: Wire Needs Attention. Not Tested With Gas.
74	Lifting Gear Portable 1 Ton Gantry Crane. Adjustable Height 2.5 to 3.5 Mtr. Width 2.4Mtr. Depth 1.2Mtr. With 1 Ton Plain Trolley.
75	Yale Lift 360 Block & Tackle. 1000kg. 3 Meter Drop.
76	Avery Type 3205 ABA Scales. To Weigh 10 CWT.
77	Double Sided Tall Racking. Approx Height 5.4m. 1620mm x 1900mm Approx. Pallet of Arms 825mm Long.
78	J CARTER & COMPANY Surface Plate. Size 410mm x 300mm x 72mm High.
79	Soba 75mm Double Tilting Swivelling Vice. Jaws 75mm x 32mm. Max Opening 76mm. Overall Height When Square 160mm.
80	100mm Tilting Swivelling Machine Vice. Jaws 100mm x 31mm. Max Opening 88mm. Overall Height 142mm.
81	2 Axis 4" Machine Vice. Jaws 4" x 1 3/8". Max Opening 3 5/8". Overall Height 5 3/8".PLEASE NOTE: 1 Axis Has No Screw & Nut.
82	6" Machine Vice. Jaws 6" x 1 1/4". Max Opening 5 5/8". Overall Height 4 3/8".PLEASE NOTE: 1 Jaw Missing.
83	Skinner 6 1/8" Machine Vice. Jaws 6 1/8" x 1 11/16". Max Opening 3 13/16". Overall Height 5 3/8".
84	150mm CNC Machine Vice. Jaws 150mm x 50mm. Max Opening 295mm. Overall Height 100mm.
85	Quantity of G Clamps. Eclipse, Record & Others. Up to 12" Opening.
86	2 x Angle Plates. 1 x 8 3/8" x 7" x 7" 8 Slots & 7 Slots. 1 x 6" x 6" x 6 3/8" Various Holes.
87	Angle Plate With 2 Vee's. Size 10 7/8" x 10 1/4" x 7". Size of Vee's 2" & 1 1/8".
88	Angle Plate. 12" x 8" x 9". 7 Slots & 4 Slots & Various Holes.
89	Angle Plate. 225mm x 230mm x 226mm. 8 Slots & 8 Slots.
90	Record 92 1/2 Pipe Vice.
91	2 x Three Jaw Chucks. 7 1/2" Diameter and 6" Diameter with Flanges welded on.
92	2 x Three Jaw Chucks. 9" Diameter and 12" Diameter. Chuck Key Fits Both.
93	Clock Stand. Base Dimensions 6 1/2" x 7 1/4".

94	8" Machine Vice. Jaws 8" x 2 3/8". Max Opening 7". Overall Height 4 1/2".
95	Parkson 10" Rotary Table. 4 1/2" High.
96	Quantity of 40 Int Tooling & 1 x 50 Int Tool.
97	Horizontal / Vertical Indexing Head. 6" Diameter 3 Jaw Chuck. 6" Centre Height Vertical. 8 1/2" Height Horizontal.
98	250mm 3 Jaw Chuck. 75mm Internal Diameter. With Plates for Clamping.
99	Quick Release / Clamp Vice. Jaws 100mm x 36mm. Max Opening 120mm. Overall Height 81mm.
100	2 x Irwin Quick Grip Clamps. 1 x 18" Bolt Cutter. 1 x Chisel. 1 x Stanley Tape Measure.
101	PML-3 Lifting Magnet. 300kg Capacity.
102	System Store Solutions 5 Drawer Steel Cabinet. Size 715mm W x 725mm D x 900mm H.
103	HWR INOFLEX VDO26 Compensating Centric Clamping Four Jaw Chuck. 255mm Diameter. Max Speed 2700rpm. Camlock D1-8 Spindle Nose Fitting. With Hard & Soft Jaws.
104	14 x Various BT40 Spindle Tools. Including ER32 & ER40 Milling Chucks & Collets.
105	20 x Various BT40 Spindle Tools. Including ER32 Milling Chucks & Collets, Etc.
106	23 x 40 ISO Spindle Tools. Including Boring Head, Tapping Head, ER 40 Milling Chucks & Collets, Etc. Complete with Steel & 24 Plastic Hole Tool Stand.
107	2 x 40 ISO/BT Spindle Tool Holder Locking Device. 1 x New in Box & 1 x Used.
108	Quantity of Expanding Mandrels for Internal Workholding on Grinders & Lathes etc. Maximum Size 100mm Diameter.
109	Tapmatic 50X Reversible Tapping Attachment. No.2 Morse Taper. Capacity up to 1/2". Plus Two Others. 1 Morse Taper & 2 Morse Taper.
110	2 x Tapmatic 50X & 30X Reversible Tapping Attachments. Both No.2 Morse Taper. Capacity 1/2" & 1/4".
111	Quantity of Metric Taps. Various Sizes up to 45mm.
112	Quantity od Various Taps. BSW, BSF etc. Sizes up to 1 3/8".
113	Quantity of BSP Taps. Various Sizes up to 2".
114	Quantity of Home Made Extension Sleeves for Taps & Dies. Plus Various Taps.

115	Quantity of Split Dies & Die Nuts.
116	Quantity of Various Drills. Various Sizes. Straight Shank & Morse Taper.
117	Quantity of Various Twist Drills. 3 & 4 Morse Taper. Various Sizes.
118	Quantity of Various Reamers. Various Sizes. Hand & Morse Taper. Including Some Adjustable.
119	4 x Carver Clamps.
120	Record No.23 Quick Release Bench Vice. Width of Jaws 4". Max Opening 6 1/2".
121	Selection of Mallets & Hammers.
122	Quantity of Hole Cutters. Various Sizes 25mm - 150mm.
123	Allendale Ultrasonics US-CU-XL-57L Industrial Ultrasonic Cleaner. Tank Capacity 57 Litres. External Dimensions 700mm x 550mm x 670mm. Internal Dimensions 500mm x 350mm x 360mm. Tank 3 Phase. Digital Display 240V.
124	Electro-Wand EW-Combi (MK4) Tig Weld Cleaner. Complete With Brush & Spare Brushes, Paddle & Spare Pads.
125	Dip-Slides Orion MX8 Proffessional Dip-Slide Incubator. Pre Set Temp of 30 Degrees Celcius. Input 12V.
126	Workbench Size 2100 x 750mm. Plastic Coated Wooden Top 40mm Thick. On Steel Stand With Levelling Feet. PLEASE NOTE: There are Holes Drilled for Vice etc.
127	Workbench Size 1500 x 750mm. Plastic Coated Wooden Top 40mm Thick. On Steel Stand With Levelling Feet.
128	BOTT Two Door Steel Cabinet With 4 Shelves. Size 1050 x 525mm. Height 2000mm. PLEASE NOTE: No Key.
129	BOTT Two Door Steel Cabinet With 2 Shelves. Size 1000 x 550mm. Height 1050mm. With 2 x Keys.
130	BOTT Steel Cabinet With 2 Shelves & Drawer. Size 525 x 550mm. Height 1130mm. PLEASE NOTE: No Key.
131	BOTT Steel Cabinet With 2 Shelves & Drawer. Size 525 x 550mm. Height 1130mm. With 2 x Keys.
132	Steel 2 Door Cabinet With Three Shelves. Size 36" x 18". Height 72". PLEASE NOTE: Key is Missing.
133	Steel Locker Cabinet With Hanging Rails and Shelves. Cabinet Size 900 x 450mm. Height 1850mm. Complete With Locks & Keys.
134	Steel Locker Cabinet With Hanging Rails and Shelves. Cabinet Size 900 x 450mm. Height 1850mm. With Locks & Keys.PLEASE NOTE: Only 2 Keys.
135	BOTT Storage Racks. Comprimising of 8 x Panels 990mm x 455mm. 1 x 455mm x 495mm. 2 x 500mm x 500mm. Box of Various Hooks/Clips.

136	Bowers Metrology Digital Internal Micrometer Set. 10 - 20mm.
137	Shardlow IMICRO Set of Bore Micrometers. 1.6" - 4".
138	Set of Internal/Bore Micrometers. 0.800" - 1.6".
139	Mitutoyo Dial Caliper Gauge for Internal Bores. 160mm - 250mm.
140	Mitutoyo Dial Caliper Gauge. 10" - 16".
141	Mercer Bore Comparitor Dial Gauge.
142	Selection of Blade Micrometers. Metric: Mitutoyo 50mm - 75mm. 75mm - 100mm. 100mm - 125mm. 125mm - 150mm. Imperial: Starrett 0" - 1". Mitutoyo 1" - 2".
143	Mitutoyo Metric Set of 6 Micrometers in Box. 0 - 25mm, 25mm - 50mm, 50mm - 75mm, 75mm - 100mm, 100mm - 125mm, 125mm - 150mm. With Set of Setting Bars.
144	Mitutoyo Imperial Set of 6 Micrometers in Box. 0 -1", 1" - 2", 2" - 3", 3" - 4", 4" - 5", 5" - 6". With Set of Setting Bars.
145	Mitutoyo 0-1" / 0-25mm Digital Micrometer.
146	Moore & Wright 6" - 12" Micrometer.
147	Selection of Micrometers. 1 x Mitutoyo 0-25mm Sheet Metal Micrometer. 1 x Mitutoyo 5-25mm Tap Micrometer. 1 x Starrett V-Anvil up to 25mm Micrometer. 1 x Moore & Wright 0-25mm Thread Micrometer.
148	Selection of Measuring Equipment. Including Inside Micrometers, Sine Bar, Dial Gauge & Vernier Calipers.
149	Quantity of Imperial Micrometers. Various Sizes. 2 x 0" - 1". 1 x 1" - 2". 2 x 3" - 4". 1 x 4" - 5".
150	1 x WBJ Imperial Dial Caliper & 1 x Edge Technology Tramming Dials.
151	Sigma Sine Centre Model 205-22. 10" Between Centres. 3 3/4" Centre Height.
152	Select Tungsten Carbide Set of Imperial Slip Gauges. Up to 4".
153	MATRIX AC3676 Slip Gauge Accessory Set.
154	C.G&T Co. Ltd 24" Barrel Square. Height 24". Diameter 4".
155	Mitutoyo Depth-Micro Checker. 1" - 6".
156	2 x Chesterman Straight Edges. 1 x 4' x 3" x 7/18" Thick. In Box. 1 x 6' x 4" x 1/2" Thick.

157	Starrett Webber Optical Parallels. Pro Anemometer. Fluid Refractometer. Temperature Probe.
158	Mitutoyo Metric Depth Micrometer. 0 - 125mm.
159	Matrix Combination Length Bars 1/2" - 18" & Set of Parrallels.
160	Mitutoyo Height Gauge. 12" / 300mm.
161	2 x Height Gauges. 1 x Brown & Sharpe 24". 1 x Chesterman 20" / 500mm.
162	Quantity of Thread Gauges. Various Sizes.
163	1 x Set of Metric Slip Gauges & 1 x Incomplete Set of Spacers for Horizontal Arbors.PLEASE NOTE: 1 Slip Gauge is Missing.
164	Microloc Clamps. 6 x MD75, Width 58mm. 2 x MD60, Width 40mm.
165	Quantity of Clamps & Clamping Bolts.
166	Quantity of Drill Chucks. Including Jacobs No20N 3/8" - 1" Capacity, Jacobs No36 & Jacobs No34. 2 - 4 Morse Taper.
167	Selection of Centres. Live Centres & Dead Centres. Up to 5 Morse Taper.
168	Quantity of Morse Taper Sleeves. Various Sizes 1 - 2 Morse Taper up to 4 - 5 Morse Taper.
169	Quantity of Morse Taper Sleeves. Various Sizes 1 - 2 Morse Taper up to 4 - 5 Morse Taper.
170	3 x Long Series Morse Taper Sleeves. 1 x 1 - 3 Morse Taper. 2 x 3 - 4 Morse Taper.
171	Quantity of Milling Cutters, End Mills & Slot Drills. Various Sizes.
172	Quantity of Ceratizit & Iscar etc Multi Tipped Milling Cutters. Size 40mm - 80mm Diameter.
173	Quantity of 30 INT Tooling. Including Autolock Chucks, Morse Taper Sleeves & Erikson No10 Boring Head.
174	Herbert Tapper. 4 Morse Taper. Up to 3/4" BSP, 1 1/4" BSF, 1 1/4" WHIT.
175	3 Sets of Collets. 1 Set of ER20. 1 Set of ER25. 1 Set of ER32.
176	4 x Certizit Carbide Tipped Through Coolant U Drills. Diameter Sizes 20mm, 25mm, 30mm, 40mm.
177	6 x Various Tipped Through Coolant & Drills & Seco Milling Cutters etc. Various Sizes.
178	Sandvik Coroturn SL Interchangeable Tipped Lathe Tools, Ceratizit Tool & Boring Tools.

179	Quantity of Tipped Boring Bars. Some With Tips.
180	Quantity of Tipped Lathe Tools. Including Left & Right Hand Turning Tools & Parting Tools.
181	Quantity of Tipped Lathe Tools. Including Left & Right Hand Turning Tools & Parting Tools.
182	Selection of Tips. Various Sizes & Makes.
183	Selection of Tips. Various Sizes & Makes.
184	Quantity of Various Drills & Taps. Various Sizes.
185	Selection of BT40 Tappers. With Selection of Collets. Various Sizes.
186	Archer Model 1303 Quick Change Drill Chuck. 3 Morse Taper. With 2 x 2 Morse Taper Collets & 2 x 3 Morse Taper Collets.
187	1 x Thame Workholding CNC Swarf Fan With 20mm Shaft. 1 x VNT Universal 3D-Taster With 20mm Shaft. 1 x Centre Finder Probe With 20mm Shaft. 7 x Various Boring/Slotting Bars With 20mm Shaft.
188	Miscellaneous Items Including Clarkson Autolock With Straight Shank, Boring Head, Countersink Cutters & Helicoil Set for M12.
189	Quantity of Tobler Mandrels & Collets for Internal Gripping of Job. Various Sizes; T-EP-1, T-EP-2, 3 x T-EP-3, T-EP-5, T-EP-6.
190	Quantity of High Speed Steel Cutters & Holders. Various Sizes.
191	Quantity of Loc-Line Coolant Fittings.
192	Electro Etch Etcher.
193	Sealey Model PBS91 Pipe Bender. Up to 2".
194	Mitutoyo Readout. 2 x Scales; 1 x 300mm & 1 x 700mm. Bridgeport Spares.PLEASE NOTE: For Spares and Repairs.
195	Quantity of Flanges & Spares. Various Sizes. 250mm - 340mm Diameter.
196	Quantity of Pressure Gauges. Various Sizes.
197	8 x Drawer / Shelf Inserts. 4 x 780mm x 440mm x 110mm Approx With Cut Out to Front & Removable Seperators. 2 x 920mm x 520mm x 55mm Approx With 5 Fixed Seperators. 1 x 920mm x 520mm x 520mm x 520mm Approx With 5 Fixed Seperators.
198	Geoface-W Model VF700 Time and Attendance Terminal. Face, Finger, RF1D Recognition.
199	Time Precision TP-400 Calculating Time Recorder. With Clock Cards.

200	Brother Model QL-820NWB Label Printer. With 2 x Non Adhesive White Paper Tape.
201	Acu Rite Digital Clock. With Time, Date & Temperature. Free Standing or Wall Mountable. 455mm x 200mm.
202	Quantity of Keyboards & Mice. Wired & Wireless.
203	Quantity of Telephone Equipment. Including 2 x Poly Phones, Polycom Telephone, Yealink Cordless Phone & Dray Tele Access Point.