

ES (Group) Ltd

Henry Mills Ltd

Ended 21 Jan 2014 16:36 GMT

Description Lot Wohlenberg Perfect Binding Line Comprising: Sprinter 7009, 12 Station Gatherer (2002) with Hand Feed Station, Serial Number: 132 and Book Block Feeder; City 4000, 15 Clamp Binder, Serial Number 163 (2002) with Cover Feeder; Hot Melt Gluing; Two Bag 1 Extraction and Blitz, Type: Airmobil 240/50, 10 Bar ...[more] Sulby, MK III Auto Minabinda, Single Clamp Perfect Binding Machine, Serial Number: D11823 with Single Bag Extraction (Located on 2 1st Floor) (Risk Assessment and Method Statement required prior to removal) Wohlenberg, City 500, Single Clamp Perfect Binding Machine, Serial Number: 126 (1999) with EFA Automazione, FLY 50N, Controls 3 and Extralux, Mobile Extraction (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal) Perfecta, Model: SDY-2, 3 Knife Trimmer, Serial Number: 59404 with Elevated Trim Conveyor, Model Ref: FE/EDP-307-450-1.5-1.4, 4 Serial Number: J19256 (2003) (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal) Meccatec, Aster-Headop, Automatic Book Thread Sewing Machine, Serial Number: 20513/14013 (1988) with Readout Printer (Located 5 on 1st Floor) (Risk Assessment and Method Statement required prior to removal) Harrison, No. 7 Reel Wire Stitcher, Serial Number: P2682, Bed Width: 66cm (Located on 1st Floor) (Risk Assessment and Method 6 Statement required prior to removal) Samco, Model: Hytronic SB218, Hydraulic Cutting Press, Serial Number: E7892, Platen Size: Approximately 46cm x 50cm with various 7 Additional Cutting Bloggers (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal) 8 Rapier, Table Top Jogger (Located on 1st Floor) Vickers-Armstrongs, Model: PS, Reel Wire Stitcher, Serial Number: 4298, Bed Width: 60cm (Located on 1st Floor) (Risk Assessment 9 and Method Statement required prior to removal) Monotype, Boston, Twin Head Reel Wire Stitcher, Serial Number: 5456, Bed Width: 66cm (Located on 1st Floor) (Risk Assessment and 10 Method Statement required prior to removal) Rollem, 80cm Run Through Perforator, Serial Number: G681/346 (Located on 1st Floor) (Risk Assessment and Method Statement 11 required prior to removal) 12 Hang, Electric Self Feed Eyeletting Machine (Located on 1st Floor) 13 Treadle Operated 50cm Creasing Machine (Located on 1st Floor) 14 Hampson Betteridge, 50cm Electric Creasing Machine (Located on 1st Floor)

15	Hang, Model: 1035PK, Electric Eyeletting Machine, Serial Number: 20008 (Located on 1st Floor)
16	Muro, Mobile 4 Station Padding Carousel, 108cm x 108cm (Located on 1st Floor)
17	Packer, Model: TP-202-43, Mobile Bundle Parcel Strapping Machine, Serial Number: 00446332 (04/2001) Bed Size: 90cm x 59cm (Located on 1st Floor)
18	Camco, 72cm Run Through Perforator, Serial Number: 223A28 (1989) with Rosback, Trueline II Model: 223A, Feed Table (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
19	Setfast, Floor Mounted Eyeletting Machine, Serial Number: 331 (Located on 1st Floor)
20	SNS, 4000 Micromatic, Numbering Machine (May be suitable for parts and spares only) (Located on 1st Floor)
21	Horizon, AC160, 16 Station Vertical Collator, Serial Number: 30519 (Located on 1st Floor)
22	Horizon, TAC-A29, 8 Station Vertical Suction Collator, Serial Number: 13012 (Located on 1st Floor)
23	Graphic Wizard, GW1200, Automatic Stamping Machine (Located on 1st Floor)
24	Singer, Electric Sewing Machine, Serial Number:EE459436 (Located on 1st Floor)
25	Sunbel, 80cm Whole Surface Gluing Machine, Roller Length: 80cm (Located on 1st Floor)
26	Bookbinders Iron Standing Press, 80cm x 55cm (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
27	Praform, 35cm case Marking Machine with Siemens Controls (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
28	Treadle Operated 38cm Rounder and Book Backing Machine, Roller Length: 38cm (Located on 1st Floor)
29	CMC, 52cm Whole Surface Gluing Machine, Roller Length: 52cm (Located on 1st Floor)
30	Bookbinders Iron Nipping Press, 45cm x 30cm (Located on 1st Floor)
31	Fryer Edwards, Treadle Operated Guillotine, Patent Number: 520080, Blade Length: 66cm (Located on 1st Floor)
32	Rocor, No. 8, Power Operated Corner Turning Machine (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
33	Martini, Type: FKIV, Semi Automatic Book Thread Sewing Machine, Serial Number: 4907 (1967) (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
34	Soag, Paper Drill, Bed Width: 69cm (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)

35	H O Strong, Gas Heated Bench Top Foil Blocker, 42cm x 30cm, Serial Number: 50527 (Located on 1st Floor)
36	Bookbinders Gas Heated Bench Top Finishing Stove with Type Holders (Located on 1st Floor)
37	Wimsew, W-B211-413SV, Sewing Machine, Serial Number:060307430 (Located on 1st Floor)
38	Pfaff, System 134, Sewing Machine (Located on 1st Floor)
39	Bookbinders Iron Nipping Press, 52cm x 40cm (Located on 1st Floor)
40	Treadle Operated Book Backer, 45cm (Located on 1st Floor)
41	J Greig & Sons, 80cm Mill Board Cutter, Table Size: 89.5cm x 68cm (Located on 1st Floor)
42	John T Marshall, Bench Top Marking Machine (Located on 1st Floor)
43	Wohlenberg, Model: A107E, Guillotine, Serial Number: S6401 (1961) with Microcut Controls and Air Float Table to Front, Blade Length: 107cm (Located on 1st Floor) (Risk Assessment and Method Statement required prior to removal)
44	Newey, Treadle Operated Riveter (Located on 1st Floor)
45	The Bifurcated, Treadle Operated Riveter (Located on 1st Floor)
46	Treadle Operated Riveter (Located on 1st Floor)
47	Occhiellatrice, Power Operated Self Feed Eyeletting Machine (Located on 1st Floor)
48	UFO1, Buckle Folding Machine, Serial Number: 2176 (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
49	Single Colour, Offset Printing Machine (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
50	Scott, Loose Leaf Sheet Reinforcing Machine, Serial Number: 8R-92082 (Located on 2nd Floor
51	Scott, Loose Leaf Sheet Reinforcing Machine, Serial Number: 7P-71215 (Located on 2nd Floor)
52	Scott, Ten Thousand, Automatic Plastic Index Tab Machine with Pile Feeder, Tape Band Delivery and Extraction (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
53	Scott, Ten Thousand, Automatic Plastic Index Tab Machine with Pile Feeder, Tape Band Delivery and Extraction (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
54	Scott, Ten Thousand, Automatic Plastic Index Tab Machine with Pile Feeder, Tape Band Delivery and Extraction (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)

56 Scott, Index Tab Cutting Machine, Serial Number: 6T76261 (Located on 2nd Floor) 57 Scott, Model: 1800. Platic Tab Laminator, Serial Number: 1003 (Rtabuilt 06/1999) (Located on 2nd Floor) 58 James Burn, Wire-O CM70, Closing Machine (Located on 2nd Floor) 59 James Halley, No. 50, Rolary Numbering and Perforating Machine. Serial Number: 0336/48, Width: 64cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60 James Halley, No. 50, Rolary Numbering and Perforating Machine, Serial Number: 2255/164, Width: 76cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60A Shelving and Contents to Include Various Additional Tooling for James Halley, Rotary Numbering and Perforating Machine, Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 61 Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1950) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch, Serial Number: 303A0498 (Located on 2nd Floor) 64 Floor) (Risk Assessment and Method Statement required prior to removal) 65 Polar Mohr, Model: 92E, Poogrammable Guilotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Ar Floor Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required p	55	Scott, Scotty 5000, Tab Cutting Machine, Serial Number:5K0100211 (2000) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
58 James Burn, Wire-O CM70, Closing Machine (Located on 2nd Floor) 59 James Halley, No. 50, Rotary Numbering and Perforating Machine. Serial Number: 0336/48, Width: 64cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60 James Halley, Rotary Numbering and Perforating Machine, Serial Number: 2255/164, Width: 76cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60A Shekving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines 61 James Halley, No.50, Rotary Numbering and Perforating Machine. Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 62 Shekving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines 61 James Halley, No.50, Rotary Numbering and Perforating Machine. Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch. Serial Number: Size Number: 6511441 (1985) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Lengh: Sizem (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 64 Polar Mohr, Model: SZE, Programmable Guilfotine, Serial Number: 6511441	56	Scott, Index Tab Cutting Machine, Serial Number: 6T76261 (Located on 2nd Floor)
3ames Halley, No. 50, Rotary Numbering and Perforating Machine, Serial Number: 0336/48, Width: 64cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60 James Halley, Rotary Numbering and Perforating Machine, Serial Number: 2255/164, Width::76cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60 Shelving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines 61 James Halley, No.50, Rotary Numbering and Perforating Machine, Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) 64 Wiles Engineering Limited, 65cm Stenell Gluing Machine: Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 65 Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Biade Length: S2cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 66 Durselen, Type: PE04, 4 Head Paper Drill, Serial Number: PE04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 67 Kayel,	57	Scott, Model: 1800, Platic Tab Laminator, Serial Number: 1003 (Rebuilt 06/1999) (Located on 2nd Floor)
39 Assessment and Method Statement required prior to removal) 60 James Halley, Rotary Numbering and Perforating Machine, Serial Number: 2255/164, Width: 76cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 60A Shelving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines 61 James Halley, No 50, Rotary Numbering and Perforating Machine, Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) 64 Floor) (Risk Assessment and Method Statement required prior to removal) 65 Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 66 Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 67 Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 68 Ibico, EP-28, Comb B	58	James Burn, Wire-O CM70, Closing Machine (Located on 2nd Floor)
 Assessment and Method Statement required prior to removal) Shelving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines James Halley, No.50, Rotary Numbering and Perforating Machine, Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) Wiles Engineering Limited, 65cm Stencil Gluing Machine; Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Bicon, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	59	
61 James Halley, No.50, Rotary Numbering and Perforating Machine, Serial Number: 1625/57, Width: 82cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40°, Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) 64 Wiles Engineering Limited, 65cm Stencil Gluing Machine; Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 65 Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 66 Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 67 Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 68 Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) 68 Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) 68 Ibico, EP-28, Comb Binding Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method	60	
61 Assessment and Method Statement required prior to removal) 62 John Shaw, Model: DSL 40", Disc Ruling Machine, Serial Number: 383 (1956) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 63 ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) 64 Wiles Engineering Limited, 65cm Stencil Gluing Machine; Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) 64 Floor) (Risk Assessment and Method Statement required prior to removal) 65 Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 66 Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 67 Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 68 Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) 68 Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) 69 Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method	60A	Shelving and Contents to Include Various Additional Tooling for James Halley Rotary Numbering and Perforating Machines
 Statement required prior to removal) ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor) Wiles Engineering Limited, 65cm Stencil Gluing Machine; Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	61	
 Wiles Engineering Limited, 65cm Stencil Gluing Machine; Pile Feeder, Pile Delivery and Wiles Radio Frequency Dryer (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	62	
 Floor) (Risk Assessment and Method Statement required prior to removal) Polar Mohr, Model: 92E, Programmable Guillotine, Serial Number: 6511441 (1995) with two-part Back Gauge and Air Float Tables to Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	63	ABG, AP-2, Automatic Punch, Serial Number: 3303A0498 (Located on 2nd Floor)
 ⁶⁵ Front, Rear and Sides, Blade Length: 92cm (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) ⁶⁶ Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: PB04 01.97/614 (1997) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) ⁶⁷ Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) ⁶⁸ Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) ⁶⁹ Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	64	
 Method Statement required prior to removal) Kayel, Model: KDM/2, Floor Standing Single Head Paper Drill, Serial Number: 021 (1999) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	65	
 Method Statement required prior to removal) Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor) Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method 	66	
Rilecart, F-500, Power Operated Punch Machine, Serial Number: FE-0418 (Located on 2nd Floor) (Risk Assessment and Method	67	
69	68	Ibico, EP-28, Comb Binding Machine (Located on 2nd Floor)
	69	
 Rilecart, F-500, Power Operated Punch Machine, Serial Number: 0938664 (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 	70	
 Rilecart, F-53 MK II, Power Operated Punch Machine, Serial Number: 0850204 (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal) 	71	

72	JBI, Lhermite EX610, Fully Automatic Punching Machine, Serial Number: 17296 (1996) (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
73	JBI, Wire-O BB/43H, Automatic Binding Machine, Serial Number: 4103 (1996) with Calendar Binder (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
74	JBI, Wire-O BB/43H, Automatic Binding Machine, Serial Number: 4108 (1996) with Calendar Binder (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
74A	Shelving and Contents to Include Various Additional Tooling for JBI Wire-O BB43H, Automatic Binding Machines
75	Setmaster, 24 Station Horizontal Suction Feed Sheet Collator, Serial Number: 1191/12/14 with Bindery Mate, Stitcher Delivery and Jogmaster Mobile Jogger (Located on 2nd Floor) (Risk Assessment and Method Statement required prior to removal)
76	Busch, Model: BL, Ram Punch, Serial Number: 41/104 (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
77	PB&E Meteor, No. 64, Hot Foil Blocking Machine, Serial Number: 40137/1/1688 (May be suitable for parts and spares only) (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
78	Iram, 16, 4 Head Paper Drill with Filofax Attachement, Serial Number: 1828 (1987) (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
79	Thompson, Hydribind, Rise and Fall Double Punch Machine (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
80	Thompson, Hydribind, Rise and Fall Multiple Punch Machine (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
81	Soag, Automatic Single Head Paper Drill (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
82	IND-X, R500, PC Controlled Index Cutter, Serial Number: P-2004-1 (2004) (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
83	Hunkeler, Type: RE-MAT 320, Index Cutter, Serial Number: 52565/14 (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
84	John Hamilton, Power Operated Corner Cutter (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
85	Durselen, Type: PB04, 4 Head Paper Drill, Serial Number: 12.99/958 (1999) (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
86	Vacuumatic, Vicount E, Table Top Sheet Counter (Located on Ground Floor)
87	Minipack, FM76, Shrink Wrapping Machine, Serial Number: 13468, 55cm x 40cm (Located on Ground Floor)
88	Minipack, FM75, Shrink Wrapping Machine, Serial Number: 88-4366, 55cm x 30cm (Located on Ground Floor)

89	Stahl, Station: EF63, Knife Folding Unit, Serial Number: 30355-120014 (All Faults) (Located on Ground Floor)

90	Stahl Automatic Buckle Folding Line 30355-119067 Comprising: Station RF75V, Rotary Continuous Feeder; Station TFU78/60, 6 Plate First Fold Unit; Station 2.TFU 66/40B, 4 Plate Second Fold Unit; Type 3.TF 56/2BA3, 2 Plate Third Fold Unit; Station SB.2-46/MP, Pressing Stacker Delivery, Machine Number:[more]
91	Stahl, Wheel Away Delivery Table (Located on Ground Floor)
92	MBO Auto Buckle Folding Line Comprising: Rotary Continuous Feeder; Type: T69/6, 6 Plate First Fold Station; Type: T69/64, 4 Plate Second Fold Station and A76 Wheel Away Delivery Table (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
93	Herzog Heymann, 6 Plate Automatic Buckle Folding Machine, Serial Number: 112/218 (1982) with Stream Feeder and Danelec Batch Counter with 505/95 Stacker Delivery (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
94	Wohlenberg, MCS-2 TV 115, Programmatic Guillotine, Serial Number: 3264-011 with two-part Back Gauge and Air Float Table to Front, Rear and Sides, Blade Length: 115cm (Located on Ground Floor) (Risk Assessment and Method Statement required prior to removal)
95	Airspeed, Airfil 220, Air Cushion Filler (Located on Ground Floor)
100	The Orient, Lining and Mounting Machine
101	Pira, Portable Book Tester, Serial Number 0012
102	Two: Manual Eyeletting Machines (one with no spring)
103	Mecmesin, PFI 500N, Portable Force Indicator
104	John T Marshall, Core Cutter
105	Regubinder, RB3, Spine Taper, Serial Number: 9556
106	O M, Model: SOYUZ, Spine Taper
107	Gerhard Busch, Model: TB22 P30, Bench Top Banding Machine, Serial Number: 365171
108	Three: Various John M Campbell, Whole Surface Gluing Machines
109	UNI-99, Gum Tape Dispenser
110	Four: Boxes of Various Lettering/Numbering Tools, As Lotted
111	Three: Boxes of Various Lettering/Numbering Tools, As Lotted
112	One: Box of Brass Letting Tools, As Lotted

114	One: Mini Storage Cabinet with Various Brass Lettering Tools, As Lotted
115	One: Box of Various Handled Ornaments, As Lotted
116	One: Box of Various Handled Lettering, As Lotted
117	One: Box of Various Handled Lettering, As Lotted
118	One: Box of Various Handled Lettering, As Lotted
119	One: Box of Various Handled Lettering, As Lotted
120	Three: Various Handled Lettering Reels
121	One: Box of Various Handled Lettering, As Lotted
122	One: Box of Various Handled Ornaments, As Lotted
123	One: Box of Various Handled Lettering, As Lotted
124	One: Box of Various Handled Lettering, As Lotted
125	One: Box of Various Handled Lettering, As Lotted
126	One: Box of Various Handled Lettering, As Lotted
127	One: Box of Various Handled Lettering, As Lotted
128	One: Box of Various Handled Lettering, As Lotted
129	One: Box of Various Handled Lettering, As Lotted
130	Various Lettering and Ornament Tooling, As Lotted
131	Approximately 15: Various Handled Rotating Ornament Tools
132	Approximately 12: Various Rotating Ornament Tools
133	Bookbinders Hardwood Finishing Press
134	Bookbinders Hardwood Lying Press

135	Cyklop, UNI-10, Gum Tape Dispenser, Serial Number: 02502/0788
136	Bookbinders Nipping Press
137	Three: Various 42, 43 and 44 Comb Binders
138	Three: Various GBC and Ibico Comb Binders
139	MM, Slidebind 520, Binder
140	Pallet of Card, 3000mic, As Lotted
141	Pallet of Card, 1750mic, As Lotted
142	Five: Pallets of Various Card to include: 3000mic, 1200mic, 2000mic and 1750mic, As Lotted
143	Three: Pallets of Card to include: 700mic and 2000mic, As Lotted
144	Pallet of Various Card Stock to include: 8 Packs of 230mic Bright White Boards 520mm x 640mm, 200 sheets each; 3 Packs of Saturn Yellow Flourescent Pulpboard 510mm x 635mm, 100 sheets each; Various Pink, Green, Yellow Card, As Lotted
145	Pallet of Various Card to include: 2 Packs of Display Line 1750mic 635mm x 1040mm, 25 Sheets each; 4 Packs of Popset 30% Recycled Grey, 700mm x 1000mm As Lotted
146	Pallet of Various Paper to include: 3 Packs of Explorer White, 640mm x 900mm; Pack of Explorer White, 450mm x 640mm; Various Conquerer, Antalis and Lumi Coloured Paper, As Lotted
147	Two Pallets of Various Paper, Card and Plastic Insert, As Lotted
148	Contents of Racking to Include: Boxes, Card and Paper in Various Colours and Sizes, As Lotted (Viewing Recommended)
149	Quantity of New and Part Used JBI Wire-O and Rilecart, Binding Wire Spools to Include: GREEN 9/16" x 2; 1/4"; 3/8"; 7/8"; 1"; 5/8"; RED 1/2"; 1/4"; 7/16" x 2; 5/16"; 5/8"; 1"; 9/16"; 3/4"; WHITE 3/16" x4; BLACK 3/16" x 5; BRONZE 1/4" x 6, As Lotted (Viewing Recommended)
150	Quantity of New and Part Used JBI Wire-O and Rilecart, Binding Wire Spools to Include: WHITE 1" x 2; 3/4" x 2; 9/16" x 2; 1/2"; 5/8"; 3/8"; RED 5/16"; SILVER 5/8", As Lotted (Viewing Recommended)
151	Quantity of New and Part Used JBI Wire-O and Rilecart, Binding Wire Spools to Include: BLACK 5/8" x 3; 1" x 2; 3/4"; 1/4" x 2; 9/16" x 2, As Lotted (Viewing Recommended)
152	Quantity of New and Part Used JBI Wire-O and Rilecart, Binding Wire Spools to Include: SILVER 7/8" x 2; 1"; 9/16"; 1/2"; 3/8"; 7/16"; 1/4" x 2; BLUE 3/4"; 1"; 5/8"; 5/6"; 1/2" x 4; 3/8"; 1/4"; 7/16" x 3, As Lotted (Viewing Recommended)
153	Quantity of New and Part Used Wire-O and Perfect Wire Supplies Ltd, Binding Wire Spools to Include: SILVER 9/16" x 7; 5/8" x 2; 8 x 2; 3/4" x 6, As Lotted (Viewing Recommended)

154	Quantity of New and Part Used JBI Wire-O and Rilecart, Binding Wire Spools to Include GREY 7/16" x 2; 3/8"; ANTIQUE 1/4"; 5/16"; 1/2"; XREAM 7/16"; 5/16"; BRONZE 1/4"; 1/2"; M GREY 5/16" x 5
155	Contents of Shelving to include: Comb and Ring Binding Materials, As Lotted
156	Quantity of Various Book Cover Materials to include: Cloth, Leather, Marble Paper and Offcuts all in Various Colours, As Lotted (Viewing Recommended)
157	Shelving and Contents to include: Spine Tape, Gilt Corners, Various Nickel and Brass Eyelets, Clips, Slide Bars, Tak Strips, Flat Head Screws, Hangers etc., As Lotted
158	Quantity of Flat Pack Brown and White Cardboard Boxes in Various Sizes, As Lotted
159	Quantity of Wooden Pallets, Various Sizes, As Lotted
161	Hewlett Packard, Compaq Pentium D Personal Computer with Dell, Flat Screen Monitor, Keyboard and Mouse
162	Dell, Optiplex GX240 Pentium 4 Personal Computer with Philips Flat Screen Monitor, Keyboard and Mouse
163	Hewlett Packard, Compaq Pentium D Personal Computer with Dell, Flat Screen Monitor, Keyboard and Wireless Mouse
165	Dell, Vostro 410 Core 2 Quad Personal Computer with Dell, Flat Screen Monitor, Keyboard and Mouse
166	Dell, Dimension 4600 Pentium 4 Personal Computer with LG Flat Screen Monitor, Keyboard and Mouse
167	Dell, Dimension 4600 Pentium 4 Personal Computer with Dell Flat Screen Monitor, Keyboard and Mouse
168	Dell, Inspiron 530S, Personal Computer with HannsG Flat Screen Monitor
169	Toshiba, Portege M200, Model No. PPM21E-02602-EN, Centrino Laptop Computer, Serial Number: X4708621G (No Power Cable)
170	Dell, Inspiron 8500, Model No. PP02X, Laptop Computer
171	Toshiba, Portege P2010, Model No. PP201E-00GPP-EN, Laptop Computer, Serial Number: 33705054G
172	Hewlett Packard, Officejet 5610, All-In-One
173	Hewlett Packard, Laserjet 3050, All-In-One
174	Hewlett Packard, Color Laserjet 3500, Printer
175	Hewlett Packard, Color Laserjet 3550, Printer
176	Ricoh, Aficio MP2000, Printer/Scanner

177	Oak Effect Meeting Room Table, 2.40m (L) x 1.20m (W) with 8: Cloth Upholstered Rigid Chairs
178	Oak Effect 2 Door Storage Cupboard with 4 Internal Shelves 0.99m (W) x 2.00m (H) x 0.52m (D)
179	Oak Effect 2 Door Storage Cupboard with 4 Internal Shelves 0.99m (W) x 2.00m (H) x 0.52m (D)
180	Oak Effect 2 Door Storage Cupboard with 4 Internal Shelves 0.99m (W) x 2.00m (H) x 0.52m (D)
181	Three: Oak Effect Open Front Filers with Adjustable Shelving, Each 1.00m (W) x 2.00m (H) x 0.48m (D)
182	Oak Effect, 2 Drawer Lateral Filer, Size 1.00m (W) x 0.71m (H) x 0.60m (D)
183	Oak Effect, 2 Drawer Lateral Filer, Size 1.00m (W) x 0.71m (H) x 0.60m (D)
184	Oak Effect, 2 Drawer Lateral Filer, Size 1.00m (W) x 0.71m (H) x 0.60m (D)
185	Oak Effect Curved Workstation with Cloth Upholstered Swivel Chair
186	Oak Effect 2 Pod Workstation with Integrated 3 Drawer Pedestals and 2: Cloth Upholstered Swivel Chairs
187	Oak Effect 6 Pod Workstation with Integrated Pedestals and 6: Cloth Upholstered Swivel Chairs
188	Contents of Office to include: 3: Various Workstations with Integrated Pedestals; 2 Door Storage Cupboard, Hat and Coat Stand, 2: Cloth Upholstered Swivel Chairs (I.T. and Safe Not Included)
189	Decorative Book Design Coffee Table with Internal Storage, 110cm x 65cm x 50cm (H)
190	Light Oak Effedt Hat and Coat Stand with 2: Cloth Upholstered Rigid Chairs
191	International Time Recordiong Co. Limited, Wall Mounted Pendulum Clock, Model: 13-7, Serial Number: 13740, Ink Ribbon: K5, Size: 166cm x 51cm x 20cm (D)
192	Steel Lock and Key Storage Safe, External Dimensions: 166cm (H) x 77cm (W) x 75cm (D)
193	Dudley Safes, Steel Lock and Key Storage Safe, External Dimensions: 89cm (H) x 59cm (W) x 61cm (D)
194	Steel, 2 Door Storage Cupboard with 5 Internal Shelves, 1.9m (H) x 1m (W) x 0.48m (D)
195	Two: Steel, Tambour Fronted Storage Cupboards, 1.81m (H) x 0.90m (W) x 0.46m (D)
196	Welconstruct, Steel 2 Door Storage Cupboard with 3 Internal Shelves, 1.84m (H) x 1.21m (W) x 0.46m (D)
197	9 Various Multi Compartment Personnel Lockers (Some Keys Missing)

198	Contents of Canteen to Include: 9: Wooden Topped Tables; 40: Rigid Plastic Chairs; Hotpoint Refrigerator, Microwave, Toaster etc., As Lotted
200	HPC, TB19 Plusair, Compressed Air Dryer, 25/16 Bar, Serial Number: 193534
201	HPC, SK18 Plusair, Packaged Screw Air Compressor
202	Make Unknown, Vertical Air Receiver
203	Tempo, Model: 9K, Bailing Press, Machine Number: 6 309 0136 85 (1985)
204	Filma, Model: FP30ECP20.110, Rotating Pallet Wrapper, Serial Number: 4034 (2000)
205	Mobile Manual Strapping Machine with Tightening and Crimping Tools
206	Two: Various Strapping Tools, As Lotted
207	Salter, Model: 250, Scales, 50KG x 200G
208	Avery, Type: 3305 ABW, Scales, Serial Number: S-622093, 280lb
209	Parnall & Sons, Platform Scales, 3CWT
210	CFM, Model: 128, Industrial Vacuum, Serial Number: 20502
211	BVC, Model: TH92W, Wet Vacuum, Serial Number: 20502
212	Columbus Dixon, Model: GI/MK2, Industrial Floor Scrubber, Serial Number: M 5576 Z5/G1
213	Two Bays of Pallet Racking Comprising: 3 Stanchions 2.44m (H) x 0.6m (D) and 9: Pairs of Crossbeams 2.26m (W) (Contents Not Included)
214	Three Bays of Adjustable Boltless Shelving Comprising: 6 Stanchions 1.99m (H) x 0.46m (D) and 12 Pairs of Crossbeams 1.83m (W) (Contents Not Included)
215	Three: Various Fabricated Workbenches 0.93m (H) x 2.46m (L) x 0.92m (D)
216	Four Bays of Galvanised Boltless Shelving Comprising: 8 Stanchions 1.99m (H) x 0.46m (D) and 16 Shelves 1.84m (W)
217	Steel Storage Locker with 1 Internal Shelf
218	Nine: Various Warehouse Storage Lockers, As Lotted
230	Mobile Materials Handling Trolley

231	Mobile Materials Handling Trolley
232	Mobile Materials Handling Trolley
233	Slingsby, Type: MEM1000, High Lift 1000KG Pallet Truck, Serial Number: 210697 (1995)
234	Chapel Engineering, High Lift 1000KG Pallet Truck, Serial Number: G403270
235	Chapel Engineering, High Lift 1000KG Pallet Truck, Serial Number: G401123
236	Slingsby, Type: MEM1000, High Lift 1000KG Pallet Truck, Serial Number: 210929 (1996)
237	Slingsby, Type: MEM1000, High Lift 1000KG Pallet Truck, Serial Number: 210704 (1995)
238	Slingsby, Type: MEM1000, High Lift 1000KG Pallet Truck, Serial Number: 210699 (1995)
239	Slingsby, Type: MEM1000, High Lift 1000KG Pallet Truck, Serial Number: 210703 (1995)
240	Chapel Engineering, 2000KG Pallet Truck (2007)
241	Slingsby, Model: ML 1000x520, 2000KG Pallet Truck, Serial Number: 71991 (1995)
242	Chapel Engineering, 2000KG Pallet Truck
243	Make Unknown, 2000KG Pallet Truck, Serial Number: 157414 (1989)
244	Make Unknown, 2000KG Pallet Truck, Serial Number: 157413 (1989)
245	Jungheinrich, Model: EFGA 616 6 115-PU350, Type: 8693289, 1.5T Electric Forklift Truck, Serial Number: 7.5824.53.02 (1984) Hours: 3159.55 (this lot is to be retained until the last day of clearance, Friday 31st January 2014)
246	Ford, Transit 350, LWB 2.4L Diesel Panel Van, Registraion: BL04 ZNC, First Registered: 05/2004, V5: Yes, Tax: 30/06/2014, MOT: 25/06/14, Mileage: 75,191, Two Keys
247	Installed in March 2010 the system comprises galvanised steel ducting to works with floor level collection points, axial fan in acoustic housing, hopper with rotary valve and fume chimney, Greenbank model G52100 hydraulic waste skip compactor with vertical chute feed and hydraulic pallet tipper, ser[more]