

# Pro Auction Limited



## Commercial Catering Equipment

Cooking and Processing Equipment from a commercial kitchen  
Ended 13 Nov 2014 15:52 GMT

Pro Auction  
Fengate  
Peterborough  
PE1 5XB  
United Kingdom

| Lot | Description  |
|-----|--|
| 1   | Paula Charvet Charavines Model 100064FM four burner gas oven 100mm wide s/n V00669   |
| 2   | Refrigerated Display Case open front curved end glass mobile 1500mm  |
| 3   | Cornelius Model 241347049 single glass door upright drinks chiller   |
| 5   | Williams Model BRTL19PT stainless steel bench chiller 2000mm   |
| 6   | Vestfrost model FKG371 single glass door upright glass chiller   |
| 7   | Infrico model VC1400 glass front open and over door chiller unit 1400mm  |
| 8   | Nelson under counter glass washer 510mm x 600mm 820mm  |
| 9   | Panasonic model NE1856 stainless steel microwave oven  |
| 10  | Buffalo model CD474 The Buffalo Bistro Single Contact Grill CD474 is a compact, great value stainless steel unit with ribbed cast iron plates for healthier grills in minutes with adjustable swivel head for different food thickness |
| 11  | Victorian Baking Ovens QV 30 potatoes potato oven 1500w oven 275w tiled top plate warmer 3 elements for even cooking 60 min cooking time power requirement 13a 240v  |
| 12  | Swan SWU10 hot water urn 10ltrs capacity   |
| 13  | Hobart model VPU200 vegetable preparation machine  |
| 14  | Ital model STRESA 300S gravity fed slicer year 2012  |
| 15  | Ital model STRESA 300S gravity fed slicer year 2012  |
| 16  | Melitta model CUP coffee drinks system server year 2010  |
| 17  | Melitta model CUP coffee drinks system server year 2010  |
| 18  | Melitta model CUP coffee drinks system server year 2010  |

|    |   |
|----|---|
| 19 | Melitta model CUP coffee drinks system server year 2010   |
| 20 | Darenth MSS LTD model Refresh700auto drinks dispensing machine year 2011  |
| 21 | Refrigerated wall merchandiser with roller shutter door 1800mm x 760mm x 1900   |
| 22 | Sciaola ERGE Freddo Linea LED REFRIGERATED DISPLAY fridge 600 litre capacity 2 doors 5 glass internal shelves rotary and mobile 20kg maximum capacity per shelf 770W single phase temperature range -2 / + 10°C 1010mm x 900mm x 1900mm (M56MATRIC34522)  |
| 23 | Igloo Rota 1.0 curved glass display fridge (s/n NS  |
| 24 | Electrolux model WT65EBIDG pass through dish washer with in feed and out feed stainless steel tabling year 2008 SN 8380002  |
| 25 | Hobart Bonnet BB906 WL optimum 700 series freestanding induction wok unit on open cupboard 5kw (400 / 50 / 3) as new  |
| 26 | ERA cocktail Shaker Deluxe 750 MI L C Design  |
| 27 | Baron single bulls eye solid top range with oven temperatures of up to 400c and a powerful 7.2kW, 2/1 gastronorm compatible ovenGAS FIRED800mm x 900mm  |
| 28 | Cookworks model MM717CKA 700w microwave oven  |
| 29 | Nuova Simonelii model Master Cappuccino single head bean to cup automatic coffee machine  |
| 30 | Hobart model HSM 30FLE 30 qrt mixer with bowl and tooling fully guarded (new) floor model, height: 1.340 mm 3-speed gear box 1 bowl, stainless steel, 30 litre 1 spiral dough hook 30 minute timer as standard bowl light bowl guard easy accessible start/stop switches first stage belt drive to proven g |
| 31 | Lincat model BS4W four pot Baine marie  |
| 32 | Aquatec pass through dishwasher   |
| 33 | Comenda model LC700 pass through dishwasher   |
| 34 | Parry smooth hot plate gas 750mm  |
| 35 | Electric Curved Glass Food Warmer Showcase (R60-2) 1840W 660mm x 437mm x 655mm (s/n KES55510808)  |
| 36 | Caravel MU40 back bar bottle cooler (s/n 519-0837-011)  |
| 37 | Electrolux Stainless steel 2 x door under counter fridge 1270mm x 700mm   |
| 38 | Apollo model AUR600 Upright White Refrigerator Temperature Range 0 to +10 C   |
| 39 | Moorwood Vulcan M line plus stainless steel steamer   |

|     |   |
|-----|---|
| 40  | Osborne model 2500 back bar chiller   |
| 41  | Electric solid top range with two electric rings model CH965 YOM 2003 (s/n 0856).   |
| 42  | Stainless steel 2 x door hot cabinet 560mm x 370mm  |
| 43  | Quest model QM3 2 door back bar chiller 910mm   |
| 44  | Iarp model Shelly 120M drinks display chiller with pull down night blind  |
| 45  | IMC Mistral M60 Premium under counter single door bottle cooler storage capacity: 135 x 330ml bottle operating temperature: +4 (+/- 2)°C 600mm x 500mm x 900mm  |
| 46  | Buffalo model CC191 hot water boiler  |
| 47  | Moorwood Vulcan M line plus stainless steel steamer   |
| 48  | Electrolux gas 4 burner 800mm   |
| 49  | Mono BX 4 tier bake off oven 3 phase stainless steel stand with tray storage The standard 40 x 60 trays/racks are large enough for 5 full length French sticks per level. The Digital control fascia allows for pre-set storage of time |
| 50  | Garland 6 burner gas oven 920mm   |
| 51  | Buffalo model CD474 single contact pannini grill  |
| 51a | Gamko model MXB20150RU070 back bar chiller  |
| 52  | Williams Model HO2U stainless steel 2 door bench chiller preparation unit   |
| 53  | Casio model 140CR electronic cash register  |
| 54  | Williams Model HO3U 3 door bench chiller preparation unit   |
| 55  | MBM Hobart stainless infill blanking unit 200mm x 730mm   |
| 56  | Bakers Pride P22 single deck electric pizza deck oven 3600w single cook/baking chamber two hearth stone decks per oven with 3 1/4" (83mm) deck heights all stainless construction 660mm x 560mm x 432mm 3 phase (s/n 39936)             |
| 57  | Victor heated gantry 2 lamps 730mm x 780mm x 500mm  |
| 58  | Trimco open front chilled grab and go display unit 1440mm   |
| 59  | Lincat Water Boiler EB3 9 litre capacity 3kW, 220 - 240 V, 13 amp, single phase (s/n 26019141) (no back plate)  |

|    |  |
|----|--|
| 60 | Freezone dairy wall chilled merchandiser 1.2m with night blind illumination and shelving 1300mm x 800mm x 2100mm   |
| 61 | Zoin Refrigeration dairy wall chilled merchandiser DC15TL with night blind illumination and shelving 1500mm x 700mm x 1820mm   |
| 62 | Hobart pasta boiler/cooker   |
| 63 | Lincat twin tank twin basket fryer   |
| 64 | Buffalo large flat contact grill   |
| 65 | Spiral Mixer SK50 heavy duty, stainless steel bowl white painted, voltage: 230v bowl volume: 48 lt working capacity: 42 kg power: 2.0 hp / 1.5 kw weight: 109 kg bowl dimensions: 450 x 300 mm 495mm x 800mm x 798mm brand new |
| 66 | Spiral Mixer SK50 heavy duty, stainless steel bowl white painted, voltage: 230v bowl volume: 48 lt working capacity: 42 kg power: 2.0 hp / 1.5 kw weight: 109 kg bowl dimensions: 450 x 300 mm 495mm x 800mm x 798mm brand new |
| 67 | Igloo model abele 2-1.7 curved glass display fridge 1650mm   |
| 68 | Falcon model G3401 six burner with oven gas 1 x cast ring holder broken  |
| 69 | Radiant system model XIII epos system with printer and cash draw   |
| 70 | Geller Vario moden IVectron EPOS system  |
| 71 | Stainless steel table with back splash 950mmx 530mm  |
| 72 | Buffalo model G107B soup warmer as new Buffalo soup kettle in graphite grey ideal for presenting and holding hot beverages and food at the ideal temperature   |
| 73 | Blue Seal 9918 salamander (no tray)  |
| 74 | stainless steel top dumb waiter  |
| 75 | Dynamic 10ltr salad spinner  |
| 76 | Stainless steel hand wash basin wall mounted   |
| 77 | Precision model MCU311 3 door stainless steel bench chiller 1820mm   |
| 78 | Panasonic model NE1037 stainless steel microwave oven  |
| 79 | Sharp Model R1900M stainless steel oven  |
| 80 | Sharp Model R1900M stainless steel oven  |

|     |  |
|-----|--|
| 81  | Buffalo model LS11B contact grill  |
| 82  | Williams model TW9 counter top chiller 970mm   |
| 83  | Viscount Catering LTD model MLE900R-F-S electric solid top griddle 900mm   |
| 84  | Bartlett Yeoman gas salamander grill   |
| 85  | Whirlpool model AGB627IWP pull down salamander grill SN65010957 240v   |
| 86  | Stainless steel 2 door bench chiller 1400mm  |
| 87  | Lincat LCG2 Contact Grill Double - smooth top and bottom 2.25 kW x 2 165mm x 623mm x 400mm (handle sleeve missing/tray missing ) (s/n 21134599)  |
| 88  | Buffalo Rice Cooker J193 capacity: 10 litre cooked rice 1.6kW, 220 -240V, 7 Amp single phase 290mm x 365mm x 405mm (s/n 2013 ? J1930006)   |
| 89  | Merrychef RD401 700 Watt Microaire CD2 microwave 34 litre capacity 527mm x 545mm x 555mm   |
| 90  | Electrolux bottle dump/cooler slide top 950mm x 700mm  |
| 91  | Stainless steel glass 2 door hot cabinet 900mm x 800mm   |
| 92  | Buffalo L511 contact grill 2000w 50 hz 220-240 volts (s/n 200706060814)  |
| 93  | Nespresso Gemini model CS220 Pro coffee machine  |
| 94  | Bonnet model I-B706FR18E4 stainless steel fryer 3 phase  |
| 95  | Resto italia electric pizza oven model RESTO66 144kw 400 volts 50hz 3 phase with stand (s/n F660060 2014) brand new  |
| 96  | Resto italia electric pizza oven model RESTO66 144kw 400 volts 50hz 3 phase with stand (s/n F660060 2014) brand new  |
| 97  | Lincat Island BBQ char boiler gas 600mm  |
| 98  | Archway four burner kebab machine  |
| 100 | Baron single bulls eye solid top range with oven temperatures of up to 400°C and a powerful 7.2kW, 2/1 gastronorm compatible oven gas fired 800mm x 900mm  |
| 101 | MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm  |
| 102 | Falcon Dominator pasta boiler stainless steel, 1/1 gastronorm compatible pan supplied with integrated water faucet easy to fill and maintain with fresh water powerful 8.3kw element for fast heat-up temperature range of 70 - 100°C - ideal for simmer or rolling boil starch draw-off facility to allow c |

|      |   |
|------|---|
| 103  | Winterhalter GS215 glass washer capacity in racks/hr 60/30 tank temperature 60°C boiler temperature 65°C 600mm x 600mm x 700mm (s/n 502794)   |
| 104  | Meiko DV80.2-pass through dishwasher wash chamber height 440 water softener options reverse osmosis power type electric single phase, electric three phase drain options drain pump wash cycle time variable chemical pumps detergent and rinse aid break tank included yes basket size 500 x 500mm |
| 105  | Trident Wet Bain Marie stainless steel table top 750mm 240  |
| 106  | Fosters model PRO13HA 9 drawer stainless steel bench chiller  |
| 107  | Moffatt XSF26 twin pan countertop fryer 2 x 8 litre oil capacity thermostatic control with oil ready indicator 700mm x 640mm x 360mm (s/n SK04373-3)  |
| 108  | Bartlett model C12E electric boiling pan  |
| 109  | Basix stainless steel twin wash down station  |
| 110  | 2x 12 tier mobile tray holders  |
| 111  | Moffat model VERSITHERM steam convection oven 10 grid 3 phase   |
| 112  | Cornelius Model 241347049 single glass door upright drinks chiller  |
| 113  | Cornelius Model 241347049 single glass door upright drinks chiller  |
| 114  | Stainless steel infill unit 300mm x 600mm   |
| 115  | Alto Shaam Halo heat model 500ID heated draw unit 240v SN 577417 Alto-Shaam Drawer Warmers use the same soft, gentle Halo Heat that made the Alto-Shaam Cook & Hold a kitchen staple the world over. With no exposed Calrod heating elements, cleaning is easy.                                     |
| 116  | Hobart 700mm in fill drawer blanking unit   |
| 116a | Fosters model PRO1/2H stainless steel 6 drawer bench chiller  |
| 117  | Bonnet FQE61L electric twin basket twin tank fryer  |
| 118  | Williams model TW9 counter top chiller 970mm  |
| 119  | Fosters 2 drawer 1 door stainless steel bench chiller 1430mm  |
| 120  | Falcon Dominator model E11004HF electric hot plate with 2 x hobs and oven   |
| 121  | Frost-tech 445S125 curved glass chiller glass is cracked on both sides as in picture  |

|     |   |
|-----|---|
| 122 | Cougar model 6V6S fan assisted oven 600mm stainless steel   |
| 123 | Electrolux single tank single basket gas fryer  |
| 126 | Restoitalia 2 deck electric pizza oven product size 660mm x 130mm   |
| 127 | Victor Consort Bain Marie hot cupboard Bain Marie capacity: 2 x GN1/1 x 150mm deep Hot cupboard capacity: 36 plated meals, 258 10" plates 820mm x 650mm |
| 128 | Two door stainless steel hot cupboard 1100mm x 600mm  |
| 129 | Lincat model GR3 electric salamander grill  |
| 130 | Lincat twin tank table top electric fryer   |
| 131 | DCS dynamic cooking system single tank gas fryer  |
| 132 | Mareno 4 burner gas oven 800mm  |
| 133 | ISAT Bastia Umbra EURO 268RV curved glass butchers/meat serving counter 2800mm  |
| 134 | Nelson pass through dishwasher  |
| 135 | ISAT Bastia Umbra model Millennium PAS curved glass cake serving counter 1500mm   |
| 136 | Garland single deck pizza oven product size 100mm x 200mm x 750mm   |
| 137 | Lincat Impinger gas conveyorised pizza oven belt width 460mm  |
| 138 | Williams model HO4U stainless door bench chiller with heated gantry Passover 2350mm   |
| 139 | Fosters model PROG600L-A stainless steel single door upright freezer  |
| 140 | Fosters model PORG1300L stainless steel 2 door upright freezer  |
| 141 | Falcon Chieftain 4 burner gas oven 900mm  |
| 143 | Cornelius Model 241347049 single glass door upright drinks chiller  |
| 144 | Electrolux stainless steel twin tank twin basket 3 phase electric fryer   |
| 145 | Blue Seal model VEE RAY twin tank twin basket gas fryer   |
| 146 | Osborne Model NO3500 2 door glass display fridge  |

|      |   |
|------|---|
| 147  | Hobart model IGFD65 single tank twin basket gas fryer                               |
| 148  | Electrolux stainless steel smooth plate griddle 400mm                               |
| 149  | Hobart model IGFD65 single tank twin basket gas fryer                               |
| 149a | 2 x Valentine fryers for spare or repair  |
| 150  | Hobart manual tipping brat pan gas 750mm  |
| 151  | Fosters HR140 stainless steel under counter fridge                                  |
| 152  | Williams GEM display fridge 1500mm  |
| 153  | Merry chef microware  |
| 154  | BKI table top heated display unit 800mm   |
| 155  | ISA two glass door drinks display fridge  |
| 156  | ISA Spa Europa 130A-LMC refrigerated drinks merchandiser Coca Cola branded YOM 2007 |
| 157  | Stainless steel ice dump 700mm x 550mm  |
| 158  | Cornelius Model 241347049 single glass door upright drinks chiller                  |
| 159  | Cornelius Model 241347049 single glass door upright drinks chiller                  |
| 160  | Stainless steel counter 5x Baine Marie 2 door heated under cupboard 3400mm x 640mm  |
| 162  | L shape sink with drainer and ice dump 1650mm x 1020mm                              |
| 163  | Stainless steel twin basin sink with right hand drainer 1830mm                      |
| 165  | Stainless steel 3 station ice dump 1280mm x 600mm                                   |
| 166  | Stainless steel sink with right hand drainer 930mm                                  |
| 167  | Stainless steel twin basin sink with left hand & right hand drainer 2400mm          |
| 168  | Stainless steel table with back splash and under shelf 1200mm x 700mm               |
| 169  | Stainless steel table 2350mm x 670mm  |



|     |  |
|-----|--|
| 170 | Twin basin sink with right hand drainer 1360mm   |
| 171 | Stainless steel sink with waste disposal 1650mm NEW  |
| 172 | Stainless steel sink with left hand drainer 1200mm   |
| 173 | Curved glass display chilled cabinet 2900mm x 1000mm x 1400mm  |
| 174 | Classic model H750 under counter glass washer  |
| 175 | Samsung snack mate CM1069 stainless steel microwave oven   |
| 176 | Samsung snack mate CM1069 stainless steel microwave oven   |
| 177 | Select Horeca contact grill 360  |
| 178 | Select Horeca Baine marie stainless steel 350  |
| 179 | Profinox 3120 ice machine  |
| 180 | Adler stainless steel glass washer 510mm x 520mm x 750mm   |
| 181 | Nortech model QCF107 s/n 24053502 blast chiller  |
| 182 | Various plastic Baine marie  |
| 183 | Various stainless steel Baine Marie  |
| 184 | Various platters & holders   |
| 185 | Buffalo model CE209 induction hob The Buffalo Induction Cooker CE209 is a plastic and black ceramic glass hob with auto shut off after 2 hours.                                |
| 186 | Buffalo model CE209 induction hob The Buffalo Induction Cooker CE209 is a plastic and black ceramic glass hob with auto shut off after 2 hours.                                |
| 187 | Buffalo model CE208 induction hob The Buffalo Induction Cooker CE208 is an easy to clean stainless steel body cooker with simple rotary control and auto shutoff after 2 hours |
| 188 | Chrome shelving unit 3x 600mm x 1800mm x1850mm   |
| 189 | Various glass ware   |
| 190 | 20 x Cambro serving trays  |

|     |   |
|-----|---|
| 191 | 20 x Cambro serving trays   |
| 192 | 20 x Cambro serving trays   |
| 193 | Chocolate fountain 410mm x 700mm high with extension to raise it to 1000mm high RRP £1199 |
| 194 | Chocolate fountain 310mm x 740mm high RRP £2100   |
| 195 | Various salad wash chemical   |
| 196 | Various chemicals   |
| 197 | 4x mini key stone dispensers  |
| 198 | 4x mini key stone dispensers 5L   |
| 200 | Mazzer.Luigi Super Jolly Timer bean grinder   |
| 201 | Technablock model ANO75 walk in fridge 2200mm x 1700mm x 2150mm year 2010 SN 166443       |
| 202 | Technablock model AK202 walk in freezer 2000mm x 2200mm x 1700mm year 2009 SN 162499      |
| 203 | Flexpos model 120 epos system complete with cash draw                                     |
| 204 | 30 x Cambro non slip wood laminate trays 460mm x 360mm                                    |
| 205 | Electrolux stainless steel infill unit 800mm  |
| 206 | Large quantities of aluminium trays   |
| 207 | Hygiplas digital thermometer x 3  |
| 208 | Various cooking pots, pans and saucepans  |
| 210 | 1x stainless steel veg slicer and 4x chopping boards                                      |
| 211 | Mobile cutlery trolley complete with 4x trays with cutlery                                |
| 212 | 5x dishwasher utensil baskets   |
| 213 | Various wicker baskets  |
| 214 | 2 x scales 1 x The Queen 5kg and 1 x Weigh station 5kg                                    |

|     |  |
|-----|--|
| 215 | Framec model E3113M0000 wall freezer 1 phase 1800mm long   |
| 216 | Framec model E3113M0000 wall freezer 1 phase 1800mm long   |
| 217 | Framec model E3113M0000 wall freezer 1 phase 1800mm long   |
| 218 | Framec model E3113M0000 wall freezer 1 phase 1800mm long   |
| 219 | Framec model E3113M0000 wall freezer 1 phase 1800mm long   |
| 220 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 221 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 222 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 223 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 224 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 225 | AHT PARIS 250 LABDS AD Low temperature chest freezer 801 litre -18/-23 2500mm x 850mm x 750mm  |
| 226 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 227 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 228 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 229 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 230 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 231 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 232 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |
| 233 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm |

|     |  |
|-----|--|
| 234 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 235 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 236 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 237 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 238 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 239 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 240 | Byfuch DN200 RC187-84 open merchandiser cabinet illuminated four shelves plus base and night blind temperature range +2/+7ø C<br>1930mm x 845mm x 2065mm   |
| 245 | Cafina C5-1C FC bean to cup fully automatic Espresso machine coffee / hot water / steam outlet / milk hourly output/cups: identically equal to 200 cups per hour electrical connection / Power consumption FC: 3N AC 400 V / 16 A / 6,0 KW 450mm x 600mm x 680mm |
| 246 | Cafina C5-1C FC bean to cup fully automatic Espresso machine coffee / hot water / steam outlet / milk hourly output/cups: identically equal to 200 cups per hour electrical connection / Power consumption FC: 3N AC 400 V / 16 A / 6,0 KW 450mm x 600mm x 680mm |
| 247 | Husky C8HY 800 litre capacity upright fridge branded Smirnoff Ice temperature range 0° - 10° holds approximately 900 x standard 330ml bottles or 612 x 500ml cans 1000mm x 690mm x 1998mm  |
| 248 | Worcester Greenstar 38CDI Classic System Boiler Hot water flow rates: from 12.3 to 17.2 litres per minute at 35°C temperature rise<br>440mm x 360mm x 760mm  |
| 249 | Li Shin Intl retail EPOS system terminal model 0317A19135 set up as pub restaurant system  |
| 250 | Mono FG159 double convection oven model: BX FG159 3 phase, 4 shelves 840mm x 1230mm x 2140mm   |
| 251 | Ubert Miller RT214 rotisserie grill 1020mm x 740mm x 2130mm ( s/n MCR282101)   |
| 252 | Ubert Miller RT214 rotisserie grill 1020mm x 740mm x 2130mm ( s/n 53409-12)  |
| 253 | Ubert Miller RT214 rotisserie grill 1020mm x 740mm x 2130mm ( s/n 52805-10)  |
| 254 | Vanguard Vectronic BX 5 convection oven on stand 3 phase 5 tray 830mm x 1360mm x 2060mm  |
| 255 | Vanguard Vectronic BX 5 convection oven on stand 3 phase 5 tray 830mm x 1360mm x 2060mm  |
| 256 | Williams Gem C100 SCN multideck merchandiser temperature range +3/+5 960mm x 670m x 1860mm (s/n 01100191)  |

|     |  |
|-----|--|
| 257 | Williams Gem C110 SCS multideck merchandiser temperature range +3/+5 960mm x 615mm x 1830mm (s/n 01100710)   |
| 258 | Williams Gem C150 SCS multideck merchandiser temperature range +3/+5 1510mm x 670mm x 1860mm   |
| 259 | Mono FG05-B02 doughnut fryer power 12.5 kw; three phase & neutral output float frying - up to 900 doughnuts per hour. capacity 45 doughnuts per tray. frying tank capacity 80 ltrs (21 gallons). top up tank to level mark 20 ltrs (5.25 gallons) 1130mm x 970mm x 1440mm                              |
| 260 | Enodis 900 self service chilled cabinet 900mm x 750mm x 1440mm   |
| 261 | Nuttall Turboserve self serve hot display open fronted, base + shelf layout product temperature 75°C to 80°C passthrough service 1040mm x 880mm x 1970mm   |
| 262 | Nuttall Turboserve self serve hot display open fronted, base + shelf layout product temperature 75°C to 80°C passthrough service 1040mm x 880mm x 1970mm   |
| 263 | Nuttall Turboserve self serve hot display open fronted, base + shelf layout product temperature 75°C to 80°C passthrough service 1040mm x 880mm x 1970mm   |
| 264 | Nuttall Turboserve self serve hot display open fronted, base + shelf layout product temperature 75°C to 80°C passthrough service 1040mm x 880mm x 1970mm   |
| 265 | Gopack fold up table 1500mm x 750mm x 760mm  |
| 266 | NFC series YXD-2 6.5kW stainless steel deck pizza oven chamber opening 660mm x 150mm overall 1210mm x 895mm x 1525mm as new  |
| 267 | Extraction canopy stainless steel as new 1600mm x 1300mm   |
| 268 | Winterhalter MTR 2-MML-R conveyor dishwasher 120pcs/hr complete with infeed and out feed 3 phase (s/n 557705)  |
| 269 | ModulSystem two door bench chiller stainless steel 2000mm x 680mm x 900mm  |
| 270 | Victor DRW64 - Synergy refrigerated blown air display GN1/1 size stainless steel with sneeze guard 1500mm x 660mm x 1210mm   |
| 271 | Victor DRDL3 - Synergy refrigerated deli display 3 x GN1/1 size stainless steel with sneeze guard 1170mm x 770mm x 1220mm  |
| 272 | Stainless steel double plate dispenser mobile 380mm x 920mm x 760mm  |
| 274 | Scanomat Venezia Bean to Cup coffee machine Speedy high volume serving: 6 cups in 20 seconds 5 cups of instant coffee and 1 ground coffee 3 heaters built-in water tank of 5 litres 440mm x 630mm x 670mm  |
| 275 | Falcon Chieftain 4 burner natural gas range 4x 7.5kw (28,500btu/hr) gas burners 10kw oven drop down door capacity 0.11m3 oven fuel type natural gas power type 40kw, 150,500btu/hr temperature range 125°C to 275°C 900mm x 940mm x 900mm  |
| 276 | Imperial 6 burner open top range energy efficient, high performance burners - quick heat up, lower energy use all stainless steel exterior panel construction - superior durability, easy to clean semi-sealed, pressed stainless steel hob useable oven: 673mm x 660mm x 356mm 59kW, 203,000Btu/hr ho |

|     |  |
|-----|--|
| 277 | Moffat stainless steel commercial sink unit hand basin 1500mm x 700mm x 900mm  |
| 278 | 11 x colour coded high density chopping boards   |
| 279 | Parry wet well four pot Baine Marie 4 x 4.5 litre thermostatic control stainless steel 450mmx 715mm x 360mm (pots excluded)  |
| 281 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 282 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 283 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 284 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 285 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 286 | Impulse sealer L sealer PFS300 12 inch (30 cm / 300 mm) sealing length new in box  |
| 287 | Lincat stainless steel infill blanking unit 300mm x 600mm x 250mm  |
| 288 | IMC 904 stainless steel waste disposable unit automatically reversible motor for extended life automatic water control automatic thermal overload to protect motor self-cleaning system disposal capacity: 500kg/hour (up to 1000 covers) (s/n 90490G24) |
| 291 | Prodis PA103002 griddle electric 900mm x 530mm x 230mm   |
| 292 | Cimbali M29 select Compact two group automatic multi selection machine Tall cup 2 steam wands (option:Turbosteam) 1 hot water wand (dosed delivery) Silver and black body 5 litre boiler capacity single phase 3700w 570mm x 500mm x 510mm               |
| 294 | Buffalo DM902 bistro contact grill cast iron plates removable grease tray temp range: +60 to +300 degrees Celsius 29kW 13A 475mm x 320mm x 210mm (s/n 201202002177)  |
| 299 | Scandia walk in fridge 7000mm x 2150mm x 2700mm  |
| 300 | Scotsman TCS180 cubelet ice maker and ice & water dispenser Nominal output of Ice Maker is TCS 180 AS-M 135 kg/24hr integrated ice storage bin volume - 5 kg 388mm x 663mm x 890mm (s/n DE509208W)   |
| 301 | Can Can leaver arm juicer  |
| 302 | Hoshizaki IM-45CNE cubed ice maker 44kg/24hr production capacity (kg/24hr) 44 storage bin capacity (kg)15 electrical supply 1/220 - 240v/50hz electrical capacity (kw) 0.32 633mm x 506mm x 690mm  |
| 303 | Falcon E350 electric griddle even heat distribution precise temperature control variable high/low heat settings 700mm x 700mm x 305mm  |
| 304 | Omega SF 350 14inch meat slicer diameter of the blade 350mm motor 0.37kw 325mm carriage cut thickness 0/15mm   |

|     |   |
|-----|---|
| 305 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 306 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 307 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 308 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 309 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 310 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 311 | 2 x dining table granite top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 312 | 2 x dining table Wurlitz top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 313 | 2 x dining table Wurlitz top 600mm x 600mm with cast base complete with 4 x dining chairs chrome leg modern design  |
| 314 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 315 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 316 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 317 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 318 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 319 | 2 x oblong wooden dining table solid side end panel 1200mm x 600mm x 725mm complete with four chairs  |
| 323 | Scandia walk in fridge 2460mm x 1150mm x 2020mm wiht door and running rail  |
| 324 | Marco Libra S 240v hot water boiler   |
| 325 | Marco Libra S 240v hot water boiler   |
| 326 | Marco Libra S 240v hot water boiler   |
| 327 | Iarp AB 400 BV single door upright fridge   |
| 328 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm tall pad and uprest scroll back panel |
| 329 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm tall pad and uprest scroll back panel |





|     |   |
|-----|---|
| 346 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 347 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 348 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 349 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 350 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 351 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 352 | Dining table 650mm x 650mm x 780mm dark stained solid wood complete with two dining chairs faux leather 380mm pitch x 950mm low pad and up rest |
| 353 | Waring model WSBK commercial hand blender   |
| 354 | 11 x stainless steel fuel cup holder  |
| 355 | Tesco model MT06 700w microwave oven  |
| 356 | Marco Libra 5 240v stainless steel hot water boiler   |