

# Pro Auction Limited



## Entire contents of Wasabi Tepanyaki Leeds Restaurant and Commercial Kitchen Equipment

Excellent range of commercial catering equipment, restaurant furniture and ancillary items

Ended 08 Jan 2015 15:35 GMT

Wasabi Tepanyaki  
Granary Wharf  
Dark Neville Street  
Leeds  
LS11 5PS  
United Kingdom

Lot	Description
-----	-------------

- |    |   |
|----|---|
| 1  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 2  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 3  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 4  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 5  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 6  | Steel framed mobile trough planter 2050mm x 550mm x 550mm                                     |
| 7  | Rattan 1100mm glass top table complete with three chairs                                      |
| 8  | Rattan 1100mm glass top table complete with three chairs                                      |
| 9  | Granite top metal framed table 1200mm x 700mm x 750mm   |
| 10 | Granite top metal framed table 1200mm x 700mm x 750mm   |
| 11 | Granite top metal framed table 1200mm x 700mm x 750mm   |
| 12 | Granite top metal framed table 1200mm x 700mm x 750mm   |
| 13 | A pair of tapered planters  |
| 14 | An ornametal sculpture on wood plinth   |
| 15 | A wooden Maitre D station reception desk with two door cupboard under 1000mm x 630mm x 1200mm |
| 16 | A set of three faux leather upholstered stipe top pouffes 400mm x 400mm x 400mm               |
| 17 | A set of four faux leather upholstered stipe top pouffes 400mm x 400mm x 400mm                |

18	A set of four faux leather pouffes 400mm x 400mm x 400mm
19	Panel back fixed banquette seating faux chocolate leather pad with upholstered back 8300mm overall x 600mm seat pitch x 1250mm tall from floor to top of back rest
20	Panel back fixed banquette seating faux chocolate leather pad with upholstered back 5600mm overall x 600mm seat pitch x 1250mm tall from floor to top of back rest
21	24 x Nevada FC7492 upholstered dining chairs in chocolate brown 1000mm tall
22	Beach wooden coffee table 1200mm x 600mm x 450mm
23	Bench seating high back faux leather metal frame with three steel legs 2000mm x 500mm x 1100mm
24	Bench seating high back faux leather metal frame with three steel legs 2000mm x 500mm x 1100mm
25	Bench seating high back faux leather metal frame with three steel legs 1500mm x 500mm x 1100mm
26	Bench seating high back faux leather metal frame with three steel legs 1500mm x 500mm x 1100mm
27	Bench seating high back faux leather metal frame with three steel legs 1500mm x 500mm x 1100mm
28	Bench seating high back faux leather metal frame with three steel legs 1500mm x 500mm x 1100mm
29	A pair of circular granite top cast base dining tables 900mm x 730mm
30	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
31	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
32	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
33	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
34	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
35	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
36	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
37	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
38	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall
38a	A set of 10 x dining chairs faux leather padded seat 400mm pitch with red galvanised metal frame powder coat 1200mm tall

39	Resin planter 300mm x 350mm
40	A pair of tapered planters
41	A pair of Eurobambino stacking baby high chairs wooden
42	A wooden Maitre D station reception desk with two door cupboard under 1000mm x 630mm x 1200mm
43	3 x cast metal champagne bucket stands
44	Metal wall art 620mm x 620mm
45	Metal coat rail 1500mm x 1330mm
46	Gilt framed wall mirror 760mm x 1100mm
47	A pair of faux lead planters 350mm tall
48	A pair of bamboo style lamps
49	A set of four faux leather upholstered stipe top pouffes 400mm x 400mm x 400mm
50	Beach wooden coffee table 1200mm x 600mm x 450mm
51	A pair of beach wooden coffee table 1200mm x 600mm x 450mm
52	A pair of beach wooden coffee table 1200mm x 600mm x 450mm
53	A pair of beach wooden coffee table 1200mm x 600mm x 450mm
54	Granite top metal framed table 1200mm x 700mm x 750mm
55	2 x wooden low level coffee tables
56	Commercial Japanese Teppanyaki table electric comprising of 2 x 2600mm x 750mm grill plates with cupboards under U shaped table configuration overall 3400mm x 3400mm with melamine extensions to three sides
57	Stainless steel highly polished dome effect extraction canopy 4 baffles 3000mm x 3000mm
58	Commercial Japanese Teppanyaki table electric comprising of 2 x 1650mm x 750mm grill plates with cupboards under U shaped table configuration overall 2500mm x 3500mm with melamine extensions to three sides
59	Stainless steel highly polished dome effect extraction canopy 4 baffles 3000mm x 2500mm

60	Commercial Japanese teppanyaki table electric comprising of 2 x 1650mm x 750mm grill plates with cupboards under U shaped table configuration overall 2500mm x 3500mm with melamine extensions to three sides
61	Stainless steel highly polished dome effect extraction canopy 4 baffles 3000mm x 2500mm
62	Stainless steel four tier mobile rack 650mm x 400mm x 850mm
63	Stainless steel four tier mobile rack 650mm x 400mm x 850mm
64	Stainless steel four tier mobile rack 650mm x 400mm x 850mm
65	Direct Catering DC1000 pass through dishwasher baskets mm 500x500 loading height (vertical) mm 385 cycle options seconds 120-180 wash tank capacity lts 28 rinse tank capacity lts 9 water consumption per cycle lts 3 rinse tank element watts 6000 wash tank element watts 3000 pump motor watts 900 total ...[more]
66	Stainless steel commercial twin basin sink 1700mm
67	Stainless steel wall mounted shelf 900mm x 300mm
68	2 x stainless steel wall mounted shelving partitioned 2500mm x 300mm
69	Stainless steel commercial LHD sink 1500mm
70	Sisson stainless steel four tier static rack 900mm x 500mm x 1500mm
71	Stainless steel extraction canopy 6 baffles 4000mmx 1150mm
72	Stainless steel preparation table with two shelves under and two shelves over 1500mm x 500mm
73	Stainless steel mobile two door cupboard with shelf over 1000mm x 700mm
74	Foster HR150 150 ltr under counter fridge temperature range +3°C to +5°C 605mm x 640mm x 830 (s/n E5279216)
75	Ilsa Elite three door refrigerated bench counter temperature range -2°C/+8°C stainless steel construction 1800mm x 700mm (s/n 99250016)
76	Stainless steel insectocutor
77	Valera AB500N 18.3 cu.ft freezer cabinet Temperature Range: -18 / -25°C 770mm x 720mm x 1702mm (s/n 07CA27713)
78	Chrome static rack four tier 1050mm x 400mm x 1800mm
79	Chrome static rack four tier 1200mm x 400mm x 1800mm
80	4 x aluminium stock pots

81	2 x stainless steel stock pots (nb library image used)
82	Various mixing bowls and collanders as found (nb library image used)
83	Various whiteware, plates, bowls store tubs etc as found
84	Various skillets and frying pans as found
85	Stainless steel mobile trolley three tier 900mm x 570mm x 850mm (nb library image used)
86	Industrial Style air con system composing 2 off Dailkin air con units, condenser and approx 25 metres of ducting including vents.
87	Osborne 2900 stainless steel back bar cooler 730 litre capacity automatic defrost and evaporation 1350mm x 900mm x 500mm (s/n 2948470105)
88	Autonumis back bar cooler sliding door 900mmx 500mm x 900mm
89	Various ice buckets glassware and jugs
90	Nestle BV300 ice cream cheft freezer two top sliding doors
91	Frigidaire FC7509R chest freezer 550mm x 550 mm. 860 mm
92	Contents of managers office comprising desk and chair and 2 x wooden storage racks
93	A bak of 10 personnel lockers metal framed wooden door with padlock style locking 1500mm x 500mm x 2000mm
94	New STV aluminium metal chain fly pest insect door screen curtain pest control
95	Various kitchen utensils and acruitments as found
96	3 x Grab check tab rails
97	Hunter DSG16 grease trap 1.6 flow rate 23kg grease capacity trap
98	Select Horeca Baine marie stainless steel 350
99	Samsung CM1069 commercial microwave 1100w 26 litre capacity 517mm x 412mm x 297mm
100	Samsung CM1069 commercial microwave 1100w 26 litre capacity 517mm x 412mm x 297mm
101	Select Horeca contact grill 360
102	Cookworks model MM717CKA 700w microwave oven

103	ERA cocktail Shaker Deluxe 750 MI L C Design
104	Igloo Rota 100M: 1m low temperature raw meat slimline butchers counter temperature range -2°C to +4°C display area 974 x 485mm
105	Electrolux WT65EBIDG pass through dish washer with in feed and out feed stainless steel tabling 65 basket hot wash and rinse cycles capacity per hour 735mm x 815mm x 1180mm YOM 2008 (s/n 8380002)
106	Baron single bulls eye solid top range with oven temperatures of up to 400°C and a powerful 7.2kW, 2/1 gastronorm compatible oven gas 800mm x 900mm
107	Sciaola ERGE Freddo Linea LED refrigerated display fridge 600 litre capacity 2 doors 5 glass internal shelves rotary and mobile 20kg maximum capacity per shelf 770W single phase temperature range -2 / + 10°C 1010mm x 900mm x 1900mm (M56MATRIC34522)
108	Lincat Island 600 Chargrill gas 600mm heated radiants twin heat zones piezo ignition adjustable branding grid position stainless steel splashguard fat collection drawer stainless steel exterior natural gas 14.3 kW
109	Hobart 80ltr bratt pan, manual tilt - Nat Gas 20.5kw / 0.1kw (230/50/1) 800mm x 920mm x 900mm
110	Baron single bulls eye solid top range with oven temperatures of up to 400°C and a powerful 7.2kW, 2/1 gastronorm compatible oven gas fired 800mm x 900mm
111	Moorwood Vulcan salamander grill model ME60G/s
112	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
113	Falcon Dominator pasta boiler stainless steel, 1/1 gastronorm compatible pan supplied with integrated water faucet easy to fill and maintain with fresh water powerful 8.3kw element for fast heat-up temperature range of 70 - 100°C - ideal for simmer or rolling boil starch draw-off facility to allow c
114	Foster EPROG 600H upright stainless steel fridge 600ltr capacity temperature range +1/+4 700mm x 800mm x 2100mm (s/n E5291203)
115	Meiko DV80.2-pass through dishwasher wash chamber height 440 water softener options reverse osmosis power type electric single phase, electric three phase drain options drain pump wash cycle time variable chemical pumps detergent and rinse aid break tank included yes basket size 500 x 500m
116	Basix stainless steel twin wash down station
117	Bartlett model C12E electric boiling pan
118	Nortech QCF 107: Blast chiller for 7 x 1/1 gastronorm an extremely reliable blast chiller for rapid cooling and freezing hot food the special feature of the 107 version is the enormous capacity of less than 20 kg and 14 kg re-cooling back freeze plus the guides 7 x 1/1 gn capacities are given in coo ...[more]
119	Hobart FQE61 41 litre electric fryer twin tank twin basket
120	Fosters 2 drawer 1 door stainless steel bench chiller 1430mm
121	Stainless steel infill unit 300mm x 600mm

122	Hobart 700mm in fill drawer blanking unit
123	Moffatt XSF26 twin pan countertop fryer 2 x 8 litre oil capacity thermostatic control with oil ready indicator 700mm x 640mm x 360mm (s/n SK04373-3)
124	Frost Tech stainless steel patisserie display curved glass fronts offer display impact to these food chillers 304 grade polished stainless steel exterior 304 stainless steel interior adjustable shelves illumination hinged curved front glass (except sop75/100) sop75/100 has open front (no front g ...[more]
125	Falcon Dominator model E11004HF electric hot plate with 2 x hobs and oven
126	Cougar 6V61 2.8kW convection oven power fan assisted rating of 2.8kw 600mm x 600mm x 650mm
127	Two door stainless steel hot cupboard 1100mm x 600mm
128	Bonnet model I-B706FR18E4 stainless steel fryer 3 phase
129	Buffalo L511 contact grill 2000w 50 hz 220-240 volts (s/n 200706060814)
130	Stainless steel glass 2 door hot cabinet 900mm x 800mm
131	Lincat LCG2 Contact Grill Double - smooth top and bottom 2.25 kW x 2 165mm x 623mm x 400mm (handle sleeve missing/tray missing ) (s/n 21134599)
132	Electrolux bottle dump/cooler slide top 950mm x 700mm
133	Whirlpool AGB627IWP pull down salamander grill 3.6kW stainless steel 600mm x 605mm x 530mm (s/n 65010957 240v)
134	Stainless steel 2 door bench chiller 1400mm
135	Bartlett Yeoman gas salamander grill gas appliance category 11 2H 3p heat input 5kw 600mm x 370mm x 475mm
136	Merrychef RD401 700 Watt Microaire CD2 microwave 34 litre capacity 527mm x 545mm x 555mm
137	Viscount Catering LTD model MLE900R-F-S electric solid top griddle 900mm
138	Williams TW9 Thermowell 4 x 1/3 GN containers temperature range +4°C/+8°C 980mm x 385mm x 241mm
139	BBQ gas charbroiler 620mm x 750mm
140	Moffat model VERSITHERM steam convection oven 10 grid 3 phase
141	Sharp R1900M 1900 watt heavy duty microwave touch controls with 100 memory settings 11 power levels holds 2 x 1/3 GN containers triple & double quantity facility dual controls express defrost countercheck 4 stage cooking 2.8kw – 13 amp plug 445mmx 520mm x 346mm

142	Buffalo model LS11B contact grill
143	Panasonic NE-1037 commercial microwave 1490 watt 22 litre 330mm x 330mm x 200mm
144	Sharp R1900M 1900 watt heavy duty microwave touch controls with 100 memory settings 11 power levels holds 2 x 1/3 GN containers triple & double quantity facility dual controls express defrost countercheck 4 stage cooking 2.8kw – 13 amp plug 445mmx 520mm x 346mm
145	Victor heated gantry 2 lamps 730mm x 780mm x 500mm
146	Precision MCU311 bench counter stainless steel interior & exterior -2 / +4°C refrigerator temperature 450 litre capacity electronic controller with large LCD screen hot gas defrost - even on refrigerators coated evaporator and vaporiser coil integrated flush door handle gastronom shelving system wi ...[more]
147	Blue Seal 9918 salamander (no tray)
148	Buffalo G107B 10 litre soup warmer kettle in graphite grey ideal for presenting and holding hot beverages and food at the ideal temperature
149	Electrolux single tank single basket gas fryer
150	Falcon Dominator G3101 gas six burner range energy efficient, high performance 5.8kw burners semi-sealed, pressed stainless steel hob individual cast iron pan supports on open top units vitreous enamelled oven chamber wide oven temperature range of 120 - 270°C 900mm x 770mm x 890mm 1 x cast ring h ...[more]
151	DCS dynamic cooking system single tank gas fryer
152	Lincat GR3 Silverlink 600 Salamander electric grill 600mm x 310mm x 350mm
153	Lincat twin tank table top electric fryer
154	Inomak PN99 2 door counter fridge temperature range +1 °C/ 10 350 litre capacity auto defrost fan assisted cooling 313 litre capacity 1345mm x 700mm x 870mm
155	Igloo model abele 2-1.7 curved glass display fridge 1650mm
156	Trimco open front chilled grab and go display unit temperature range 2°C to 8°C 1440mm
157	Buffalo large single contact grill flat plates top & bottom flat plates counter-balanced top plate scratch resistant fascia removable drip tray dimensions - cooking area 360x 280mm fuel type electric finish - external satin stainless steel body power type 2.2kw, 10.5a, single phase 410mm x 450mm x 2 ...[more]
158	Moghaddam TAGH12 stainless steel double chest 1500mm x 700mm
159	Stainless steel dishwasher extraction canopy 980mm x 900mm x 580mm
160	Lincat twin tank twin basket fryer



161	Hobart pasta boiler/cooker
162	Zoin Refrigeration dairy wall chilled merchandiser DC15TL with night blind illumination and shelving 1500mm x 700mm x 1820mm
163	Freezline dairy wall chilled merchandiser 1.2m with nigh blind illumination and shelving 1300mm x 800mm x 2100mm
164	Lincat Water Boiler EB3 9 litre capacity 3kW, 220 - 240 V, 13 amp, single phase (s/n 26019141) (no back plate)
165	Bakers Pride P22 single deck electric pizza deck oven 3600w single cook/baking chamber two hearth stone decks per oven with 3 1/4" (83mm) deck heights all stainless construction 660mm x 560mm x 432mm 3 phase (s/n 39936)
166	MBM Hobart stainless infill blanking unit 200mm x 730mm
167	Buffalo model CD474 The Buffalo Bistro Single Contact Grill CD474 is a compact, great value stainless steel unit with ribbed cast iron plates for healthier grills in minutes with adjustable swivel head for different food thickness
168	Electric solid top range with two electric rings model CH965 YOM 2003 (s/n 0856).
169	Williams HO3U - 3 Door Opal Counter 18cu ft/510 litres accommodates 24 x 1/1GN trays (not included) lockable & removable refrigeration cassette +1/+4C temperature range square edge countertop digital display stainless exterior and interior 1835mm x 659mm x 860mm
170	Buffalo CD474 Bistro single contact grill cast iron plates counter-balanced top plate 13 minute heat up time variable heat control removable grease tray cooking area 210 x 226mm temperature range 60 c to 300 c 300mm x 390mm x 205mm
171	Williams HO2U - 2 Door Opal Counter 12.5cu ft/354 litres temperature range +1 / +4 1420mm x 650mm x 845mm
172	Mono BX 4 tier bake off oven 3 phase stainless steel stand with tray storage The standard 40 x 60 trays/racks are large enough for 5 full length French sticks per level. The Digital control facia allows for pre-set storage of time
173	Electrolux gas 4 burner 800mm
174	Moorwood Vulcan M line plus stainless steel steamer cooking compartment is 0.17m <sup>2</sup> (5.8cu ft) 600mm x 810mm x 1700mm
175	Iarp Shelly 120 Multideck wall site multideck fully automatic operation fan assisted cooling switchable interior light night blind digital temperature display auto defrost adjustable temperature panoramic glass end walls and front panel four adjustable shelves suitable for up to +25c ambient at 65% ...[more]
176	Bartlett atmospheric five grid steamer stainless steel large oven capacity with five shelf positions built-in self filling water tank stainless steel exterior and interior with removable shelf hangers thermostatically controlled 600mm x 840mm x 1590mm
177	Panasonic stainless steel commercial microwave
178	Electrolux stainless steel infill unit 800mm
179	Hobart model CBRO/101G/DA/KK combi oven

181	Caravel MU40 back bar bottle cooler (s/n 519-0837-011)
182	Apollo model AUR600 Upright White Refrigerator Temperature Range 0 to +10 C
183	Moorwood Vulcan M line plus stainless steel steamer all stainless steel steaming compartments accommodates up to 6 shelves or baskets integral steam generator includes sealed water cistern thermostatically controlled containers to collect condensed water 600mmx 720mm x 1700mm
184	Falcon G5478 steam cupboard commercial steam oven 6 shelves included (560mmx440mm) 600mm x 900mm x 1570mm
185	Quest model QM3 2 door back bar chiller 910mm
186	Giorik 3CP 6 basket pasta cooker electric stainless steel (s/n 0077020812)
187	D.C DC35-16A self contained ice machine capacity 16 kg daily cube output (kg) 35 kg / 24hr dimensions 496mm x 630mm x 785mm
188	Stainless steel chip holding dump heated gantry 800mm wide
189	MEIKO FV40.2 front loading dishwasher 720 dinner plates per hour basket size 500mm x 500mm passing height of 420mm 90, 120 and 240 second programme cycles 600mm x 600mm x 820mm
190	Cater-Wash CK35X heavy duty 12pt glass washer standard. 2 minute cycle. 30 racks per hour 425mm x 475mm x 690mm
192	Bakers Pride P22 counter top electric pizza oven double deck 3600 watts 284°-680°f temperature range (140°-360°c) electric 15-minute timer with continuous ring alarm and manual shut-off single cook/baking chamber two hearth stone decks per oven with 3 1/4" (83mm) deck heights all stainless steel ext ...[more]
193	Olis 2880H two door stainless steel hot cabinet 600mm x 440mm x 550mm
194	Stainless steel two door hot cabinet 1800mm x 800mm x 840mm
195	Lincat BS4W wet well Bain Marie 4 x 4.5 litre stainless pots 1kw, 230v, 4.4 amp single phase 450mm x 600mm x 290mm
196	Lincat J12 Silverlink 600 Fryer 2 x 9 litre tanks stainless steel construction 600mm x 600mm x 970mm (s/n 27043055)
197	Byfuch RC9484 refrigerated multideck temperature range: +2°C to +5°C 980 x 1900mm
198	Hobart VPU200 vegetable prep machine capacity: 7 kg/minute, 50-700 portions/day 350 rpm
199	Swan SWU10 hot water urn 10ltrs capacity
200	Infrico VC1400 chilled vision counter temperature Range: +3°C to +6°C hinged front glass for easy cleaning internal illumination hinged doors to rear front glass is fitted with demister standard model is supplied with 2 wire helves fan assisted fully automatic operation electronic controller with te ...[more]
201	Foster Refrigeration PSG600L commercial upright freezer temperature range -18/-21 stainless steel 700mm x 800mm x 2080mm (s/n E5186600)

202	Cornelius upright back bar cooler 600mm x 500mm x 1700mm
203	Cornelius upright back bar cooler 600mm x 500mm x 1700mm
204	Cornelius upright back bar cooler 600mm x 500mm x 1700mm
205	Moffat MD2T stainless steel mobile refrigerated self serve counter (s/n 115BA305)
206	Arneg Butchers serve over counter ventilated refrigeration 2 gray coloured end wall 290mm s. steel working surface compressor R134a (built-in unit) off-cycle defrost electronic thermometer roomy chilled under storage stainless steel workstation 2500mm x 1000mm
207	Ital Stresa - 300S meat slicer medium duty anodised aluminium body adjustable cut thickness integral blade sharpener emergency 'mushroom' stop button plug fitted : plug fitted power type : 13a voltage : 230v 640mm x 510mm
208	Darenth MSS LTD Refresh 700 automatic drinks dispensing machine selections 10 In-Cup (73mm) 74 per selection = 740 cups 780mm (w) x 1000mm (h) x 450mm (d) YOM 2011
209	Melitta CUP automatic coffee machine hourly output / cups (depending on product and volume of each drink) = 180 cups 2.9kW 790mm x 509mm x 403mm
210	Melitta CUP automatic coffee machine hourly output / cups (depending on product and volume of each drink) = 180 cups 2.9kW 790mm x 509mm x 403mm
211	Melitta CUP automatic coffee machine hourly output / cups (depending on product and volume of each drink) = 180 cups 2.9kW 790mm x 509mm x 403mm
212	Melitta CUP automatic coffee machine hourly output / cups (depending on product and volume of each drink) = 180 cups 2.9kW 790mm x 509mm x 403mm
213	Paul Charvet Charavines 100064FM four burner gas oven 1000mm wide (s/n V00669)
214	Panasonic NE1856 microwave 1800W heavy duty programmable touch pads 3 power levels stainless steel body and cavity 422mmx 508mm x 355mm
215	Blue Seal GT46 Vee Ray twin pan gas fryer twin tanks with 13 litre capacity each rugged front rail to protect operator and controls direct action thermostat control over temperature safety control basket size 140 x 335 x 145 twin tank production rate: 31kg/hr power: 25kw, 85,300 btu/hr burners: 2 x ...[more]
216	Blue Seal GT46 Vee Ray twin pan gas fryer twin tanks with 13 litre capacity each rugged front rail to protect operator and controls direct action thermostat control over temperature safety control basket size 140 x 335 x 145 twin tank production rate: 31kg/hr power: 25kw, 85,300 btu/hr burners: 2 x ...[more]
217	Aquatec pass through dishwasher
218	Comenda LC700/1 pass through dishwasher basket size: 500mm x 500mm type 'a' air gap included rinse booster pump & rinse aid injector cycle times: 90, 120 and 180 seconds 6.75kw 625mm x 760mm x 1460mm

219	Classeq Hydro 750 front loading dishwashers rack size 500 x 500mm electrical loading 6.84kw cycle time 3 minutes 550mm x 625mm x 820mm
220	Buffalo CF359 1000w commercial microwave oven 20 programmes 3 stage cooking double quantity pad internal lamp capacity: 29ltr 542mm x 357mm x 329mm
221	Scotsman EC 46 ice machine capacity 24kg = 1200 cubes built in waste water pump to enable the machine to be sited in situations where other ice makers could not due to inadequate drainage 390mm x 600mm x 643mm
222	Restoitalia 2 deck electric pizza oven product size 660mm x 130mm
223	Commercial heavy duty four burner gas range
224	Stainless steel counter 5 x Baine Marie 2 door heated under cupboard 3400mm x 640mm
225	Designline drop in refrigerated grab and go merchadiser cabinet 1150mm x 700mm
226	Foster PSG1350L commercial stainless steel lockable twin door 1350 litres freezer (48 cu.ft.) temperature range -18/-21 C 2100mm x 1440mm x 800mm not internally racked (s/n E5185176)
227	Foster PSG1350L commercial stainless steel lockable twin door 1350 litres freezer (48 cu.ft.) temperature range -18/-21 C 2100mm x 1440mm x 800mm (s/n E5168245)
228	Lincat Impinger gas conveyorised pizza oven belt width 460mm
229	Williams HO4U-S3 under counter refrigerator opal capacity 24 cu ft accommodates 32 x 1/1gn trays (not included) lockable & removable refrigeration cassette +1/+4c temperature range 8 x shelves 4 x self-closing solid doors w/ locks digital display stainless steel exterior and interior hd non-marking ...[more]
230	Avery electronic scale 23lb capacity
231	Avery electronic scale 23lb capacity
232	Falcon Chieftain 4 burner gas range rating 113,000 BTU/HR (gross) / 30Kw (nett) 900mm x 940mm x 900mm
233	Hobart model IGFD65 single tank twin basket gas fryer
234	Blue Seal GT46 Vee Ray twin pan gas fryer twin tanks with 13 litre capacity each rugged front rail to protect operator and controls direct action thermostat control over temperature safety control basket size 140 x 335 x 145 twin tank production rate: 31kg/hr power: 25kw, 85,300 btu/hr burners: 2 x ...[more]
235	Cornelius Model 241347049 single glass door upright drinks chiller
236	BKI table top heated display unit 800mm
237	Blodgett Zephair double stacked oven glass doors with interior lights for great product visibility two-speed, 1/3 HP convection motor w/automatic thermal overload protection 50,000 btu/hour per section each capacity – up to 5 full size baking pans in left to right position

238	Hobart model IGFD65 single tank twin basket gas fryer
239	Profinox 3120 ice machine
240	Electrolux stainless steel twin tank twin basket 3 phase electric fryer
241	Lincat SLR6N four burner gas range sealed hob tops low level flue oven with thermostatic temperature control 130 – 250c Piezo ignition to oven (millivolt system) flame failure device on oven and hob burners manual ignition to burners supplied on height adjustable legs side hinged doors (1800 o ...[more]
242	Electrolux Professional stainless steel smooth plate griddle 400mm
243	Commercial stainless steel under counter dishwasher
244	Stainless steel ice dump 700mm x 550mm
245	Crpto Peerless EF20 planetary mixer with bowl and attachments 240v
246	Hobart NCM20 20 quart planetary mixer with bowl and attachments 240v
247	Corsair six burner natural gas range
248	ISA two glass door drinks display fridge
249	Foster PSG1350L commercial stainless steel lockable twin door 1350 litres freezer (48 cu.ft.) temperature range -18/-21 C 2100mm x 1440mm x 800mm (s/n E5117158)
250	ISA Spa Europa 130A-LMC refrigerated drinks merchandiser Coca Cola branded YOM 2007
251	Falcon G5478 steam cupboard commercial steam oven 6 shelves included (560mmx440mm) 600mm x 900mm x 1570mm
252	Blue Seal G50D heavy duty gas range six powerful gas burners flame failure device twin hinged oven doors 7 cu ft oven comes with 2 racks and 5 rack positions high quality heavy duty chassis construction finished in stainless steel with cast iron pan supports capacity : 7 cu ft 36kw 900mm x 812mm x 1 ...[more]
253	Lincat PO49X pizza oven can take 2 x 12" or 4 x 9" pizza power: 2.85kw independent controls for top and bottom single piece firebrick base 810mm x 740mm x 320mm
254	Foster Eco Pro600L 600 litre upright freezer cabinet temperature range: -18/-21°C stainless steel construction 700mm x 800mm x 2080mm
255	Williams HA135SS under counter low profile refrigerator stainless steel 133 litre capacity temperature range +1 / + 4 606mm x 577mm x 845mm
256	Floor cleaner/scrubber polisher 240v
259	Blue Seal gas salamander grill 8.8kW, 30,000Btu/hr

260	Rational Combimaster 6 grid electric combination oven 11kw number of meals per day: 30 – 80 6 x 1/1 GN shelf capacity 845mm x 837mm x 832mm (s/n E61E81010966)
261	Lincat EB3F electric autofill water boiler 9 litre capacity temperature range 70c - 96c output 31 liters per hours /rapid draw off 9 litres 290mm x 465mm x 652mm
262	Parry AWB3 automatic fill water boiler boil dry protection 265 cups per hour electronic control quick on/off tap automatic fill water boiler capacity 12.5l rapid draw off 7l 25l per hour 265mm x 605mm x 615mm
263	Lincat EB3F electric autofill water boiler 9 litre capacity temperature range 70c - 96c output 31 liters per hours /rapid draw off 9 litres 290mm x 465mm x 652mm
264	Sanyo EMC100K commercial microwave oven 1800W stainless steel
265	Infrico MP1740 granite worktop 2 door pizza counter temperature range: +2/+6°C prep unit temperature: +4/+8°C capacity: 7 x ¼ gastronorm containers 1738mm x 800mm x 1230mm
266	Arneg Tolosa front window open top food case 307 litre capacity temperature range -25 ~ +2°C 1900mm x 844mm x 960mm
267	Frost Tech SD75 stainless steel multideck temperature range 0°C/+5°C 1950mm x 1200mm x 750mm
268	L shape sink with drainer and ice dump 1650mm x 1020mm
270	Planetary mixer model: GRT-M25 3 speed 94/165/386 revolution per min fully guarded 25ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 567mm x 435mm x 808mm
271	Planetary mixer model: GRT-M25 3 speed 94/165/386 revolution per min fully guarded 25ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 567mm x 435mm x 808mm
272	Planetary mixer model: B-20 3 speed 91/164/294 revolution per min fully guarded 20ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 415mm x 530 x 780 mm
273	Planetary mixer model: B-20 3 speed 91/164/294 revolution per min fully guarded 20ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 415mm x 530 x 780 mm
274	Planetary mixer model: B-20 3 speed 91/164/294 revolution per min fully guarded 20ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 415mm x 530 x 780 mm
275	Planetary mixer model: B-20 3 speed 91/164/294 revolution per min fully guarded 20ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 415mm x 530 x 780 mm
276	Planetary mixer model: B-20 3 speed 91/164/294 revolution per min fully guarded 20ltr model complete with hook paddle and whisk YOM 2014 brand new in box power 750W 240v 415mm x 530 x 780 mm
277	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
278	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014

279	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
280	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
281	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
282	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
283	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
284	Soup kettle 10 litre wet heat only operation variable simmerstat maximum temperature: 98°C 240v brand new in box YOM 2014
285	Counter top commercial patty burger former 100mm diameter non-stick plate press forms meat fast 300mm x 310mm x 360mm YOM 2014 brand new in box
286	Counter top commercial patty burger former 100mm diameter non-stick plate press forms meat fast 300mm x 310mm x 360mm YOM 2014 brand new in box
287	Counter top commercial patty burger former 100mm diameter non-stick plate press forms meat fast 300mm x 310mm x 360mm YOM 2014 brand new in box
288	Digital Scale balance table top 30kg capacity highly accurate and precise sensor LCD screen stainless top 240v YOM 2014 brand new in box
289	Digital Scale balance table top 30kg capacity highly accurate and precise sensor LCD screen stainless top 240v YOM 2014 brand new in box
290	Commercial stainless steel dual plate griddle electric griddle 6Kw 600mm x 615mm steel cooking plate CE approved all stainless steel body 618mm x 618mm x 520mm x 320mm 240v YOM 2014 brand new in box
291	Commercial stainless steel dual plate griddle electric griddle 6Kw 600mm x 615mm steel cooking plate CE approved all stainless steel body 618mm x 618mm x 520mm x 320mm 240v YOM 2014 brand new in box
292	Commercial stainless steel dual plate griddle electric griddle 6Kw 600mm x 615mm steel cooking plate CE approved all stainless steel body 618mm x 618mm x 520mm x 320mm 240v YOM 2014 brand new in box
293	Commercial stainless steel dual plate griddle electric griddle 6Kw 600mm x 615mm steel cooking plate CE approved all stainless steel body 618mm x 618mm x 520mm x 320mm 240v YOM 2014 brand new in box
294	Saladette / pizza refrigerated preparation counter gastronorm counter top with two door refrigerated under storage all stainless steel construction 390 litre volume temperature range 2-8 °C 1500mm x 740mm x 1050mm YOM 2014 brand new in box
295	Saladette / pizza refrigerated preparation counter gastronorm counter top with two door refrigerated under storage all stainless steel construction 390 litre volume temperature range 2-8 °C 1500mm x 740mm x 1050mm YOM 2014 brand new in box
296	Multi-Freeze 2x10Ltr commercial slush robust and with exceptional performance cold-beverage temperature -2° C--3° C power: 400W each 10L tank is made of PC (Polycarbonate) material which is high/low temperature resistance, unbreakable, innocuously, antifoaming, good flexibility and removab ...[more]

297	Multi-Freeze 2x10Ltr commercial slush robust and with exceptional performance cold-beverage temperature -2° C--3° C power: 400W each 10L tank is made of PC (Polycarbonate) material which is high/low temperature resistance, unbreakable, innociously, antifoaming, good flexibility and removab ...[more]
298	Multi-Freeze 2x10Ltr commercial slush robust and with exceptional performance cold-beverage temperature -2° C--3° C power: 400W each 10L tank is made of PC (Polycarbonate) material which is high/low temperature resistance, unbreakable, innociously, antifoaming, good flexibility and removab ...[more]
299	Commercial multifuction cutter slicing machine all stainless steel construction 1100W blade speed 1400 r/min 420mm x 390mm x 700mm 240v YOM 2014 brand new in box
300	Commercial potato peeler floor standing capacity:400kgs per hour (880LB) the abrasive is highly resistant and long lasting stainless steel body water inlet system with non-return air break integral control panel complete with on/off push buttons and a 0-5 minute timer bowl capacity:20kgs 670mm x 5 ...[more]