Pro Auction Limited

Pres Auction

15



Pro Auction Fengate

Peterborough

Cambridgeshire PE1 5XB United Kingdom

200 lots of good quality catering equipment Ended 19 Jan 2016 15:02 GMT

Lot	Description
1	Hoshizaki Air-Cool HFC-Free ice flaker FM480-AKE-HC-SB Output: up to 450kg per 24 hours (flake ice) with a Follett ITS Ice Storage and Transport Systems (s/n B110ZC)
2	Falcon Dominator bullseye solid top range external dimensions: 900mm W x 770mm D x 890mm H total gas rating: 64,900 btu/hr (gross) / 17.3kW (Nett)complete with salamander grill gas 900mm
3	Falcon Dominator 6 burner commercial gas range 2/1 GN compatible energy efficient, high performance 5.8kw burners semi-sealed, pressed stainless steel hob robust individual cast iron pan supports easy to clean vitreous enamelled oven chamber twin doors with individual catches - retains heat within t[more]
4	Bravilor Bonamat Novo 2 Filter Coffee Machine
5	Foster Xtra XR3H stainless steel three door bench counter temperature range 2°C to 8°C 1775mm x 700mm x 855mm (e/n E5354665)
6	Blue Seal Evolution Series GT46 450mm gas fryer 450mm twin pan gas fryer 13 litre oil capacity per pan 31kg/hr production rate 2 x 12.5kW infrared burners mechanical controls easy clean stainless steel open pan large capacity cool zone oil level and over temperature safety cut-outs adjustable feel w[more]
7	Electrolux RBX/E2FM 3 phase manual tipping 60 litre capacity brat pan cooking temperature 120 °C 9.5kW 400 V/3N ph/50/60 Hz
8	Williams stainless steel single door upright fridge 600mm
9	Zanussi model LS6EA DPG under counter glass washer 600mm x 600mm 840mm
10	Mareno Gas tilting bratt pan constructed in AISI 304 stainless steel cooking tank with manual tilt mechanism, constructed in stainless steel, 60-litre capacity 1 x 14 kW heating zone tank dimensions 770mm x 540mm x 200mm
11	Zanussi KFRE11 single tank single basket 3 phase fryer 23 litre capacity 400mm
12	Zanussi KFRE11 single tank single basket 3 phase fryer 23 litre capacity 400mm
13	Zanussi 6 burner gas range with oven complete with hot cupboard 1200mm
14	Moffat serve over unit with 2x ceramic hotplates and 2 pot Baine marie complete with overhead heated gantry and sneeze guard 1200mm

16	Lincat LPW/LR pie warmer and display cabinet rounded and compact design robust stainless steel construction minimum food holding temperature of 72 thermostatic control up to 95c toughened glass elements under deck 3 chrome-plated rod shelves 2 x 25 watt diffused switchable lights with user-changeabl[more]
17	Victorian Baking Oven QV potato oven and warmer 30 x 250gm per batch plus 30 in warming cabinet 1.5kw (oven) 275w (warmer) 220- 230v 13amp socket 430mm x 700mm x 430mm
18	FAC F300CL table top gravity fed slicer 300mm blade cut 300mm x 220mm 870mm 560mm x 500mm
19	Moffat 2VO two door heated cabinet 1200mm
20	Polar G620 Ice Cube Maker (15kg/24hr) 365mm x 420mm x 415mm
21	Foster PSG600H single door refrigerator 600 litre capacity 700mm x 800mm x 2080mm
22	Fri-Jado MD100 Multi Deck merchandiser 3750W 1000mm x 1912mm x 948mm
23	Stainless steel table top electric bake off oven with top warmer/server 550mm
24	Viva 3 Group coffee machine
25	Foster Xtra XR600H 600ltr upright fridge temperature range +2°C to +8°C 675mm x 810mm x 1985mm
26	Hobart FX5-400-70n 20 racks/hr, under counter dishwasher 5.6kw, 600mm x 600mm x 820mm
27	Falcon Dominator single tank twin basket gas fryer gas rating: 112,600 btu/hr (gross) / 30kW 600mm x 770mm x 890mm
28	Foster LR150 under counter freezer temperature range -18°C to -21°C 150 litre capacity 605mm x 620mm x 810mm
29	Stainless steel preparation table with under shelf upstand and can opener 1750mm x 600mm x 900mm
30	Moffat chilled curved glass display server
31	Stainless steel preparation table with under and over shelf 1800mm x 600mm
32	Autonumis LG19951 stainless steel bag in box milk dispenser built in cooler
33	Stainless steel commercial twin basin sink twin drainer 2400mm
34	RutlandStainless steel twin smooth plate contact griddle 740mm
35	Blue Seal Cobra CS9 gas salamander 900mm gas salamander 2 x 4.4kw (15,000 btu/hr) high performance infra-red burners removable easy-clean bottom tray independently controlled sides flame failure protection on each burner 900mm x 450mm x 389mm

36

Lincat LDF2 2 x 4 Lir twin tank general purpose fryer 2 x 3kW, 2 x 13A temperature range 130 - 190°C output Chips/hr: 17 KG (37lb) from frozen, 21 KG (46lb) from chilled 540mm x 400mm x 315mm

37	Amana ALD510 1000w stainless steel commercial microwave 3 cooking stages and 4 power levels 34 litre capacity 560mm x 344mm x 483mm
38	Williams 3 door counter bench fridge 510Ltr HO3U-S3 temperature range 1°C to 4°C 1835mm x 659mm x 860mm
39	AHT RIO H 68 G showcase display freezer with flat glass sliding lid 147 litre temperature range -14/-23°C 530mm x 500mm x 720mm
40	Williams LGIT5A stainless steel single door upright freezer temperature range -18/-22°C 824mm x 737mm x 1960mm
41	Toshiba TTE/0012452 EPOS system with cash drawer, printer and operator cards
42	Toshiba TTE/0012452 EPOS system with cash drawer, printer and operator cards
43	Toshiba TEC POS System ST60/C EPOS system with casher drawer and printer
44	Toshiba TEC POS System ST60/C EPOS system with casher drawer and printer
46	Hobart FQE61L 12KW medium duty double electric fryer 2 x10 litre tanks thermostat 100-190C 600mm x 600mm x 295mm 3 phase electric fryer on stainless steel stand 600mm wide
47	Moffat Evolution Series G594-LS - 600mm Gas Chargrill Leg Stand 600mm gas chargrill on leg stand 2 x 9.8 kW 304 stainless steel U- burners Reversible heavy-duty top grates Interchangeable drop on griddle plates Inclined position to reduce flare and enhance grease run Flame failure protection with con[more]
48	Xtra XR600L single door upright freezer stainless steel exterior / aluminium interior easy read digital controller 3 shelves capacity 600 litres R404a refrigerant temperature range -1821C 675mm x 850mm x 1985mm
49	Cobra CR9D - 900mm gas ranges - gas static oven range 6 burner cooktop range static oven 6 x 5.5kW open (18,800Btu/hr) burners variable high to low controls cast iron burners and vitreous enamel pot stands 2/1 GN or 1/1 GN gas static oven with 4 position racking high crown height manual pilot igniti[more]
50	Williams Garnet CFG2TSS 2 door stainless steel upright fridge temperature range 0/+3°C 1400mm x 824mm x 1960mm
51	Williams CFG2TSA 2 door stainless steel upright fridge temperature range 0/+3°C 1400mm x 824mm x 1960mm
52	Fracino Contempo CON2E Automatic Coffee Machine Boiler Capacity - 14 Litres Cups Per Hour = Cappuccino/ Espresso - 240/400 Top quality copper boiler heated by multiple looped element automatic water level system with a probe, electronic control unit and solenoid valve standard clearance is 130mm and[more]
53	Mach 150MS pass thru dishwasher complete with wash down station and outfeed and condensing canopy 500mm basket two cycle times 635mm(W) x 735mm(D) x 1460mm
55	Electrolux Dito K55 vegetable preparation machine 5.5ltr bowl 1500 and 3000 rev / min 900W 256mm x 415mm x 470mm

57

Falcon natural gas heavy duty grill heated by infra-red burner system double-cased insulated body cast iron internal chamber sides with 5 sets of runners optional floor stand available supplied with removable drip tray dimensions 505(h)x 900(w)x 555(d)mm dimensions - shelf size 610(w)x 420(d)mm fuel ...[more]

59	Fosters Gastro Pro stainless steel bench counter refrigerator 280 litre temperature range -2°C to +2°C 1415mm x 700mm x 865mm
60	10 Lir table top soup warmer thermostat control 400 watts
61	Ga La Nuova ALTEA three group espresso machine 400 cup capacity 21 litre boiler 900mm x 500mm x 500mm YOM 2012 (s/n 6613)
62	Zanolli Synthesis 08/50V Conveyor Pizza Oven - 50cm/20? Pizza Output for Zanolli Synthesis 08/50V Conveyor Oven capacity output 125 x 8?(20cm,145g))or 85 x 10? (25cm,230g) or 55 x 12? (30cm,330g) or 40 x 14? (35cm,450g)or 33 x 16? (40cm,585g) based on manufacturer's estimates using a 4 minute bake 1[more]
63	Spare
65	Nelson SC50A 500mm basket 36 pint / 42 half-pint glass capacity on stand 1 or 2 minute wash cycle 600mm x 625mm x 820mm
67	Simag SV325 Modular Ice Cuber manufacturers reference code DS1 exterior high grade 341 stainless steel (Scotchbrite) interior food safe plastic side vented refrigeration electronic controls air cooled built in cleaning system R404a Refrigerant capacities from 140kg - 465kg / 24hrs 760mm x 620mm[more]
68	Merrychef RD501 1425 Watt Mealstream CD2 Microwave 48.86 capacity convection heat settings fully variable between 0 & 250°C timer up to 30 mins 637mm x 700mm x 627mm
69	Hobart A120 12 quart planetary mixer with bowl and tooling as new 0.25kW 472.5 x 525 x 685mm
70	True T-23 Upright Fridge Stainless steel self closing door with lock capacity 23 cuft temperature range 0 to +3 C +0.5 to +3.3°C holding temp 4 adjustable shelves Interior lighting white interior self-contained bottom mounted tropical compressor 686mmx 750mm x 2074mm
71	Blue Seal Evolution Series G56C - 900mm gas range oven 4 burners cooktop range with 300mm griddle 2/1 GN gas convection oven 4 x 7kw open burners, 1 x 6kw griddle burner heavy-duty stainless steel finish flame failure protection on all burners removable heavy- duty cast iron burners and vitreous ena[more]
72	Fracino FCC2E two group commercial coffee machine 240 cappuccinos per hour or 400 espressos per hour 240v
73	Panasonic NEC1275 1150W combination microwave touch controls with 99 pre-sets 6 power levels with defrost 3 stage memory 1150w microwave power output 1840w grill power output 1800w convection oven power output 100 - 250 C oven temperature 30 litre capacity 600mm x 484mm x 383mmcombination micro wave[more]
74	Polar U634 stainless steel double door gastro fridge 1300 litres capacity temperature range -2 to +8 degrees Celsius 1480mm x 830mm x 2010mm
75	Rosinox Grandes Cuisines RCS –SBM50GB-E gas automatic tipping 50 litre Brat pan depth 250 x 800mm x 600mm metallic heat diffusing base electric tilting (s/n 131249AR1560)
76	Turbofan 31 4 tier convection oven 220-240V, 60Hz, 1-phase, 3.1kW, 12.9A

77	Pitco 35CT tube fired gas fryers single tank twin basket gas fryer 380mm thermostat maintains selected temperature automatically between 200°F (93°C) and 400°F (190°C-CE) 90,000 BTU's/Hour (26.3 kW) 384mm x 309mm x 479mm
78	Lincat LPW Seal pie cabinet stylish, rounded and compact design for attractive display where space is at a premium minimum food holding temperature of 72°C thermostatic control up to 95°c robust stainless steel construction hygienic and easy to clean manufactured from toughened glass throughout for[more]
79	Gram Snowflake F605 freezer stainless steel single door upright freezer fan assisted cooling temperature range -10 to -22c capacity 18 cu ft / 519 litres 695mm x 855mm x 2000mm
80	Zanussi model MFR G25 single tank twin basket gas fryer 700mm
81	Lincat OCM 61 Opus Combi Master Plus 6 x 1/1GN capacity 11kW electric 3 phase 847mm x 771mm x 782mm
82	BU300/1 ice cream freezer with sliding glass door
83	Caravell Snow flake ice cream freezer with glass sliding door
84	Lincat GS7C/N Silverlink 600 hard chrome plated griddle Cooking area W718 x D409 mm 2 cooking zones counter top fully welded plate (12mm thick) twin zone models independently controlled Piezo ignition (millivolt system) flame failure device 7kW 750mm x 650mm x 415mm
85	Mech-Masz 15-30 two speed spiral mixer YOM 2008
86	Rosinox Grandes Cuisines 27C70G2 two chamber steam pressure cooker 2 compartments, GN 1/1, capacity 2 x 70 litres, allowing for each compartment, 3 trays, 65 mm high, or 2 trays, 100 mm high, or 1 tray, 150 mm high, 3 use pressures (high pressure - low pressure - without pressure) - gas YOM 2008 (s/[more]
87	Rosinox Grandes Cuisines 27C70G2 two chamber steam pressure cooker 2 compartments, GN 1/1, capacity 2 x 70 litres, allowing for each compartment, 3 trays, 65 mm high, or 2 trays, 100 mm high, or 1 tray, 150 mm high, 3 use pressures (high pressure - low pressure - without pressure) - gas YOM 2008 (s/[more]
88	Winterhalter GS 502 Pass Through Dish Washer 60 racks per hour 9.5kw 90/140wash cycle Rack Dimensions 500 x 500 easy to use and maintain 635mm x 746mm x 1469mm
89	Blue Seal Turbofan Electric Convection Oven E31 Power: 3.1kW. 95Ltr (4x 1/1GN)
90	Imperial Elite C IFS-40 natural gas fryer three heavy duty burner stainless steel tank tube fired heating efficiency cool zone to trap food particles large drain port capacity: 22 litre 394mm x 762mm x 914mm (s/n 012293008)
91	Falcon gas six burner range with oven 930mm wide 28,000 BTU NAT (24,000 BTU LP) cast-iron, non clog burners Stainless steel front, sides and removable shelf Individual, removable cast iron grate tops Smooth, polished 1/2" steel griddle plate with raised sides available thermostatic or manual
92	Mareno six burner gas range with gas oven and neutral cabinet appliance comprises 6 sealed burners, 4 of which with maximum output of 6 kW, 2 with 10 kW output temperature adjustment from 50°C to 300°C 900mm x 870mm
93	Foster ECO PRO 1/3 H 3 door counter fridge gastro pro 435 litre counter temperature range +1/+4c

94	Stainless steel two door hot cabinet with a four well Baine Marie to	o 1500mm x 700mm
----	--	------------------

96	Euro Fours 3P10A/10-1 10 grid three phase convection oven capacity 10 trays 400 x 600mm 18kW YOM 2009 (s/n 3P10AJ108) with canopy
97	Lainox LXTYP HME-06IP electric combi steamer6 x 1/1 GN capacity 8kW 3N AC 400 V - 50 Hz 930mm x 750mm x 810mm YOM 2007
98	Moorwood Vulcan M Line electric atmospheric steamer stainless steel construction 6 shelves integral steam generator has own sealed water cistern cooking compartment 5.8cu ft 900mm x 710mm x 1674mm
99	Complete shop counter server unit with chilled two door glass front and heated open back display serve over total length 4300mm
100	Amika 35XL glasswasher 350mm sq. basket 2.8kw glasswasher gravity drain - supplied with two racks rack size: 350mm square detergent and rinse aid dosing Inc. cycle time: 120 seconds power: 2.9kw (13amp) wash tank temp 60*c rinse boiler temp 65*c 400mm x 480mm x 630mm
101	SAM 45 cash electric till
102	Delfield Stainless steel single door upright fridge
103	Zanussi LS6EA-DPG under counter glass washer (s./n SN51700019)
105	Lincat Water Boiler EB4F unique integrated filter flow filtration system ensures premium water quality and reduced scale build up low cost, easy fit replacement filter cartridge (re-order code ac758) high hourly output - ideal even in busy establishments advanced diagnostics with led panel showing o
106	Lincat EB3F water boiler rapid draw off of 9 litres/16 pints/60 cups output per hour of 31 litres/55 pints/205 cups unique built-in filtration ensures premium water quality and reduced scale build-up lower maintenance and energy costs advanced diagnostics with LCD panel showing operational status
107	IARP ABX 500N stainless steel single door freezer temperature range -16 / -25C 505 litre capacity 722mm x 770mm x 1702mmstainless steel single door upright freezer
108	MBM Brescello GFT477R Gas fry top ,1 lined plate, welded splash protector stainless steel AISI 304 made, with front channel to collect grease, extractable drawer to collect liquid, gas heating by burners in stainless steel with self-stabilizing flame and thermostatic temperature smooth plate griddle[more]
109	Hobart FX 30 E dishwasher basket size 500mm x 500mm 3 wash cycles stainless constriction electronic control 3 phase 400V, 8.25 kW 600mm x 600m x 820mm
110	Küppersbusch CH CKH110 10 grid convectair combination oven on stainless steel stand
111	Hobart FX20 dishwasher unique pre-wash, wash and rinse 3 wash programs, 2.4 and 6 min cycles 600mm x 400 mm Connection 400 V, 9 kW, 15, 3 A, 16A-CEE
112	Hobart GXS three wash cycles 60, 90, 120 seconds up to 60 racks (1500 glasses) per hour (500 x 500mm rack size) 600mm x 600mm x 820mm

113	Falcon smooth plate gas griddle temperature range 140°c to 300°C 18mm highly polished steel griddle plate provides consistent, even heat 600mm x 770mm
114	Lainox ME106X 6 grid combination oven
115	Foster LR 410 upright storage freezer temperature range-18°C to -21°C capacity: 410 litres with 6 fixed shelves 600mm x 652mm x 1875mm
116	Electrolux twin tank twin basket electric fryer model RFRE2D12 3 phase
117	Infrico ME1000EN compact gastronorm salad prep counter 230 litre capacity temperature range +1°C to +6°C accepts 1/4 gastronorm containers 978mm x 700mm x 1050mm
118	Rational CD61 type E61DC00441025363 6 grid combi oven
119	Williams HJC35A 2 door 3 drawer gastronorm counter refrigerator with pizza prep top temperature range +1° to +4°c capacity: 510ltrs / 18cuft 1885mm x 659mm x 860mm
120	Fosters FMSLIM 1600 RF refrigerated multideck temperature range 2 / + 4 °C with night blind
121	Fosters Gastronorm 90 stainless steel single upright fridge 680mm x 810mm x 2055mm
122	Lincat ribbed plate griddle
124	Fosters PROG600L-A single door upright freezer 600 litre capacity temperature range -18/-21°C 700mm x 800mm x 2090mm
125	Convottherm Compact OD10,10C 10 grid combi oven programme in 250 recipes of up to 20 steps each with pre-programmed recipes 932mm x 805mm x 1120mm
126	Falcon E4109EL Combination Oven precise oven temperature settings to one degree powerful 2,600 rpm fan ensures an even temperature throughout the oven manually controlled convection steam variable steam combination integrated door stop switch integral air diffuser internal lighting removable drip tr[more]
127	ISA Spa Europa 130A-LMC refrigerated drinks merchandiser Coca Cola branded YOM 2007
128	Blue Seal Evolution Series GT46 450mm gas fryer 450mm twin pan gas fryer 13 litre oil capacity per pan 31kg/hr production rate 2 x 12.5kW infrared burners mechanical controls easy clean stainless steel open pan large capacity cool zone oil level and over temperature safety cut-outs adjustable feel w[more]
129	Italinox Prisma IBM50 spiral dough mixer 48ltr bowl with 42kg volume capacity bowl dimensions 450mm diameter x 300mm high dough breaker spindle 20kg kneading capacity / 128kg an hour production 1500 watt motor for powerful reliable performance CE certified 480mm W x 805mm D x 825mm
130	Italinox Prisma IBM50 spiral dough mixer 48ltr bowl with 42kg volume capacity bowl dimensions 450mm diameter x 300mm high dough breaker spindle 20kg kneading capacity / 128kg an hour production 1500 watt motor for powerful reliable performance CE certified 480mm W x 805mm D x 825mm
131	Prisma Food Solutions Forni Basic 44 Pizza Oven stainless steel front and painted steel structure Cooking surface in refractory stones sheathed heating elements Internal lighting Rock wool insulation 3 phase electric

132	Prisma Food Solutions Forni Basic 44 Pizza Oven stainless steel front and painted steel structure Cooking surface in refractory stones sheathed heating elements Internal lighting Rock wool insulation 3 phase electric
133	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
134	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
135	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
136	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
137	Forno Electric Resto 66 BIG/L electric oven made in stainless steel while the back panelling is made of pre-painted sheet the wide cooking chamber is equipped with interior lighting by an halogen light cooking top is made of refractory brick internal dimensions 425mm x 283mm x 55mm (X 2) 18kW capaci[more]
138	Husky VAC1-HY under counter refrigerator single door stainless steel 145 litre capacity 600mm x 600mm x 800mm
139	Husky VAC1-HY undercounted refrigerator single door stainless steel 145 litre capacity 600mm x 600mm x 800mm
140	Husky VAC1-HY under counter refrigerator single door stainless steel 145 litre capacity 600mm x 600mm x 800mm
141	Husky F57-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 430 litres temperature Range: -22°c to -24 dimensions: (H x W x D) 850mm x 1684mm x 694mm
142	Husky F57-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 430 litres temperature Range: -22°c to -24 dimensions: (H x W x D) 850mm x 1684mm x 694mm
143	Husky F57-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 430 litres temperature Range: -22°c to -24 dimensions: (H x W x D) 850mm x 1684mm x 694mm
144	Husky F57-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 430 litres temperature Range: -22°c to -24 dimensions: (H x W x D) 850mm x 1684mm x 694mm
145	Husky F38-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 300 litres temperature Range: -22°c to -24°c dimensions: (H x W x D) 850mm x 1240mm x 694mm
146	Husky F38-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 300 litres temperature Range: -22°c to -24°c dimensions: (H x W x D) 850mm x 1240mm x 694mm
147	Husky F38-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 300 litres temperature Range: -22°c to -24°c dimensions: (H x W x D) 850mm x 1240mm x 694mm
148	Husky F38-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 300 litres temperature Range: -22°c to -24°c dimensions: (H x W x D) 850mm x 1240mm x 694mm
149	Husky F38-Vis Ice Cream Chest Display Freezer sliding glass lids with lock lockable castors for easy capacity 300 litres temperature Range: -22°c to -24°c dimensions: (H x W x D) 850mm x 1240mm x 694mm