

# Pro Auction Limited

## Commercial Catering Equipment - Contents of a Central London Major Bank Restaurant and Catering Items



Huge range of equipment suitable for foodservice, supplies, restaurant, bar, kitchen, professional, chefs, caterers, food, service, restaurants

Pro Auction  
Global Building  
Padholme Road East  
Peterborough  
Cambridgeshire  
PE1 5XL  
United Kingdom

Started 02 Mar 2016 10:00 GMT

Lot	Description
1	Williams HO4U-S3 under counter refrigerator opal capacity 24 cu ft accommodates 32 x 1/1gn trays (not included) lockable & removable refrigeration cassette +1/+4c temperature range 8 x shelves 4 x self-closing solid doors w/ locks digital display stainless steel exterior and interior hd non-marking ...[more]
2	TH001 – quick filter coffee machine delicious, fresh filter coffee the machines can be manually filled with water and therefore be placed anywhere easy operation and maintenance self-regulating hot plates to preserve the optimum quality of the coffee
3	Electrolux Dito K55 vegetable preparation machine 5.5ltr bowl 1500 and 3000 rev / min 900W 256mm x 415mm x 470mm
4	Phillips HR1861 whole fruit juicer enjoy fast juicing with multiple speed controls for soft and hard fruits, get fresh juices at speed with the powerful 700 watt motor make more juice with continuous juicing thanks to extra large capacity, micro mesh-filter made of stainless steel no pre-cutting nee ...[more]
5	2 x heavy duty polypropylene stirrer paddles 1500mm tall
6	Tesco CF06 chocolate fountain Capacity 900g 230mm x 414mm x 224mm
7	Lincat Silverlink ribbed stainless steel griddle 4kW 3phase electric griddle steel plate fully ribbed dual zone 600mm x600mm x 300mm
8	Rubbermaid 3424-88 utility cart with 4" dia (10.2 cm) swivel casters
9	Chrome static two tier rack 1820mm x 610mm x 1830mm
10	Craven modular static freezer rack 1210mm x 365mm x 1720mm
11	Approximately 180 of 26" Villeroy & Boch and 26.5" Steelite white dinner plates
12	Winterhalter GS41/4 pass through dishwasher 500mm basket complete with in-feed pre wash sink and outfeed tabling with 4 basket tray storage
13	Roller Grill DL/M double contact Panini grill cooking surface of 720x240mm ribbed top plate smooth bottom plate 2 x 3 KW Features independent controls for each side 15 minute timer 300°C 835mm x 385mm x 220mm
14	Rubbermaid 6345 step on 18 gallon heavy duty pedal bin

15	Falcon Dominator four hotplate boiling table two rectangular & two fast heating circular hotplates with central oven 3 phase electric 900mm x 770mm x 850mm
16	Valentine VMC3 pasta cooker 25 to 40 litre capacity with drain valve stainless steel construction 310 x 510 x 300 mm chamber salt water resistant manufactured from one piece provides and therefore easy to clean 3phase electric 350mm x 600mm x 850 mm (s/n 278ZA280A10)
17	Williams HA135SS 133 litre refrigerator stainless steel temperature range +1/+4 °c 577mm x 606mm x 845mm
18	2 x heavy duty pedal bins 500mm x 840mm
19	Bourgeat stainless steel mobile trolley 560mm x 330mm x 1630mm
20	Stainless steel wall shelving 1340mm x 230mm
21	Stainless steel wall shelving 1640mm x 300mm
22	Stainless steel wall shelving 2120mm x 300mm
23	Stainless steel wall shelving 2120mm x 300mm
24	Stainless steel five tier static rack 600mm x 650mm x 1520mm
25	Fri-Jado MD35 Multi Deck self service heated merchandiser glazed walls creating a 180-degree view 1900W electric 443mm x 989mm x 1862mm (s/n 100057601)
26	Tefcold FS1380W wine cooler 372 litre capacity temperature range 1°C to 10°C 595mm x 600mm x 1840mm (s/n 414855700013)
27	Inomak CE2140/PTL 1450 litre commercial upright stainless steel double door fridge temperature range 1°C to 10°C 1440mm x 865mm x 2115mm (s/n 1354301)
28	Foster BC51 blast chiller cabinet high quality 304 stainless steel exterior build quality o capable of blast chilling from +70oc to +3oc in 90 minutes easy programme selection - menu driven dial lets you simply turn to select the programme and push to start capacity 51Kg chilling 700mm x 800mm x 1891 ...[more]
29	Caravel 390-607 solid door upright fridge 390 Capacity / 13.7ft³ temperature range +2°C to +10°C 590mm x 620mm x 1880mm (s/n 97070154)
30	True T-19E 538 litre commercial stainless steel upright fridge temperature range 0.5°C to 3.3°C 686mm x 623mm x 1995mm (s/n 14007176)
31	Arneg Trent 1200 C-C Integral Multideck Chiller cabinet 3 rows shelves Canopy lighting PVC front bumper Mechanical thermometer and night blind temperature range 0°C/+7°C 1230mm x 857mm x 2040mm (s/n 260124421X)
32	Arneg Trent 1200 C-C Integral Multideck Chiller cabinet 3 rows shelves Canopy lighting PVC front bumper Mechanical thermometer and night blind temperature range 0°C/+7°C 1230mm x 857mm x 2040mm (s/n 260124XXX)

33	Williams CFG2TSA 2 door commercial stainless steel upright fridge temperature range 0/+3°C 1400mm x 824mm x 1960mm
34	Williams Garnet CFG2TSS commercial 2 door stainless steel upright fridge temperature range 0/+3°C 1400mm x 824mm x 1960mm
35	Rubbermaid 6345 step on 18 gallon heavy duty pedal bin
36	Insect-O-Cutor SE44 white,58 watt covers 300m² electric fly killer
37	Stainless steel commercial sink RHD 1500mm
38	Stainless steel commercial sink RHD 1200mm no taps
39	Stainless steel rectangular bath / wash station with hot & cold faucets and removable mesh top shelf 500mm x 1200mm x 860mm
40	Stainless steel rectangular bath / wash station with hot & cold faucets and removable mesh top shelf 500mm x 1200mm x 860mm
41	Zanussi KFR E1A single tank single basket 3 phase fryer 23 litre capacity 400mm
42	Zanussi KFR E1A single tank single basket 3 phase fryer 23 litre capacity 400mm
43	Stainless steel commercial twin basin sink with under shelf LHD 1540mm
44	Chrome mobile janitor cleaning trolley with two bowls and base shelf mobile chrome construction 780mm x 1160mm
45	6 x fire blankets
46	Caravel BV300/1 ice cream freezer with sliding glass door
47	Stainless steel commercial twin basin sink RHD 1800mm
48	Lincat LPW/LR pie warmer & display cabinet minimum food holding temperature of 72 °C thermostatic control up to 95 °C heated display with illumination & humidity feature 520mm x 710mm x 330mm 240v (s/n 20116932)
49	Stainless steel preparation table with up stand shelf and drawer 900mm x 600mm
50	Ital 300HD heavy duty slicer 0-15mm adjustable thickness of cut 300mm forged and tempered chromed steel blade anodised aluminium body and blade guard integral blade sharpener emergency stop button 210 Watts 650mm x 640mm x 590mm
51	Stainless steel commercial sink RHD with two door sliding cupboard under 1500mm
52	Stainless steel commercial sink LHD with single drawer and under shelf 1200mm
53	Various cast frying pans as found

54	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
55	Foster EPROG600H stainless steel single door commercial fridge 600 litre capacity temperature range +1 °C / +4 °C 700mm x 800mm x 2100mm no internal shelves (s/n E5296246)
56	Foster Xtra XR600H 600ltr upright fridge temperature range +2°C to +8°C 675mm x 810mm x 1985mm
57	6 x various thermal flasks
58	Sharp UP700 cash register Ethernet network water proof flat keyboard table tracking large multi-line operator display standard Ethernet networking condiment function for menu combination PLU menu key function bill recall possibility
59	Baked potato oven
60	Stainless steel preparation table with up stand and shelf 1300mm x 700mm
61	Zanussi KCFG3H six burner gas range with oven complete with hot cupboard 1200mm
62	Electric bake off oven 600mm with glass viewing door temperature range 0 - 250°C
63	Lincat HT6 electric hob boiling top 4 plate hob electric boiling hob with fully pressed and sealed hob top for easy cleaning 2 x 1.5kW & 2 x 2kW hobs automatic power reduction, if pan boils dry or is removed prolonging hotplate life six-position switches control each plate 600mmx 600mm x 290mm
64	2 x Kraft 1103841/0916 commercial coffee vending units counter top
65	Stainless steel preparation table with under shelf 440mm x 420mm
66	Insectocutor 240v
67	Williams PW4/R290 refrigerated prep well capacity 4 x 1/3GN or 6 x 1/6 x 150mm gastronorm pans temperature range +1/+4°C 450mm x 769mm x 870mm (s/n 1102-611884)
68	AHT RIO H 68 G showcase display freezer with flat glass sliding lid 147 litre temperature range -14/-23°C 530mm x 500mm x 720mm
69	Dualit HP8 hot pot counter top soup kettle 240v
70	Garland GIR36C 34" (864mm) gas salamander grill 2 x 20,000 BTU (5.86kW) atmospheric infrared burners individual hi-lo controls 860mm x 450mm
71	Stainless steel draining table with under shelf and rear drain bath 1900mm x 900mm
72	Induced Energy CS3000T single table top induction hob 3kw versatile - keep hot, boil, griddle, stir fry unique user friendly display panel unique depth of field, up to 30mm Unique clean filter warning Front-to-front ventilation Precise power settings 1-99 380mm x 505mm x 90mm

73	Caravel BV300/1 ice cream freezer with sliding glass door
74	Falcon Dominator G1830 Gas Fryer single tank single basket gas fryer with splash back, approx. 15 litre capacity 300mm x 800mm x 900mm
75	Stainless steel commercial sink with under shelf and 2 x drawers 1800mm
76	MerryChef HD1425 1425W Heavy Duty Microwave 1.425kW power heavy duty featuring automatic "pop-up" door suitable for programming & manual use touch pad controls 2 power levels & defrost multi stage programming capacity 28.5 litre 498mm x 495mm x 485mm (s/n 08G33571)
77	Stainless steel static five tier shelving unit 1030mm x 640mm x 1250mm
78	Stainless steel twin bowl twin drainer commercial sink with under shelf 2400mm
79	Insect-O-Cutor SE22 electric fly killer white 22watts covers 150 square metres
80	Falcon E1532 Steak house salamander electric grill 725mm x 330mm x 355mm
81	2 x Rubbermaid 6345 step on 18 gallon heavy duty pedal bin
82	Stainless steel preparation table with waste chute cut out 1100mm x 660mm
83	Stainless steel rectangular bath / wash station with hot & cold faucets 500mm x 1200mm x 860mm
84	2 x Rubbermaid 6345 step on 23 gallon heavy duty pedal bin
85	Baijia BJ-18 coin counter/ coin sorter organiser add and batch function counts and sorts 216 coins per minute auto stop when the coin tray is full. total quantity and total value hopper capacity of 300-500 coins
86	Dualit HP10 hot pot counter top soup kettle 240v
87	Cookwork CF600A chocolate fountain Capacity 900g 230mm x 414mm x 224mm
88	Burco C8T 8 litre water boiler manual fill 2kw 220/240 volts thermostat control 20 minutes heating time 50 cup capacity
89	Stainless steel preparation station comprising of two shelving units two drawers upstand and over shelf 1700mm x 800mm
90	Insect-O-Cutor SE22 electric fly killer white 22watts covers 150 square metres
91	Stainless steel commercial sink RHD 1200mm no taps
92	Lincat model HT3 twin hob table top stainless steel boiling top 2 plate hob electric boiling hob with fully pressed and sealed hob top for easy cleaning 2 x 1.5kW hobs automatic power reduction, if pan boils dry or is removed 300mm x 600mm x 290mm

93	Lincat model HT3 twin hob table top stainless steel boiling top 2 plate hob electric boiling hob with fully pressed and sealed hob top for easy cleaning 2 x 1.5kW hobs automatic power reduction, if pan boils dry or is removed 300mm x 600mm x 290mm
94	Lincat floor stand 600mm x 600mm for counter top units
95	Victorian Baking Oven QV potato oven and warmer 30 x 250gm per batch plus 30 in warming cabinet 1.5kw (oven) 275w (warmer) 220-230v 13amp socket 430mm x 700mm x 430mm
96	Falcon gas six burner range with oven 930mm wide 28,000 BTU NAT (24,000 BTU LP) cast-iron, non clog burners Stainless steel front, sides and removable shelf Individual, removable cast iron grate tops Smooth, polished 1/2" steel griddle plate with raised sides available thermostatic or manual
97	Diplomat integral twin oven grill and electric four burner top range
98	Electrolux RBX/E2FM 3 phase manual tipping 60 litre capacity brat pan cooking temperature 120 °C 9.5kW 400 V/3N ph/50/60 Hz
99	Stainless steel preparation table with under shelf 1160mm x 500mm
100	Various Hygiplas low density chopping boards as found
101	6 x thermal vacuum flaks
102	Sharp XE-A213 cash register spill-proof keyboard - ideal for hospitality users high speed quiet thermal printer 12 lines / sec single-line LCD operator display 50 departments with 16 digits text manages up to 50 tables (GLUs) VAT shift for in / outdoor consumption electronic journal - for a full au ...[more]
103	Geller SX580 cash register several staff can use the sx-580 at the same time, avoiding queue build-up 5,000 price look ups stand-alone scanning for up to 5,000 sales items with simple price and product maintenance and barcode learning feature price check feature - prices can be checked at the paymen ...[more]
104	Stainless steel preparation table with two undershelves and tray rack storage under 1000mm x 750mm
105	Bourgeat stainless steel mobile trolley 20 tier 330mm x 550mm x 1700mm
106	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
107	Heavy duty three tier trolley constructed of wood and metal 900mm x 500mm x 1020mm
108	Electrolux 700XP twin tank gas pasta boiler with six baskets 23kW, 78,498 Btu/hr 3 phase electric 800mm
109	Electrolux RFRE2D12 twin basket fryer electric 3 phase 2 x 15 Litre oil capacity 800mm x 730mm x 850mm
110	Falcon E330/30 electric 3phase four hotplate top with oven (s/n 049515)
111	Baron N9PCVP/G8001 four burner range and oven fully moulded top, obtained from a large stainless steel plate long prongs enamelled cast iron grilles to easily move pots between one burner and another; stainless steel rod grilles are available high power cast iron burners (3.5- 5.7- 7 and 10 kw) burn ...[more]

112	Baron infill unit three door stainless steel 1000mm x 900mm
113	Falcon Dominator G2865 twin pan gas fryer burner lit by piezo ignition spark ignition fast acting thermostat controlled with adjustable range from 150°C to 190°C oil capacity: 30ltrs (2 x 15ltrs) 600mm x 770mm x 870mm
114	Falcon Dominator G2865 twin pan gas fryer burner lit by piezo ignition spark ignition fast acting thermostat controlled with adjustable range from 150°C to 190°C oil capacity: 30ltrs (2 x 15ltrs) 600mm x 770mm x 870mm
115	Baron infill unit single door stainless steel 400mm x 900mm
116	Falcon Dominator twin basket gas fryer fast acting thermostat controlled with adjustable range from 150°C to 190°C oil capacity: 15ltrs 600mm x 770mm x 870mm
117	Rational SCC WE 201G Gas Combi Oven 1 NAC 230V SelfCookingControl® with 7 cooking modes HiDensityControl® Efficient LevelControl® (ELC®) Combi steamer mode with 3 modes Care control Automatic cleaning and care system for cooking cabinet and steam generation Capacity 20 x 1/1 GN Connected load natura ...[more]
118	Rational SCC WE 201G Gas Combi Oven 1 NAC 230V SelfCookingControl® with 7 cooking modes HiDensityControl® Efficient LevelControl® (ELC®) Combi steamer mode with 3 modes Care control Automatic cleaning and care system for cooking cabinet and steam generation Capacity 20 x 1/1 GN Connected load natura ...[more]
119	Wolf gas charbroiler bottom heat shields manual controls infinite heat controls standing pilot ignition system u-shaped aluminum steel burners ¾" thick polished steel griddle plate variable temperature setting 81,000 total BTU's 915mm x 800mm
120	Falcon Chieftain gas manual Bratt Pan stainless steel finish 6 different cooking options: griddle, shallow and deep fry, boil, simmer and stew precise control with accurate, variable fast acting thermostat cast iron pan for even heat distribution and consistent performance manually operated tilting ...[more]
121	Baron solid top gas bullseye range solid top range with removable bullseye oven temperature range 120-270°C delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven gas inlet 3/4" bsp gas 38,500 btu/hr bullseye rating gas 27,000 btu/hr oven rating 800mm x 770mm ...[more]
122	Fac F 300 CL gravity meat slicer with built in sharpener 300mm blade Cut (LxH) 300x220mm cut thickness range: 0-16 240v single phase 560mmx 500mm x 870mm
123	Mechline 430/10 industrial hose and reel wall mounted brand new unused
124	Moffat 2VO two door heated cabinet 1200mm
125	Mech-Masz 15-30 two speed spiral mixer YOM 2008
126	Stainless steel commercial sink with undershelf RHD no taps 1200mm
127	Blue Seal Turbofan Electric Convection Oven E31 Power: 3.1kW. 95Ltr (4x 1/1GN)
128	Bonnet stainless steel two door flor cabinet 800mm x 720mm x 900mm
129	Stainless steel corner shelf unit static with three shelves 1050mm x 500mm x 1750mm

130	Robot Coupe MP 550 Ultra Stick Blender powerful stick blender with a processing capacity of 200 litres.750W single phase motor 9,000 rpm
131	Bourgeat stainless stele mobile 20 tier trolley 330mm x 550mm x 1700mm
132	Insect-O-Cutor SE22 electric fly killer white 22watts covers 150 square metres
133	Williams LA135SS stainless steel freezer 133 litre under counter temperature range -18/-22°C 577mm x 606mm x 800mm
134	Bourgeat stainless steel mobile 20 tier trolley 410mm x 620mm x 1700mm
135	Stainless steel commercial sink LHD with integral Hobart waste disposal system 1800mm
136	Merrychef RD501 1425 Watt Mealstream CD2 Microwave 48.86 capacity convection heat settings fully variable between 0 & 250°C timer up to 30 mins 637mm x 700mm x 627mm
137	Sharp XE-A217W cash register spill-resistant flat keyboard table tracking with detailed bill printing built-in SD card slot for program backup and easy data transfer clear multi-line operator display with tilt-mechanism for user-friendly operation 1-sheet quick and silent drop-in thermal printer gui ...[more]
138	Bartlett stainless steel preparation table 1500mm x 600mm
139	Stainless steel commercial sink with under shelf LHD 1200mm
140	Olivetti ECR7100 cash register 9-character LCD display numeric ink roll printer at 2.2 lps up to 200 programmable PLUs and 14 departments 8 operator codes 4 VAT rates
141	MBM EBM777/1 stainless steel Baine Marie 42.5litre capacity 3kW power 240v 730mm x 800mm x 420mm (s/n 1084341)
142	Stainless steel twin basin utensil sink no taps 1800mm LHD
143	Stainless steel commercial sink with undershelf RHD no taps 1200mm
144	Infrico EFP2000WH bottle dump 360 bottle capacity 4 top sliding doors stainless steel construction temperature range +2 to +6°C 1954mm x 550mm x 865mm
145	L tellier counter top soup kettle
146	Stainless steel twin utensil sink 1800 LHD
147	Freestanding twin tank twin basket electric fryer (JJ564993)
148	Counter top snappy style bag sealer 300mm seal length
149	Bonnet stainless steel single cupboard in-fill unit 400mm wide

150	Metal storage rack 12 shelves 1030mm x 210mm x 2000mm
151	Blue Seal Evolution Series G56C - 900mm gas range oven 4 burners cooktop range with 300mm griddle 2/1 GN gas convection oven 4 x 7kw open burners, 1 x 6kw griddle burner heavy-duty stainless steel finish flame failure protection on all burners removable heavy-duty cast iron burners and vitreous ena ...[more]
152	Alan Nuttal soup drawer two drawer mobile unit
153	SAM 45 cash electric till
154	Chrome mobile three tier rack 760mm x 300mm x 840mm
155	Ga La Nuova ALTEA three group espresso machine 400 cup capacity 21 litre boiler 900mm x 500mm x 500mm YOM 2012 (s/n 6613)
156	Stainless steel work station with integral hand wash basin 1700mm x 650mm
157	2 x stainless steel mobile tray carriers 900mm
158	Mobile bottle bin 1000mm x 500mm x 550mm
159	Falcon natural gas heavy duty grill heated by infra-red burner system double-cased insulated body cast iron internal chamber sides with 5 sets of runners optional floor stand available supplied with removable drip tray dimensions 900mm x 505mm x 555mm
160	2 x Rubbermaid 3424-88 utility cart with 4" dia (10.2 cm) swivel casters
161	A quantity of cast enamel bakeware
162	Moffat serve over unit with 2 x ceramic hotplates and 2 pot Baine marie complete with overhead heated gantry and sneeze guard 1200mm
163	Bullseye gas range with oven 4 shelf positions Drop-down door 150mm plating area twin bullseye hob can reach +520°C Capacity 0.10m3 oven 900mm x 900mm x 940mm
164	Montague Grizzly gas 6 burner range with oven pen tops feature 25,000 BTUs/hr mushroom style burner 860mm x 900mm x 1440mm
165	Gram K400/RU compact solid door 377 litre refrigerator stainless steel construction temperature range -1/+18°C 595mm x 620mm x 1785mm
166	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
167	Open multideck merchandiser 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mm x 850mm x 1955mm
168	Various cast frying pans as found

169	Lincat machine steel plate single phase electric griddle output 190 burgers/hr, 36 steaks/hr 12mm thick machined steel plate 720mm x 500mm x 330mm
170	Polar G596 282 litre 2 door refrigerated prep counter 282 litre capacity temperature range -2°C to 8°C 1360mm x 700mm x 860mm ( S/n G59638519)
171	Stainless steel commercial twin basin twin drainer sink with under shelf 2000mm
172	Fri-Jado MD100 multi deck reach in merchandiser 3750W 1000mm x 1912mm x 948mm
173	Zanolli Synthesis 08/50V Conveyor Pizza Oven - 50cm/20? Pizza Output for Zanolli Synthesis 08/50V Conveyor Oven capacity output 125 x 8? (20cm,145g) or 85 x 10? (25cm,230g) or 55 x 12? (30cm,330g) or 40 x 14? (35cm,450g) or 33 x 16? (40cm,585g) based on manufacturer's estimates using a 4 minute bake 1 ...[more]
174	Stainless steel mobile table bench with five tier rack shelving under 1200mm x 450mm
175	3 x Cambro mobile ingredient bins
176	4 x semi commercial toasters
177	Insect-O-Cutor SE22 electric fly killer white 22watts covers 150 square metres
178	Various GN gastronorm stainless pans as found
179	3 x various stock pots
180	Various Cambro heavy duty plastic tubs
181	Various perforated pizza trays
182	Craven modular static freezer rack 1560mm x 550mm x 1730mm
183	Nice Ice N26 ice maker 26Kg per 24 Hours 420mm x 530mm x 655mm
184	Sammic Pro P-41B glasswasher Maximum glass height of 280mm 400 x 400mm rack 1 washing cycle - pre-set 2 minutes baskets per hour: 30 includes drain pump and non-return valve 470mm x 535mm x 710mm
185	Maidaid Halcyon C400 glasswasher 2.5 minutes wash cycle 250mm chamber height 2.8kw 435mm x 528mm x 655mm
186	Mazzer Luigi Super Jolly bean grinder doses between 5.5 and 9g (no hopper) 600mm x 195mm x 263mm
187	Foker FK003020 cast iron double burner gas boiling ring double burner boiling ring mounted in a solid cast iron frame variable flame control with a maximum 2.5kw output per burner made to operate at low pressure with butane or propane 535mm x 260mm x 110mm
188	Stainless steel preparation table with upstand 2000mm x 850mm

189	Sharp ER-A570 cash register 99 departments and 20 000 PLU 50 GLU tables expandable to 1 100 80 one-touch entries, expandable to 240 high-speed printing
190	Fracino FWB6 hot water boiler slimline design constructed in stainless steel 30 litre capacity per hour
191	Stainless steel wall mounted hand wash basin
192	Sharp XE-A213 cash register spill-proof keyboard - ideal for hospitality users high speed quiet thermal printer 12 lines / sec single-line LCD operator display 50 departments with 16 digits text manages up to 50 tables (GLUs) VAT shift for in / outdoor consumption electronic journal - for a full au ...[more]
193a	Bakers Pride GDCO- G2 double deck convection oven (s/n 55170908001 / 551709002001)
194	Buffalo L485 2 x 5ltr double fryer counter top 2 x 2.8kw single phase 240v 12 amps. adjustable thermostatic controls for each tank 540mm x 400mm x 300mm
195	Rowlett Rutland HD400 hotdog stand 240 mm high, heated spikes for baguettes
196	Stainless steel preparation table with upstand undershelf and drawer 1500mm x 600mm
197	Stainless steel wall mounted hand wash basin
198	Lincat Lynx Stainless Steel 2 x 4ltr double fryer counter top chips/hr: 17kg (37lb) from frozen, 21kg (46lb) from chilled 240v single phase 540mm x 400mm x 315mm
199	Craven modular static freezer rack 1210mm x 370mm x 1730mm
200	Rational SCC WE 201G Gas Combi Oven 1 NAC 230V SelfCookingControl® with 7 cooking modes HiDensityControl® Efficient LevelControl® (ELC®) Combi steamer mode with 3 modes Care control Automatic cleaning and care system for cooking cabinet and steam generation Capacity 20 x 1/1 GN Connected load natura ...[more]
201	Baron N9PCVP/G8001 four burner range and oven fully moulded top, obtained from a large stainless steel plate long prongs enamelled cast iron grilles to easily move pots between one burner and another; stainless steel rod grilles are available high power cast iron burners (3.5- 5.7- 7 and 10 kw) burn ...[more]
202	Hobart HSM30 30 litre planetary mixer capacity 28.75 litres 3 speed gearbox fit to any standard table run without restricting working area fully guarded according to EEC regulations corrosion proof tufrided components stainless steel bowl and tooling 580mm x 720mm x 1340mm
204	Salva 3 deck modular pizza oven with ST02 controller deck size 820mm x 200mm x 720mm YOM 2005 (s/n 172-700)
205	Hobart Utensil/Pan Washer electric 16-gauge stainless steel construction for long life solid-state heat controls choice of wash cycles (2, 4 or 6 minutes) to match load requirements gallons per cycle: 2.1 font-loading, split-door configuration for ease of use chamber accepts 16 full-size sheet pans ...[more]
207	Blue Seal four burner gas chargrill 4 x 7kW dual flame gas burners easy to clean, easy to service stainless steel body supplied with 2 chrome wire oven racks cool touch stainless steel door handle 1200mm x 812mm x 900mm

208	Blue Seal Evolution Series 600mm Gas Griddle 600mm gas griddle on cabinet base 14.5kw thermostatic burner system 20mm thick griddle plate top weld sealed plates stainless steel grease drawer heavy-duty reinforced control knobs 600mm x 812mm x 1085mm
209	Blue Seal GT45 gas fryer 20 litre capacity tank (31kg/hr) Milivolt control Piezo ignition 'vee-ray' infra-red burner flame failure device baskets (140x335x145mm) 85,300 BTU 450mm x 812mm x 1095mm
210	Valera CT140A induction hob stainless steel with Ceran glass cooking surface 14kW (3 phase) uses 2 phases - 7kW per phase counter top unit 19 power levels 900mm x 735mm x 178mm
211	Technivorm Mocca Server quick filter coffee machine delicious, fresh filter coffee the machines can be manually filled with water and therefore be placed anywhere easy operation and maintenance self-regulating hot plates to preserve the optimum quality of the coffee
212	Bravilor Novo 2 quick filter coffee machine delicious, fresh filter coffee the machines can be manually filled with water and therefore be placed anywhere easy operation and maintenance self-regulating hot plates to preserve the optimum quality of the coffee
213	Diplomat quick filter coffee machine delicious, fresh filter coffee the machines can be manually filled with water and therefore be placed anywhere easy operation and maintenance self-regulating hot plates to preserve the optimum quality of the coffee
214	Delta WU2012 10L hot water urn 10.0L capacity and takes around 38 minutes to make. 257mm x 532mm
215	2 x Bonomat vacuum flaks and 3 x thermal jugs as found
216	Mercatus L2-1755 3 door refrigerated counter gastronorm refrigerated counter fan assisted cooling adjustable temperature digital temperature display adjustable shelving temperature range -2/+8 c stainless steel exterior finish 1755mm x 700mm x 850mm
217	Gram KG400RU glass door drinks fridge
218	Giorik Hi Lite electric salamander grill rapid heat up time 0 - 200°C in only 20 seconds - allows cooking on demand grilling area - 370 x 310mm (2/3GN) reduces heat in kitchen as grill does not need to be left on fitted with 2 high powered heating elements height adjustable grilling elements - can ...[more]
219	Stainless steel mobile preparation table with upstand and under shelf 780mm x 800mm
220	TH001 – quick filter coffee machine delicious, fresh filter coffee the machines can be manually filled with water and therefore be placed anywhere easy operation and maintenance self-regulating hot plates to preserve the optimum quality of the coffee
221	Stainless steel wall mounted hand wash basin
222	Baron two door freestanding 600mm infill unit 600mm x 900mm
223	Frake stainless steel twin basin utensil sink LHD with undershelf no taps 1800mm
224	Various cast frying pans as found
225	Various barman accessories ice buckets etc. as found
226	Pastry, cake and sandwich bin double sided acrylic display spacious 278mm x 409mm inner tray designed for multiple items

227	Craven static freezer rack four tier 1050mm x 610mm x 1850mm
228	Colsec walk in cold room 4750mm x 2950mm
229	Stainless steel draining table 1450mm x 740mm
230	Essentials CUR50W10 white under counter fridge 97 litre capacity 553mm x 574mm x 845mm
231	IMC PB2 Pot Boy Pan Scrubber can be mounted over sink units or supplied with a trolley for cleaning fixed catering equipment such as griddles, brat pans and ranges in-situ. safety is also assured through its unique hydraulic system, whereby the brush is driven by a fluid circuit which provides both ...[more]
232	Stainless steel workstation with integral wash hand basin 1500mm x 410mm
233	Metal Craft Industries stainless steel mobile trolley 1000mm x 500mm x 950mm
234	Pitco 35CT tube fired gas fryers single tank twin basket gas fryer 380mm thermostat maintains selected temperature automatically between 200°F (93°C) and 400°F (190°C-CE) 90,000 BTU's/Hour (26.3 kW) 384mm x 309mm x 479mm
235	Nelson SC50A 500mm basket 36 pint / 42 half-pint glass capacity on stand 1 or 2 minute wash cycle 600mm x 625mm x 820mm
236	Pitco DCS gas twin basket single tank fryer approximately 17 litre oil capacity 90,000 BTU 384mm x 769mm
237	Hobart FXS400-70N dishwasher wash tank capacity 10.8 litres 3, 4 or 5 minute wash programmes stainless construction 600mm x 600mm x 820mm
238	Coreco MRS 150 2 door bench counter prep unit 260 litre capacity temperature range -2°C to +8°C 1495mm x 600mm x 850mm
239	Various gastronorm pans as found
240	6 x fire blankets
241	10 x Elia brushed steel wine coolers
242	10 x Elia brushed steel wine coolers
243	Large quantity of white candles
244	Various cutlery dispensers
245	3 x stainless steel mixing bowls
246	Large quantity of faux leather menu wallets
247	8 x wire cooling racks

248	Weightstation 20kg manual kitchen scale
249	19 x 330mm glass pattern show plates
250	Large quantity of cutlery as found principally Kings Pattern design
251	Various non-slip bar trays stainless platters and silver colour sandwich trays
252	Various glassware as found
253	Large quantity of white hotel ware plates, saucers, cups, ovals, butter dishes and vegetable dishes as found
254	13 x table top candle lights
255	Large quantity of stainless steel teapots, jugs, coupes, toast racks creamers and sundae dishes as found
256	A quantity of Vogue 10"/12" pizza screens
257	Various stock pots and pales as found
258	Large quantity of baking pans, roasting tins and trays as found
259	2 x sealed new 3000g Illy coffee Espresso beans
260	15 x stainless steel butchers meat hooks
261	Various Hygiplas low density chopping boards as found
262	Magimix 5200 Cuisine food processor
263	Various dishwasher and cutlery baskets as found
264	4 x Dexion style bays of racking 3 x 600mm deep shelves and 1 x 400mm deep
265	Wooden cutlery freestanding dumb waiter / cutlery drawer
266	Mareno six burner gas range with gas oven and neutral cabinet appliance comprises 6 sealed burners, 4 of which with maximum output of 6 kW, 2 with 10 kW output temperature adjustment from 50°C to 300°C 900mm x 870mm
267	Falcon smooth plate gas griddle temperature range 140°C to 300°C 18mm highly polished steel griddle plate provides consistent, even heat 600mm x 770mm
268	Hobart AMXXRS-30 pass through dishwasher with inbuilt softener and drain heat recovery system up to 70 racks per hour choice of 4 wash/rinse programmes (52, 75 and 90 secs plus continuous) for corner or straight through operation ease of operation Smartronic hood-mounted controls just 6 components t ...[more]

---

269	Stainless steel twin bowl twin drainer commercial sink with under shelf 2400mm
270	Buffalo L714B stainless steel 10 litre soup kettle variable simmer stat
271	Buffalo L714B stainless steel 10 litre soup kettle variable simmer stat
272	Viscount BD80 under counter 80 litre white freezer 490mm x 510mm x 836mm
273	AEG five burner LPG range mounted on stainless table frame 1500mm x 600mm
274	Fagor LVC21 glasswasher 500mm basket fixed 2 minute wash cycle 600mm x 600mm x 820mm
275	Approximately 70 x Dudson China 320mm white dinner plate with burgundy rim
276	Various Dalebrook polar white melamine crock inserts
277	Chrome static four tier rack 1200mm x 450mm x 1860mm
278	Craven modular static freezer rack 1560mm x 600mm x 1730mm
279	Cambro 460mm x 360mm trays x 25
280	Cambro 460mm x 360mm trays x 25
281	Cambro 460mm x 360mm trays x 25
282	Cambro 460mm x 360mm trays x 25
283	Cambro 460mm x 360mm trays x 25
284	Cambro 460mm x 360mm trays x 25
285	Cambro 460mm x 360mm trays x 25
286	Cambro 460mm x 360mm trays x 25
287	Cambro 460mm x 360mm trays x 25
288	Various wood trays as found
289	Various Camware plastic storage tubs as found
290	3 x Bourgeat 640mm x 520mm x 200mm HDP storage food tubs

---

291	Blendtec ICB5-ABC5 ice crusher - motor only as spares
292	Moorwood Vulcan 6 burner natural gas oven range high efficiency open top burners semi-sealed to hob with low turn-down feature 900mm x 710mm x 945mm
293	5 x Hobart 500mm x 500mm dishwasher glassware baskets
294	Lainox LXTYP HME-06IP electric combi steamer 6 x 1/1 GN capacity 8kW 3N AC 400 V - 50 Hz 930mm x 750mm x 810mm YOM 2007
295	2 x stainless steel countertop merchandiser display stands
296	Hobart pass through dishwasher 60, 90 or 120 second wash cycle 500mm x 500mm basket 635mm x 740mm x 1517mm complete with infeed sink
297	Hoshizaki Air-Cool HFC-Free ice flaker FM480-AKE-HC-SB Output: up to 450kg per 24 hours (flake ice) with a Follett ITS Ice Storage and Transport Systems (s/n B110ZC)
298	Masterwash V25DP front loading dishwasher 500mm basket 600mm x 630mm x 850mm
299	Moorwood Vulcan Masterchef 6 burner gas range and oven solid cast open top with full size oven 900mm x 725mm x 900mm
300	Bonnet SEM600 pull down electric salamander grill 600mm x 400mm cooking surface 3kW 600mm x 590mm x 590mm
301	Stainless steel preparation table with upstand and under shelf brand new 600mm x 600mm
302	Baron stainless steel single door infill 400mm x 900mm
303	Rotisol France 8 spit gas rotisserie
307	Küppersbusch CH CKH110 10 grid convectair combination oven on stainless steel stand with extraction canopy
308	Marsden Viking 28lb manual scale
309	Stainless steel preparation table with two shelves and can opener 600mm x 600mm
310	Falcon Dominator E1100/4H2 electric boiling top range 16.5kW 3 phase electric oven has anti-tilt oven shelves with safety locks neon power indicator 900mm x 850mm x 870mm
311	Mobile ambient counter open front reach in with rear sliding service doors 3 x slanted shelving internally open cupboard to rear illuminated unit that can be used with ice packs to chill product 1200mm x 650mm x 1660mm
312	Lincat 6 round plate electric range temperature range 130°C to 265°C 3 phase electric 21.6kW 176 litre oven capacity 900mm x 835mm x 600mm
313	Burco CTGL01 (444448736) light duty grill robust and light-weight grill with even heat distribution, removable splash guard, drip tray and integrated grip handles 610mm x 430mm x 294mm

---

314	Lincat machine steel plate single phase electric griddle output 190 burgers/hr, 36 steaks/hr 12mm thick machined steel plate 720mm x 500mm x 330mm
315	Tefcold CK7210 2 door refrigerated prep counter 282 litre capacity temperature range -2/+8 °C 1360mm x 700mm x 850mm
316	Various Hygiplas low density chopping boards as found
317	Rhino Monaco 900H bottle cooler 208 litre capacity holds 169 bottles 900mm x 520mm x 900mm
318	Stainless steel commercial utensil sink and hand basin LHD with under shelf 1300mm
319	Lainox ME106X combi steamer 6 x 1/1 GN 8KW 3 phase electric with core probe 930mm x 750mm x 810mm
320	Various Hygiplas low density chopping boards as found
321	Hobart A120 12 quart planetary mixer with bowl and tooling as new 0.25kW 472.5 x 525 x 685mm
322	Heavy duty pedal bins 500mm x 840mm
323	2 x Rubbermaid 6146 step on container 87 litre 500mm x 410mm x 825mm
324	Viva 3 Group coffee machine
325	Lincat GR3 electric salamander grill capacity 50 burgers/hr, 180 steaks/hr 3kw, 13a, single phase 600mm x 350mm x 310mm
326	Stainless steel preparation table with under shelf 1520mm x 1140mm
327	walk in freezer 3300mm x 3300mm
328	Moffat MD12/1158A mobile chilled display case temperature range +2 / +8°C 1200mm x 800mm
329	Moffat MHBIC heated five well Baine Marie servery cabinet 1780mm x 800mm
330	Husky DS2-H back bar cooler 210 litre capacity temperature range 0-10 °C 900mm x 495mm x 900mm
331	Husky DS2-H back bar cooler 210 litre capacity temperature range 0-10 °C 900mm x 495mm x 900mm
332	Various first aid kits as found
333	Static powder coated wire storage rack two tier 1200mm x 450mm x 1670mm
334	20 x various framed wall art
335	Heavy duty three tier mobile trolley constructed of metal and wood 870mm x 570mm x 1050mm

---

336	Centauro APD-FL-2M pizza preparation counter stainless steel construction 8 pot picking top temperature range 2°C to 8°C with three door counter under
337	Electric pull down electric salamander grill 600mm x 400mm cooking surface 3kW 600mm x 590mm x 590mm
338	Stainless steel preparation table with upstand and under shelf 800mm x 700mm
339	Moorwood Vulcan M Line electric salamander stainless steel sides and top toast rack with crumb tray vitreous enamelled interior capacity - 12 slices of bread grilling area 0.21 m <sup>3</sup> 240v single phase
340	Mobile stainless steel 10 tier rack 700mm x 500mm x 1000mm
341	Moorwood Vulcan M Line electric atmospheric steamer stainless steel construction 6 shelves integral steam generator has own sealed water cistern cooking compartment 5.8cu ft 900mm x 710mm x 1674mm
342	Hobart CPRO/101G/DA/KK combi oven commercial 10 grid combi oven latest model 18.4kw touch control easy to use self cleaning program consistent cooking results 100 programmes with 10 phases different fan speeds easy to operate delayed start cook double glazed sprung loaded(s/n K81853568)
343	Bonnet 18 litre single tank single basket fryer 400mm x 900mm x 920mm
344	Rubbermaid 6345 step on 18 gallon heavy duty pedal bin and a Brute mobile bin
345	Precision MPT1401 1400 litre stainless steel commercial refrigerator stainless steel exterior high ambient 43°C refrigeration system ultra low energy consumption zero ODP injected polyurethane insulation temperature range -2 / +4°C electronic controller with large LCD screen hot gas defrost - even ...[more]
346	Precision MPT1401 1400 litre stainless steel commercial freezer stainless steel exterior high ambient 43°C refrigeration system ultra low energy consumption zero ODP injected polyurethane insulation temperature range -18/ -22°C temperature electronic controller with large LCD screen hot gas defros ...[more]
347	Precision MPT1401 1400 litre stainless steel commercial refrigerator stainless steel exterior high ambient 43°C refrigeration system ultra low energy consumption zero ODP injected polyurethane insulation temperature range -2 / +4°C electronic controller with large LCD screen hot gas defrost - even ...[more]
348	Coolpoint CX405 single glass door upright fridge 285 litre capacity temperature range +2°C to +10°C shelves 5 adjustable + base fan assisted cooling internal led lighting 620mm x 580mm x 1940mm (s/n 11CX405CO443)
349	Sammic PS12 meat mincer capacity 100kg per hour 70mm plate diameter aluminium enterprise mincing set included stainless steel body powerful motor easy to remove cutting unit for cleaning removable stainless steel hopper electric 230v, 440w 410mm x 227mm x 470mm (s/n 10501101100258)
350	2 x GN1 chafing pans and stand 360mm x 630mm x 310 10 litre capacity
351	Stainless steel mobile preparation table with 5 tray storage under 1600mm x 650mm
352	Hobart FX 30 dishwasher basket size 500mm x 500mm 3 wash cycles stainless construction electronic control 3 phase 400V, 8.25 kW 600mm x 600m x 820mm

353	Hobart CPLUS-06-1G-LA-KK gas six grid oven Cook in convection, steam and combination mode Fast cooking whilst achieving consistently perfect results Advanced humidity control and optimisation of water injection 3 speed fan to control air movement Touch pad control and on-screen usage guides 918mm x ...[more]
354	Proline PL167GWA 130 litre white refrigerator 550mm x 580mm x 850mm
355a	Gigga KBRGM121N tilting brat pan (s/n1703806)
356	Brema CB640A ice machine - 65kg /24hrs with 40kg bin storage 738mm x 600mm x 1050mm
357	Tysso POS-5715 EPOS system with drawer and printer 15" touch screen and is an all-in-one design with a powerful processor but with low energy consumption The Tysso 5715 POS terminal is used by major retail and hospitality shops in the UK as it has a superb price/performance ratio and has proved to b ...[more]
358	Rubbermaid 3424-88 utility cart with 4" dia (10.2 cm) swivel casters 840mm x 470mm x 950mm
359	2 x stainless steel Bourgeat 20 tier trolleys 330mm x 550mm x 1700mm
360	Stainless steel hand wash basin with shelf and frame 730mm x 700mm
361	Falcon E4109EL Combination Oven precise oven temperature settings to one degree powerful 2,600 rpm fan ensures an even temperature throughout the oven manually controlled convection steam variable steam combination integrated door stop switch integral air diffuser internal lighting removable drip tr ...[more]
362	Hobart GXS 11A three wash cycles 60, 90, 120 seconds up to 60 racks (1500 glasses) per hour (500 x 500mm rack size) 600mm x 600mm x 820mm
363	Hobart FXS-400 -70N under counter dishwasher 20 racks per hour variable cycle times of 180, 240 or 300 seconds machines are 5.6kw 230v as standard (fuse at 1 x 25amp) but are configurable by installation engineer to either 7.7kw 415v (fuse at 3 x 16amp) or 2.9kw 230v (fuse at 1 x 13amp) 600mm x 600m ...[more]
364	Diplomat integral twin oven grill and electric four burner top range
365	Electrolux stainless steel infill unit 800mm x 730mm
366	Stainless steel utensil sink with upstand and shelf LHD 1200mm
367	Interlevin ESS1365 380 litre capacity pizza prep salad bar unit fully automatic wet wall with fan assisted cooling adjustable shelves fitted with castors and adjustable feet. removing castors will lower unit by 40mm digital controller and temperature display self closing doors 1/1 gastronorm cupboar ...[more]
368	Rosinox Grandes Cuisines RCS -SBM50GB-E gas automatic tipping 50 litre Brat pan depth 250 x 800mm x 600mm metallic heat diffusing base electric tilting
369	Lincat GR3 gas salamander grill capacity 50 burgers/hr, 180 steaks/hr 3kw, 13a, single phase 600mm x 350mm x 310mm
370	Williams Slimline Gem WCN 120 multideck white with night blind width 1250mm temperature range 3°C to 5°C capacity 370 ltrs / 13 cu. Ft 1250mm x 1825mm

371	Williams Slimline Gem WCN 120 multideck white with night blind width 1250mm temperature range 3°C to 5°C capacity 370 ltrs / 13 cu. Ft 1250mm x 1825mm
372	Bonnet stainless steel single door infill unit 400mm x 920mm
373	Lec Commercial BC6007K LED single door black bottle cooler capacity 150 litres capacity 106 330ml bottles temperature +2 to +10c enhanced refrigeration system and insulation forced air cooling r600a refrigerant, environmentally friendly refrigerant single phase 240v 600mm x 500mm x 900mm
374	Lincat LSC Superchef infra-red salamander grill 230V, 50hZ, 1amp 551mm x 302mm x 328mm
375	Wire coated static two tier rack 740mm x 450mm x 1680mm
376	Quantity of new Linpac 14D & 2D meat trays
377	Various utensils as lotted
378	Various Hygiplas low density chopping boards
379	Williams Gastro Pro stainless steel bench counter refrigerator with open salad top 280 litre temperature range -2°C to +2°C 1415mm x 700mm x 865mm
380	Foster VR321017-FC thermowell 1600mm (s/n 11430081)
381	Infrico BMGN 1470 II under counter refrigerator GN 1/1 power: 550W capacity: 295 l two door temperature range -2°C/+8°C automatic defrost 1468mm x 700mm x 850mm
382	Williams PW4/R290 refrigerated prep well capacity 4 x 1/3GN or 6 x 1/6 x 150mm gastronorm pans temperature range +1/+4°C 450mm x 769mm x 870mm
383	Hobart FX 20 E undercounter dishwasher 3 wash programs stainless steel construction connection 400V, 16A CEE-plug 600mm x 620mm x 850mm
384	Stainless steel condensing canopy 1000mm x 1000mm x 500mm
385	Tefcold CK7210 2 door refrigerated prep counter 282 litre capacity temperature range -2/+8 °C 1360mm x 700mm x 850mm
386	Dihl WF 32 bottle dual climate wine cooler fridge
387	Buffalo DM065 professional vacuum packing machine 310mm protects from oxygen, moisture and freezer burn fully automatic vacuum and seal system with one button operation low working noise level separate bag seal function easy to clean for use with embossed vacuum bags only 160mm x 85mm x 390mm
388	Stainless steel counter top pasta boiler 450mm x 600mm
389	Stainless steel mobile preparation table with under shelf 800mm x 630mm

390	Mechline stainless steel Belfast style mobile sink 800mm
391	Stainless steel two door wall mount sliding cupboard 1010mm x 350mm
392	Stainless steel mobile sliding cupboard 1200mm x 650mm
393	Hobart AE200 planetary mixer with tooling and stainless bowl complete with mincer attachment
394	Williams HP5SS undercounter stainless steel refrigerator 133 litre capacity 606mm x 577mm x 806mm
395	Stainless steel preparation table with upstand and 5 tier rack storage 620mm x 620mm
396	2 x GN1 chafing pans and stand 360mm x 630mm x 310 10 litre capacity
397	Thermoplan Tiger M4L automatic coffee machine 400mm x 459mm x 604mm
398	Stainless steel preparation table with upstand and under shelf 1300mm x 610mm
399	Stainless steel janitors sink
400	Hand tray stretch wrapping machine maximum film width 500mm temperature controlled cutter 660mm x 510mm
401	Mechline 430/10 industrial hose and reel wall mounted brand new unused
402	Stainless steel mobile preparation table with can opener slot and over shelf 1100mm x 650mm
403	Stainless steel two door wall mount sliding cupboard 1010mm x 350mm
404	Tefcold CK7210 2 door refrigerated prep counter 282 litre capacity temperature range -2/+8 °C 1360mm x 700mm x 850mm
406	Newlec insectocutor
407	2 x wooden chopping boards 300mm x 500mm
408	Lincat HT7 boiling top four plate electric boiling top fully pressed and sealed hob tops for easy cleaning automatic power reduction, if pan boils dry or is removed - prolonging hotplate life six-position switches control each plate rating 7 kw (hardwired) 750mm x 600mm x 290mm
409	Hobart ountertop stainless steel infill unit 700mm x 730mm
410	Stainless steel preparation table with two undershelves 1200mm x 600mm
411	Infrico BMPP 1500 EN salad prep counter temperature range +0°C/+6°C 245 litre capacity 1468mm x 600mm x 1035mm
412	2 x Rubbermaid 6345 step on 18 gallon heavy duty pedal bin

413	Mobile ingredient tub 500mm x 600mm x 700mm
414	Bourgeat mobile stainless steel trolley 20 tier 530mm x 680mm x 1700mm
415	Stainless steel condensing canopy 1000mm x 1000mm x 500mm
416	Stainless steel open mobile cupboard 1000mm x 500mm
417	Moffat FASTFRI FF18 LPG gas fryer 18 litre oil capacity stainless steel finish manual pilot ignition stainless steel open tank with cool zone 100?190°C mechanical thermostat over?temperature safety cut?out 400mm x 735mm x 915mm (s/n 763012)
418	Falcon G1518 gas salamander grill
419	Stainless steel preparation table with upstand and under shelf 1600mm x 700mm
420	Foster EcoPro G2 EP1440H double door upright refrigerator stainless steel exterior / aluminium interior self closing doors to help retain consistent storage temperature highly robust construction means industry leading longevity, low maintenance and service costs fitted with +stayclear condenser for ...[more]
421	Stainless steel condensing canopy 1000mm x 1000mm x 500mm
422	Moffat MH9 plain top hot cupboard stainless steel top and doors designed to accommodate a standard aluminium pan dimensions 451 x 270 x 80mm internal shelf size 830mm x 470mm 1015mm x 520mm x 864mm
423	Stainless steel two door wall mount sliding cupboard 1010mm x 350mm
424	Stainless steel static freestanding two door cupboard 1000mm x 450mm
425	2 x Bourgeat mobile stainless steel trolley 20 tier 330mm x 550mm x 1700mm
426	Convottherm Compact OD10,10C 10 grid combi oven programme in 250 recipes of up to 20 steps each with pre-programmed recipes 932mm x 805mm x 1120mm
427	Chrome static four tier rack 1500mm x 450mm x 2200mm
428	11 x 23cm electric desk fans
429	Stainless steel twin bowl twin drainer commercial utensil sink 2400mm
430	Electrolux 700XP E7FTGDS00 gas griddle mild steel cooking surface with smooth plate cooking plate is manufactured from 12mm thick special mild steel for even temperature distribution & is ideal for grilling & browning. the radiant heat allows thicker cuts of meat to be cooked perfectly temperature r ...[more]
431	Simag SV325 Modular Ice Cuber manufacturers reference code DS1 exterior high grade 341 stainless steel (Scotchbrite) interior food safe plastic side vented refrigeration electronic controls air cooled built in cleaning system R404a Refrigerant capacities from 140kg - 465kg / 24hrs 760mm x 620mm x 57 ...[more]

432	Corsair electric CH965solidtoprange with twoelectricrings YOM 2003 (s/n 0856).
433	Ezra Hatton stainless steel extraction canopy with illumination and 8 baffles 4000mm x 1220mm x 500mm
434	Stainless steel mobile 8 tier trolley 500mm x 570mm x 1600mm
435	Fracino FCC2E two group commercial coffee machine 240 cappuccinos per hour or 400 espressos per hour 240v
436	Stainless steel mobile rack 8 tier 410mm x 600mm x 850mm
437	IARP AB600PV 620 litre solid door operating temperature range -20/+2/+2 Refrigeration: static/static/ventilated 620 litre capacity 780mm x 741mm x 1874mm
438	Lowe L500FX solid door 500ltr commercial upright freezer
439	FTC manual counter sausage filler with nozzles 380mm long barrel
440	Gurden DSA 420 dough roller entirely of stainless steel adjustable dough thickness and diameter for pizzas of up to 140 - 310 mm in diameter adjustable dough thickness and diameter low heat generation (no front cover)
441	Stainless steel two sliding top chest freezer 1500mm x 700mm
442	2 x Bourgeat mobile stainless steel trolley 20 tier 330mm x 550mm x 1700mm
443	Firmar TR32/TN counter top grinder meat grinder with an inner neck capacity of 500 kg / h, reverse option body and blades stainless steel 2.2kw 340mm x 460mm x 530mm (s/n 9045563)
444	Valera CW35A wok induction hob stainless steel & Ceran glass finish LED display rotary control panel 19 power levels 385mm x 520mm x 223mm
445	Stainless steel preparation table with upstand and under shelf 900mm x 650mm
446	Lockhart Silverlink 600 9 litre countertop fryer single well 3kw 300mm x 600mm x 335mm
447	Stainless steel mobile rack holds 7 trays 530mm x 670mm x 900mm
449	Moorwood Vulcan 6 burner natural gas oven range high efficiency open top burners semi-sealed to hob with low turn-down feature 900mm x 710mm x 945mm
450	Blue Seal Cobra CS9 gas salamander 900mm gas salamander 2 x 4.4kw (15,000 btu/hr) high performance infra-red burners removable easy-clean bottom tray independently controlled sides flame failure protection on each burner 900mm x 450mm x 389mm
451	Bonnet single door infill unit 400mm x 930mm
452	MTG 53S compact gastronorm salad prep counter 3 door counter 230 litre capacity temperature range +1°C to +6°C accepts 1/4 gastronorm containers 1940mm x 700mm

- 453 Unibar Sherwood Micro glasswasher double skinned cabinet & door reduces heat loss & operation noise robust wash & rinse arms easy to use controls 6 pint capacity 2 minute wash cycle 370mm x 370mm basket 13amp 240v 450mm x 450mm x 500mm
- 
- 454 Frulinox TR47 3 door bench counter fridge temperature range -2/+8°C 1360mm x 700mm x 840mm.
- 
- 455 Sam 4s ER5200m cash register adjustable two-line alpha-numeric LCD display two standard RS-232c ports compatibility with datacap's datatran credit terminal reliable high-speed thermal receipt and journal printers drop-and-print paper loading wide 2-1/4" (58mm) paper lower total cost of ownership vs. ...[more]
- 
- 456 GN1 chafing pans and stand 360mm x 630mm x 310 10 litre capacity
- 
- 457 Bond Display Miami 1250 merchandiser with night blind and illumination temperature range +1/+7 thermostatic expansion valve low level electrical panel 5 adjustable (height and angle) shelves digital thermometer electronic controller 1310mm x 750mm x 1990mm (s/n 017600)
- 
- 458 Butchers serve over counter refrigerated 1400mm x 1150mm x 1250mm
- 
- 459 WOK-Induction Cooking Plate Model COLDFIRE CW 25 housing stainless steel easy to handle 9 x cook setting positions power control by knob display for power 385mm x 480mm x 150mm power connection: 230 v / 1 ph / 2,5 Kw
- 
- 460 Maidaid Amika 35XL 350mm basket gravity drain glasswasher 350mm basket gravity drain glass washer 255mm usable height cycle time - 120 seconds ruggedly built with simple controls large 3 button controls precise control peristaltic detergent & rinse aid dosing 1 year parts & labour warranty 13 amp ...[more]
- 
- 461 Lincat EB3 automatic water boiler higher hourly output. ideal even in busy establishments reliable electronic control system stylish contemporary design. ideal for front-of- water feed hose output per hour: 31 litres - 205 cups rapid draw off: 9 litres - 60 cups
- 
- 462 Stainless steel top mobile table with chrome shelf under 1230mm x 600mm
- 
- 463 Stainless steel mobile table with over shelf and 10 rack tray storage under 1030mm x 670mm
- 
- 464a 2 x plate stacker counter insertts
- 
- 465 Moffat MH9 plain top hot cupboard stainless steel top and doors designed to accommodate a standard aluminium pan dimensions 451 x 270 x 80mm with Lincat glass display case over
- 
- 466 Craven modular freezer rack static four tier 1210mm x 370mm x 1730mm
- 
- 467 Craven modular freezer rack static four tier 1210mm x 370mm x 1730mm
- 
- 468 Craven modular freezer rack static four tier 1560mm x 570mm x 1720mm
- 
- 469 Craven modular freezer rack mobile four tier 1300mm x 570mm x 1720mm
- 
- 470 Craven modular freezer rack mobile four tier 1500mm x 570mm x 1720mm
- 
- 471 Stainless steel mobile four tier rack 880mm x 580mm x 1750mm
-

472	Bourgeat stainless steel 20 tier trolley 330mm x 500mm x 1700mm
473	Bourgeat stainless steel 20 tier trolley 520mm x 660mm x 1700mm
474	Autonumis LG19951 stainless steel bag in box milk dispenser built in cooler
475	Blue Seal gas salamander two 4.4kW, independently controlled infrared burners no toasting plate 900mm x 390mm x 424mm
476	Stainless steel preparation table with upstand and under shelf 1600mm x 700mm
477	Bonnet solid top range 16.1kW 3 phase electric 800mm x 730mm x 900mm
478	Precision MPT 601SS upright gastronorm fridge energy saving intelligent controller automatic hot gas defrost stainless steel interior and exterior removable racking with anti-tilt slides coved interior and base lockable self closing doors removable magnetic balloon type door gasket heavy duty brake ...[more]
479	Williams Sapphire HS2SA stainless steel two door upright refrigerator 1273 litre capacity temperature range +1/+4 °C 1660mm x 690mm x 1970mm
480	Craven modular freezer rack static four tier 1550mm x 570mm x 1720mm
481	Mobile wire coated five tier rack 1050mm x 610mm x 1980mm
482	Stainless steel wall shelf 2180mm x 400mm
483	Stainless steel wall shelf 2180mm x 400mm
484	Stainless steel wall shelf 2140mm x 400mm
485	Stainless steel wall shelf 2140mm x 400mm
486	Stainless steel wall shelf 920mm x 400mm
487	2 x stainless steel wall shelf 1200mm x 400mm
488	A capped thatched large teak 8 seater garden bench 1470mm table centre diameter with a natural grass palm tree style parasol
489	A capped thatched large teak 8 seater garden bench 1470mm table centre diameter with a natural grass palm tree style parasol
490	A set of 18 polished mahogany carver chairs in the Louis XVI style with a padded faux cream leather seat and back rest the front legs carved and turned and the back splayed
491	A set of 13 polished mahogany dining chairs in the Louis XVI style with a padded faux cream leather seat and back rest the front legs carved and turned and the back splayed
492	6 x wooden dining tables 690mm x 690mm x 740mm

493	5 x wooden rectangular dining tables 1200mm x 690mm x 740mm
494	33 x beach framed tall back dining chairs the polished frame with a pad and back rest in faux cream leather 440mm seat pitch x 1m tall
495	A set of 22 x Parker Knoll PK1197-8 mahogany framed and upholstered dining chairs upholstered in Royal Blue with a repeating Fleur-de-lis design 440mm pitch x 1m tall
496	2 x chocolate faux brown bar stools 400mm seat pitch 1090mm
497	Mobile grait topped tray holder holds 385mm x 545mm trays 1400mm x 780mm x 850mm
498	Mobile grait topped tray holder holds 385mm x 545mm trays 1400mm x 780mm x 850mm
499	AFINOX MODEL 77007004 Tradition Square Refrigerated Buffet Displays/Food islands with cold well. SN 3011203710
500	Foster Premier 1/2H gastronorm 2 door 280 litre counter stainless steel construction temperature range +1/+4°C 1415mm x 700mm x 865mm
501	Gamko MGA2/22MU25N 3 door bench refrigerated counter 368 litre capacity temperature range 2°C to 8°C 1830mm x 700mm x 850mm
503	Stainless steel 3 door wall mounted cupboard 1000mm x 400mm
504	Rosinox Grandes Cuisines 27C70G2 two chamber steam pressure cooker 2 compartments, GN 1/1, capacity 2 x 70 litres, allowing for each compartment, 3 trays, 65 mm high, or 2 trays, 100 mm high, or 1 tray, 150 mm high, 3 use pressures (high pressure - low pressure - without pressure) - gas YOM 2008 (s/ ...[more]
505	Rosinox Grandes Cuisines 27C70G2 two chamber steam pressure cooker 2 compartments, GN 1/1, capacity 2 x 70 litres, allowing for each compartment, 3 trays, 65 mm high, or 2 trays, 100 mm high, or 1 tray, 150 mm high, 3 use pressures (high pressure - low pressure - without pressure) - gas YOM 2008 (s/ ...[more]
506	Clayburn 86-AS-488 gas pizza oven 1600mm x 200mm x 700mm deep temperature high Setting 26.5kw / 86,000 Btu (net) Low Setting 10.4kw / 33,000 Btu (net) Gas Supply Pressure 20mbar / 7inch Injector size Ø 2.64mm / 3/16inch Gas rate 2.72m3/ hr hearth capacity 16 x 8" pizzas, 10 x 10" and 6 x 12" pizzas
507	Hobart E6128 potato peeler/ rumbler fast, reliable and effortless preparation of potatoes 13 kg capacity peel trap water hose connector and wall timer control (s/n 970190558)
508	CSM A400S planetary mixer 40 quart stainless bowl and tooling 1.5hp motor
509	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
510	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
511	Stainless steel 3 door wall mounted cupboard 1000mm x 400mm
512	Stainless steel 3 door wall mounted cupboard 1000mm x 400mm

513	Foster Premier Series 2 Gastronorm 3 Door 760 Litre Counter temperature range +1/+4°C (s/n E5167708)
514	Stainless steel preparation table with upstand and part shelf 1780mm x 600mm
515	GC250 Belt Driven Slicer anodised aluminium, hygienic, anti-corrosion cast aluminium alloy belt driven complete with permanently attached blade sharpener blade diameter 250mm cutting capacity 190mm x 250mm slice thickness 0mm - 15mm 580mm x 470mm x 370mm
516	Iberital Junior 27 two group commercial Espresso machine boiler capacity 10.5L (s/n 18821)
517	Zanussi gas salamander grill
518	Foster Premier Gastronorm 1/3H 3 door 435 litre bench counter stainless steel temperature range +1/+4°C 1865mm x 700mm x 865mm (s/n E5171443)
519	Foster Premier 1/2H gastronorm 2 door 280 litre counter stainless steel construction temperature range +1/+4°C 1415mm x 700mm x 865mm (s/n E5172243)
520	Viper II electric insectocutor
521	Toshiba TEC POS System ST60/C EPOS system with casher drawer and printer CPU Intel Celeron™ (embedded processor) RAM 64 MB on board, Max. 320 MB, DIMM x 1 Cache Memory 128 KB HDD 2.5" IDE (option), Max. 2 drives PCMCIA Type II x 1 (option) 295mm x 350mm x 343mm
522	Williams Emerald HE3U-S3 undercounter refrigerator 32 cu. ft. accommodates 48 x 1/1 GN or 24 x 2/1GN trays (not included) lockable & removable refrigeration cassette +1/+4c temperature range square edge countertop 6 x shelves 3 x self-closing solid doors w/ locks digital display stainless steel ...[more]
523	TurboChef Sota Convection Oven NG/0EW provides superior speed & cooking p machine can store up to 256 menus & has built in self diagnostics up to 12 times as fast as a convectional oven, the oven features a stirrer to help ensure even distribution of air & microwave, external air filtration, a vent ...[more]
524	Stainless steel wall mounted 3 door cupboard 1000mm x 400mm
525	Kestrel 32/50 dishwashertwin wash cycle capacity 30 baskets per hr 500mm x 500mm basket size power supply 400V 3N~50Hz (10A) 555mm x 605mm x 818mm
526	Stainless steel infill table 250mm x 820mm
527	Lincat Silverlink 600 DF33 electric countertop fryer front mounted control knob thermostatic temperature control 130 - 190 c hinged elements with safety cut-out fail-safe temperature cut-out drainage tap to front 9 litre oil capacity 300mm x 600mm x 335mm
528	Toshiba TEC POS System ST60/C EPOS system with casher drawer and printer CPU Intel Celeron™ (embedded processor) RAM 64 MB on board, Max. 320 MB, DIMM x 1 Cache Memory 128 KB HDD 2.5" IDE (option), Max. 2 drives PCMCIA Type II x 1 (option) 295mm x 350mm x 343mm
529	Various Hygiplas low density chopping boards as found

530	Stainless steel preparation table with upstand and undershelf 900mm x 600mm
531	Stainless steel preparation table with drawer 700mm x 600mm
532	IDesign ceramic hotplate display with individual elements per gastronorm module, collectively controlled by a single energy regulator this display maintains pre-heated, cooked food at a regulated temperature quartz heat lights over display controlled by electronic dimmer gantry mounted controller on ...[more]
534	Foster FMSLIM 900 NG multideck temperature range +2°/+4°C capacity single stacked 288. double stacked 576 (330ml drink can capacity) energy saving led lighting lasts 10x longer than fluorescent lighting. emits a fraction of the heat output glass end panels energy saving retracting "soft closing" ni ...[more]
535	IMC 526 Freestanding waste disposal unit (1ph) motor: 0.55kw 0.75hp voltages: 220/240-1-55 water connection: 15mm connection water supply to be taken from storage cistern and not from rising main to meet UK water regulations minimum pressure (head) of 0.4bar (4m) water control: automatic solenoid valve
536	Stainless steel wall mount hand wash basin
537	Foster LR150 under counter freezer temperature range -18°C to -21°C 150 litre capacity 605mm x 620mm x 810mm (s/n E5358540)
538	Stainless steel preparation table with two undershelves 2050mm x 800mm
539	Chilled counter top display case with perspex front screen 1200mm x 950mm x 540mm
540	Williams Emerald HE3U-S3 undercounter refrigerator 32 cu. ft. accommodates 48 x 1/1 GN or 24 x 2/1GN trays (not included) lockable & removable refrigeration cassette +1/+4°C temperature range square edge countertop 6 x shelves 3 x self-closing solid doors w/ locks digital display stainless steel ...[more]
541	Bunn VP17A-2 coffee brewer pourover coffee brewer with 2 warmer plates
542	walk in cold room 3169mm x 1660mm
543	Bush BT02 table top convection oven with rotisserie, 1.500kw 25ltr capacity
544	4 x small domestic microwaves 2 x 700 W power 1 x 800 W power and 1 x 650W power
545	Masters & Andrews stainless steel 20 tier mobile trolley 340mm x 480mm x 1650mm
546	Masters & Andrews stainless steel 20 tier mobile trolley 340mm x 480mm x 1650mm
547	Polar G590 440 Ltr upright stainless steel fridge temperature range -2°C to 8°C 680mm x 700mm x 1380mm
548	Prisma Food Solutions Forni Basic 44 pizza oven stainless steel front and painted steel structure cooking surface in refractory stones sheathed heating elements internal lighting rock wool insulation 9.4kW 3 phase electric 2 x internal decks, each 660mm x 660mm capacity 8 x 13 inch pizzas 900mm x 7 ...[more]
549	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm

550	MBM G6SFF972P freestanding gas range 6 burner with oven 34.5kw brand new 1100mm x 730mm x 850mm
551	Genfrost GP900 two door prep counter stainless steel interior and exterior fan assisted cooling automatic defrost temperature range -2/+8 °C capacity 250ltr / 8.8 cuft 2 x 570 x 325mm adjustable shelves Carel electronic controller 900mm x 700mm x 1075mm (s/n 13081074694)
552	Market Banchi Bataglio Euro 268RV server over refrigerated counter YOM 2010 2700mm wide
553	Fracino K6 polished bean grinder 64mm flat blades (no hopper) 215mm x 400mm x 635mm
554	Hobart PREMAX FP-10A dishwasher Four wash cycles: 80,150,170 and continuous up to 40 racks (810 plates) per hour (500 x 500mm basket - 18 plates) INTENSIV4 with revolutionary active drying cycle unique ECO programme with Vaporinse using just 1.0ltr of water per cycle – saves up to 40% on water and d ...[more]
555	Hobart PROFI FX-10A three wash cycles 90,180 and 300 seconds up to 40 racks (720 plates) per hour (500 x 500mm baskets - 18 plates) VISIOTRONIC allows filling, cycle start and draining to be activated by just one button unique colour coded control clearly indicates the machine status and remaining c ...[more]
556	Italinox Prisma IBM50 spiral dough mixer 48ltr bowl with 42kg volume capacity bowl dimensions 450mm diameter x 300mm high dough breaker spindle 20kg kneading capacity / 128kg an hour production 1500 watt motor for powerful reliable performance CE certified 480mm x 805mm x 825mm
557	Italinox Prisma IBM50 spiral dough mixer 48ltr bowl with 42kg volume capacity bowl dimensions 450mm diameter x 300mm high dough breaker spindle 20kg kneading capacity / 128kg an hour production 1500 watt motor for powerful reliable performance CE certified 480mm x 805mm x 825mm
558	Stainless steel three tier mobile trolley 500mm x 550mm x 1180mm
559	Commercial GN1100W solid two door white commercial refrigerator 1100 ltr capacity temperature range 2°C to 8°C 1385mm x 700mm x 2030mm
560	Hobart AUX/XR30 pass through dishwasher Up to 60 racks per hour choice of 3 wash/rinse programmes: 60, 90 and 120 seconds for corner or straight through operation SMARTRONIC hood mounted controls INTENSIV wash system delivers outstanding results and significantly reduces running costs 635mm x 742mm ...[more]
562	Moorwood Vulcan MV1GSA90 900mm gas salamander vitreous enamelled interior, ribbed aluminium brander plate and grease trough, toast rack with crumb tray, stainless steel sides and top, vitreous enamelled controls pane mounted on stainless steel table
563	Rational CD61 combi steamer oven 3 phase electric Stainless steel construction three cooking methods - steam, convection, and combination cooking user friendly control dials full controls of cooking method, temperature, and humidity double glazed, cool-to-touch door fast heat-up and cool-down times ...[more]
564	Stainless steel preparation table with can opener upstand 1480mm x 750mm
565	Lincat mobile freestanding chargrill 700mm x 720mm x 600mm
566	Moorwood Vulcan gas stainless steel hot cabinet 1820mm x 800mm
567	Stainless steel two tier shelf unit with grab tab 2750mm x 300mm

568	Stainless steel preparation table with upstand and undershelf 1900mm x 600mm
569	4 x Keystone 5 litre dispenser untis as new for Ketchup
570	60 x H Line 50 x 70cm glass towels new packed
571	60 x H Line 50 x 70cm glass towels new packed
572	80 x H Line 50 x 70cm glass towels new packed
573	80 x H Line 50 x 70cm glass towels new packed
574	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
575	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
576	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
577	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
578	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
579	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
580	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
581	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
582	GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]

- 583 GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
- 
- 584 GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
- 
- 585 GVS Vodex Nail Salon nail bar extraction tables 240 volt AC, 1 amp Filters: Pre-filter and Activated carbon charcoal filter Light: Dichroic, 12 volt, 50 watt, 60 degrees Materials: Table top and cabinet: MDF + Polyrey laminate Lamp housing, extract grill and unit leg: laser-cut steel Table cowl: Per ...[more]
- 
- 586 Massage table Super soft white luxurious PU upholstery 205kg capacity adjustable height 1860mm x 620mm
- 
- 587 Massage table Super soft white luxurious PU upholstery 205kg capacity adjustable height 1860mm x 620mm
- 
- 588 Massage table Super soft white luxurious PU upholstery 205kg capacity adjustable height 1860mm x 620mm
- 
- 589 Massage table Super soft white luxurious PU upholstery 205kg capacity with built in breath hole 1800mm x 620mm
- 
- 590 Massage table Super soft white luxurious PU upholstery 205kg capacity with built in breath hole 1800mm x 620mm
- 
- 591 Massage table Super soft white luxurious PU upholstery 205kg capacity with built in breath hole 1820mm x 620mm
- 
- 592 Massage table Super soft white luxurious PU upholstery 205kg capacity with built in breath hole 1820mm x 620mm
- 
- 593 Girbau - HS6008 commercial washing machine (8kg) extraction speed rpm 970 8kg drum capacity G-FACTOR 283 easy to use medical, sluice and thermal disinfection programmes 685mm x 700mm x 1080mm
- 
- 594 Indesit IS60V tumble dryer 6kg tumble dryer 800 & 1400 RPM 600mm x 850mm
- 
- 595 White Knight 44AW full size vented tumble dryer reverse tumble action for less creasing and tangling 2 heat settings 530mm x 596mm x 850mm
- 
- 596 Ignis IG5120W 1200 RPM washing machine AA class, 1200 rpm, with option of speed reduction to 600rpm, 95, 60 and 40 degree cotton washes, 30, 34 and 40 degree synthetic washes, 30 degree delacate wash, 30 min quick wash, lingerie 30 degree wash, wool 40 degree wash pre set cycles.
- 
- 597 WhirlpoolL 3RLEQ8600WW 10kg white vented tumble dryer
- 
- 598 WhirlpoolL 3RLEQ8600WW 10kg white vented tumble dryer
- 
- 599 4 x faux leather tub chairs
- 
- 600 7 x beach bentwood upholstered lounge chairs
-