

Pro Auction Limited



Catering Equipment - Contents of Leading Academic College - Combi Ovens, Mixers, Tabling, Fryers, Gas Ranges, Refrigeration, Refectory, Slicer

361 Padholme Rd E
Peterborough
Cambridgeshire
PE1 5XL
United Kingdom

400 + Lots of quality used catering equipment
Ended 02 Feb 2017 15:11 GMT

Lot	Description
1	Lainox LXTYP ME061T Combination oven with water heater, digital control with the ability to input recipes, 6 containers GN1 / 1 probe for baking electric 3phase 3N AC400V 8,0KW YOM 2005 930mm x 750mm x 810mm
1a	Hobart CAN pass-through conveyorised dishwasher complete with infeed and outfeed conveyor S/N 86462913 year 2006 3 phase
2	Rational SCCWE201G White Efficiency Self Cook Combi Oven 1 NAC 230V SelfCookingControl® with 7 cooking modes HiDensityControl® Efficient LevelControl® (ELC®) Combi steamer mode with 3 modes Care control Automatic cleaning and care system for cooking cabinet and steam generation Capacity 20 x 1/1 GN ...[more]
3	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
4	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
5	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
6	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
7	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
8	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase stainless steel free standing single or double carvery pad complete with meat studs to hold the meat in place, heated by two quartz 300W lamps with the temperature regulated by a dimmer switch to control ...[more]
9	Stainless steel centre table with undershelf 1500mm x 650mm
10	Stainless steel centre table with undershelf 1500mm x 650mm
11	Stainless steel centre table with undershelf 1800mm x 650mm

14	Unis patisserie glass display case refrigerated temperature range +4 / +8 C 1470mm x 750mm x 1400mm
15	Foster reach in merchandiser H25500S temperature range -1°C to 7°C LED lighting in top canopy and on every shelf significantly enhances product display (s/n SNP41567) 870mm x 740mm x 950mm
16	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
17	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
18	Koxka M10 CUK Multideck 396 litre capacity refrigerated mobile with internal shelves illumination and night blind temperature range +2°C to +5°C 980mmx 850mm x 1955mm
19	Stainless steel static rack 8 tiers 460mm x 900mm x 1970mm
20	Stainless steel prep table 2090mm x 650mm
21	Unimec Easy box WT electric semiautomatic table top tray sealer up to 4 Cycles/Min maximum tray size 190x140x90 h mm 150mm wide film currently set with die for 300 x 250mm tray
22	Stainless steel hostess trolley three tier 1050mm x 520mm x 800mm
23	Stainless steel two door wall mounted cupboard 1000mm x 330mm x 600mm
24	2 x Rubbermaid trolleys three tier mobile 830mm x 470mm x 900mm
25	Williams Gem C110 SCS multideck merchandiser temperature range +3/+5 960mm x 615mm x 1830mm
26	Foster FM Slim 120HS refrigerated reach in open merchandiser temperature range -1°C to + 5°C 2 internal shelves and base, illuminated and night blind 1200mm x650mm x 1780mm
27	Frilixa model MARAO 1.0M display fridge
28	Victor JPS58Y refrigerated reach in open merchandiser temperature range -1°C to + 5°C 2 internal shelves and base, illuminated and night blind 1200mm x 650mm x 1700mm
29	Frigoglass Easy Reach Express chilled drinks merchandiser 20mm x 700mm x 1420mm
30	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm
31	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm
32	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm

33	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm
34	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm
35	Rhino Cold 900S back bar cooler temperature Range: +3°C to +7°C capacity: 169 x 330ml beer bottles volume: 208ltr energy consumption: 2.68 kW/24h 900mm x 520mm x 900mm
36	Stainless steel centre table with can opener and salad picking unit complete with undershelf 1500mm x 650mm
37	Counterline chill drop in server unit with an open front 1500mm
38	Blue Seal electric salamander grill 2 x 4.4kw burners 8.8kw, 30,000 btu/hr R 1/2 (BSP) male gas connection 900mm x 400mm
39	Bartlett B Line stainless steel mobile preparation table 900mm x 700mm
40	Stainless steel sink and left hand drainer with undershelf and back splash 1200mm
41	Franke stainless steel commercial sink LHD 1200mm
42	Stainless steel wall mounted janitors sink
43	Stainless steel wall mounted two door cupboard 1000mm x 330mm
44	Stainless steel table with undershelf and back splash 1500mm x 500mm
45	Stainless steel table undershelf, backsplash and can opener 1200mm x 600mm
46	Stainless steel wall mounted hand wash basin
47	Stainless steel wall mounted hand wash basin
48	Russell Hobbs model 18790 toaster
49	Stainless steel wall mounted hand wash basin
50	Stainless steel wall mounted hand wash basin
51	Stainless steel wall mounted hand wash basin
52	Stainless steel wall mounted hand wash basin
53	Stainless steel wall mounted hand wash basin

54	Stainless steel preparation table upstand and shelf 1600mm x 800mm
55	Mobile stainless steel 5 tier rack 460mm x 600mm x 1550mm
56	Moffat Versicarte V3 mobile hot cabinet with heated gantry
57	MKN Optima 850 electric clam char-grill precise thermostatic temperature control for consistent results and economical operation independently controlled cooking zones for greater flexibility and economy during quieter periods 2 separately adjustable heating zones digital timer on each clam plate en ...[more]
58	Wooden top stainless steel framed butchers table 2000mm x 800mm
59	Stainless steel low level stand 740mm x 600mm x 440mm
60	Tecfrigo Isola 6M refrigerated buffet island display temperature range +4/+10C 2060mm x 750mm
61	Tecfrigo Isola 4M refrigerated buffet island unit temperature range +4/+10C 1420mm x 750mm
63	Falcon Model GS7008 gas ovenfrom British manufacturer, Falcon is certainly worth viewing. Perfect for busy catering operations, this robust, versatile oven is equipped with cook and hold facilities to keep cooked food at optimum serving temperatures. The food-safe stainless steel finish makes makes ...[more]
64	Stainless steel condensing canopy 1000mm x 1000mm
65	Supawash 100MS under counter dishwasher 500mm baskets 40 racks – 720 plates hour Square rack size 500 mm Maximum clear entry height 330 mm Cycle times 5, 3, 2 min Maximum racks per hour 30
66	Newscan NS500 dishwasher 500mm baskets commercial dishwasher 500mm x 500mm baskets, 25amp 240v supply (can be 13amp upon request) drain hose & water hose supplied 1 - 6 minute cycle options
67	Hobart GC-31 under counter glasswasher S/N 86491081
68	Adler PM50DP undercounter dishwasher 500mm basket max 30 racks/hr hot or cold feed 30 racks/hr 600mm x 600mm x 850mm
69	Blueseal SG5EC glass washer 500mm basket 60/120/180 sec cycle length 600mm x 600mm x 820mm (BD14150301845)new
70	Blue Seal model SGSECPSPB under counter glass washer
71	Olis GS50 glass washer 500mm rack 2 & 3 minute cycle 30 racks/hr 500mm x 500mm x 320mm
72	Hobart GCS21N stainless steel under counter glass washer Up to 760 glasses per hour 400 x 400mm rack size SMARTRONIC allows filling, cycle start and raining to be activated by just one button Unique colour coded sequence gives clear indication of machine status Genius X2 removes 20 – 40% more debris ...[more]
73	Hobart under counter dishwasher

74	Kastel 32/50 dishwasher twin wash cycle capacity 30 baskets per hr 500mm x 500mm basket size power supply 400V 3N~50Hz (10A) 555mm x 605mm x 818mm
75	Classic Pass Through Commercial Dishwasher Hydro 957
76	Falcon Model GS7008 gas ovenfrom British manufacturer, Falcon is certainly worth viewing. Perfect for busy catering operations, this robust, versatile oven is equipped with cook and hold facilities to keep cooked food at optimum serving temperatures. The food-safe stainless steel finish makes makes ...[more]
77	Classeq ECO2 under counter glass washer 16 pint glasses per rack gravity drain machine 400 x 400mm basket size built in rinse aid dispenser 2 minute cycle time 450mm x 535mm x 760m
78	Classeq Hydro 400 dishwasher 180 plates/hr. gravity drain 3 minute wash cycle 450mm x 535mmx 750mm
79	Stainless steel prep table with undershelf 800mm x 690mm
80	Countertop hot drinks dispenser
81	Scanomat Cafécino Pro 6 hot drinks machine Coffee 400 cups (600 g) Espresso 450 cups (680 g) Chocolate 150 cups (3300 g) Milk 225 cups (2700 g) Hot water for tea Yes Cups per hour 135- 630 (20 l. - 94,5 l.) Clean function Yes Water tank 5 l. Electrical connections 230 / 400V w. earth Power consumpti ...[more]
82	Stainless Steel 20 tier mobile rack 380mm x 550mm x1700mm
83	Three tier galvanised mobile kitchen trolley 990mm x 450mm x 920mm
84	Stainless steel mobile table with 7 tray rack storage under 680mm x 600mm
85	Stainless steel two door hot cabinet with wet well Baine Marie top variable temperature control heater gantry mobile 1500mm x 700mm x 1355mm
86	Caterlux Atlus mobile wet well baine marie with heated gantry temperature range 40-80 DegC. 1750mm x 700mm x 1350mm
87	A large quantity of various glassware
88	Four tier mobile freezer rack 1200mm x 560mm x 1720mm
89	Moffat B-Air fridge 1800 Granit top chilled display serve over hot cabinet 1800mm x 1000m
90	Moffat CHB215GH heated serve over Baines Marie counter with gantry non scratch non stain granite top and cupboard under 2230mm x 1000mm x 900mm
91	Moffat MD12/1158A mobile chilled display case temperature range +2 / +8°C 1200mm x 800mm
92	Moffat Granite top heated display serve over hot cabinet 1600mm x 1000m
93	Moffat MD12/1158A mobile chilled display case temperature range +2 / +8°C 1200mm x 800mm

94	Moffat MD12/1158A mobile chilled display case temperature range +2 / +8°C 1200mm x 800mm
----	--

95	Moffat Baine Marie wet well holds 4 x GN 1/1 pans1600mm x 1000mm x 1350mm
----	---

96	Bartlett B Line stainless steel commercial sink LHD 1050mm
----	--

97	Bartlett B Line stainless steel commercial sink LHD 1200mm
----	--

98	Stainless steel commercial sink LHD with drawer (no taps) 1200mm
----	--

99	Stainless steel twin basin commercial sink with rack storage under 1100mm
----	---

100	Stainless steel preparation table with undershelf 1200mm x 650mm
-----	--

101	Stainless steel preparation table with undershelf 1200mm x 650mm
-----	--

102	Stainless steel preparation table with undershelf 1500mm x 650
-----	--

103	Stainless steel preparation table with three drawers and shelf 1500mm x 700mm
-----	---

104	Stainless steel preparation table with undershelf 2040mm x 700mm
-----	--

105	Lincat model LBMW table top bain marie
-----	--

106	Stainless steel commercial sink RHD 1900mm
-----	--

107	Stainless steel preparation table with undershelf 2000mm x 650mm
-----	--

108	Stainless steel preparation table with undershelf 900mm x 760mm
-----	---

109	Marco 10102-100-110 35ltr insulated hot water boiler
-----	--

110	Stainless steel preparation table with two undershelves 1900mm x 700mm
-----	--

111	Stainless steel wall mounted shelf 300mm x 1850mm
-----	---

112	Stainless steel corner table with undershelf and upstand 1000mm x 800mm
-----	---

113	Mobile stainless steel table with drawer 900mm x 700mm
-----	--

114	Stainless steel commercial sink 1000mm
-----	--

115	RMC stainless steel preparation table with drawer and undershelf 1200mm x 760mm
-----	---

116	Stainless steel preparation table with drawer and undershelf 1300mm x 800mm
117	Stainless steel preparation table with can opener 1200mm x 760mm
118	Stainless steel sink unit 680mm x 540mm
119	Bartlett six tray atmospheric steamer E10ENG gas capacity 210 litres heat output 1188kw weight 127kg appliance category 112h3p 12 mm stainless steel construction 1/1 GN compatible manually operated gravity drain built in self-filling water tank incorporating water level valve requires permanent mai ...[more]
120	Helkama C513011 drinks merchandiser 420 L 14.8 CU.FT temperature range 0-10C 600mm x 690mm x 1998mm
121	Stainless steel mobile eight tier dishwasher tray rack 570mm x 570mm x 1600mm
122	Zanussi SD368 solid door fridge capacity 361 litres capacity 0.33L cans 476 or 231 bottles 0.50 litres temperature + 3 to + 10C (20021703050)
123	Husky C6HY glass door drinks merchandiser temperature range 0-10C 18.6 CU.FT capacity 710mm x 690mm x 1998mm
124	Foster PROG 600-HA stainless steel upright refrigerator 600 litre capacity temperature range +1/+4°C 700mm x 800mm x 2100mm (E5172988)
125	Diamond FAP300 gravity fed slicer FAP 300 0-16 255 x 240 : : 230V / 50Hz / 1 220 / 0.29 Plate size (mm) Cutting thickness (mm) 47.5 depth: 43 33
126	Buffalo CD279 food slicer 300mm blade anodized aluminium body variable cutting thickness 585mm x 500mm x 450mm
127	Buffalo U626 250mm blade gravity meat slicer anodized aluminium body variable cutting thickness manually controlled food carriage with adjustable side dial integral blade sharpener voltage : 230-240v weight :
128	Felds & Pimblett gravity slicer 230v, 240w 1/3hp blade diameter: 25.4cm(10") rotary speed: 530 rpm material: durable stainless steel blade & fixed device
129	Comercia CEX300 standard gravity slicer precision controlled slicing from 0.2mm to 15mm maximum slicing width: 220mm 12" / 300mm blade high quality hard anodised body
130	Buffalo U626 250mm blade gravity meat slicer anodized aluminium body variable cutting thickness manually controlled food carriage with adjustable side dial integral blade sharpener voltage : 230-240v weight :
131	Hugentobler Hold-O-Mat 673 warming oven a precise and economic holding oven with the added dehumidifier ensuring food remains fresh until serving precise temperature control due to the PT 500 system dehumidification system 10-20% less weight loss suitable for in-house or outside catering weight 24kg ...[more]
132	Wrapmaster 4500 foil film dispenser
133	Ascon GH813S-RTFB double contact grill ribbed twin top plates flat bottom plates temperature 300C 220-240 Volts 4.4 KW 840mm x 305mm x 210mm

134	Stainless steel preparation table 1800mm x 600mm
135	Kitchen Aid KPM5 Mixer 4.8 Litre White 10 speed gearbox large capacity 4.8 litre stainless steel bowl flat beater, dough hook and wire whisk includes two bowl covers overload reset buttons capacity 4.8 litre. 411mm x 264mm x 338mm
136	Comet Catering Ceran twin top drop in unit with heated gantry 1360mm x 620mm
137	Stainless steel twin contact grill model panini DL/M
138	Master & Andrews stainless steel mobile twenty four tray kitchen trolley 360mm x 1050mm x 1650mm
139	Stainless steel picking unit for salads / pizza preparation 800mm x 550mm x 550mm
140	Stainless steel mobile kitchen trolley three tier 1100mm x 540mm x 900mm
141	Stainless steel freestanding hand wash basin 730mm
143	Stainless steel preparation table with upstand and shelf 900mm x 650mm
144	Buffalo L485 2 x 5 Ltr double fryer Adjustable thermostatic controls for each tank Lift off stainless steel lid supplied baskets included power: 230V, 2 x 2.8kW, 2 x 12.2A capacity: 2 x 5 Litre 540mm x 400mm x 300mm
145	Red One induction hob counter top glass hob stainless steel body electronic over heating protection timer, led display (0 - 180 mins) 1 - 10 power levels (500 - 3500w) 1 - 10 temperature settings 60 to 240°C temperature range 300mm x 300mm
146	Hobart HTS2-10 HT3KW hot water boiler
147	Robot coupe R2A Veg Prep machine Power 550 Watts Voltage Single-phase Speeds 1500 Rpm Bowl capacity 2.9 litres Number of covers 10 to 20
148	Stainless steel preparation table with overshef 900mm x 800mm
149	Stainless steel preparation table with undershef 1750mm x 650mm
150	Clifton Food Range Sous Vide hot water bath (107460)
151	Carimali hot chocolate dispenser
152	Sam 4s ER5200m cash register adjustable two-line alpha-numeric LCD display two standard RS-232c ports compatibility with datacap's datatran credit terminal reliable high-speed thermal receipt and journal printers drop-and-print paper loading wide 2-1/4" (58mm) paper lower total cost of ownership vs. ...[more]
153	Sharp XEA303 cash register supports up to 25 cashiers pop-up customer display 99 departments with 16 digits text up to 1800 PLUs with 16 digits text various detailed management reports graphic logo printing full audit trail
154	Calpeda S2008266 pressure pump

155	Stainless steel preparation table with upstand and shelf 1800mm x 650mm
156	Sanyo stainless steel microwave oven 420mm x 510mm x 330mm
157	Stainless steel twin contact grill model panini DL/M
158	Samsung MX147 800W microwave oven
159	Sanyo stainless steel microwave oven 490mm x 360mm x 320mm
160	Amana UHDC511 1100W stainless steel microwave oven
162	Coolpoint CX405 single glass door tall cooler adjustable shelves digital thermostat internal light illuminated header panel hinged double glazed door fan assisted cooling deterrent lock temperature range: +2 / +10°C capacity: 285 litres 620mm x 580mm x 1935mm drinks merchandiser
163	Caravell glass door drinks merchandiser single glass door tall cooler adjustable shelves digital thermostat internal light illuminated header panel hinged double glazed door fan assisted cooling deterrent lock temperature range: +2 / +10°C capacity: 285 litres 620mm x 580mm x 1935mm
164	Zanussi ZL66W 158 litres undercounter refrigerator 545mm x 600mm x 850mm
165	Zanussi ZERT6646 158 litre under counter refrigerator 545mm x 600mm x 850mm
166	Interlewin CEV130 commercial under counter freezer static cooling fixed shelves adjustable feet digital temperature display light commercial use only replaceable door gasket high temp warning light 540mm x 600mm x 870mm
167	Interlewin CEV130 commercial under counter freezer static cooling fixed shelves adjustable feet digital temperature display light commercial use only replaceable door gasket high temp warning light 540mm x 600mm x 870mm
168	Corsair electric solid top with two boiling hobs 900mm x 720mm
169	Solid top bullseye electric boiling table with oven 3phase electric solid top range with removable bullseye oven temperature range 120-270°C delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven 800mm x 900mm
170	Bartlett F19G - 921 solid top bullseye gas boiling table 3phase electric solid top range with removable bullseye delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven 800mm x 900mm
171	Falcon Dominator solid top boiling table with oven 900mm x 780mm electric 3 phase solid top range with removable bullseye oven temperature range 120-270°C delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven
172	Garland ST28-2 solid top boiling table gas with oven 610mm x 900mm solid top range with removable bullseye oven temperature range 120-270°C delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven
173	Bonnet Hobart boiling table and oven gas 800mm x 950mm solid top range with removable bullseye oven temperature range 120-270°C delivers heat up to 400°C quick heat up, reduced waiting times gastronorm compatible oven

174	Falcon Steakhouse sakamander grill gas on stainless steel stand high performance burner systems ideal for flashing and finishing variable heat settings
175	Lincat GR3/N natural gas salamander grill powerful ceramic plaque burners. vitreous enamelled interior & hood 5kW 600mm x 350mm x 405mm
176	Lincat HT6 4 plate boiling top fully pressed and sealed hob tops for easy cleaning automatic power reduction, if pan boils dry or is removed - prolonging hotplate life six-position switches control each plate 180mm / 7" sealed hotplates power: 7kw – hardwired power per hotplate: 2 x 1.5kw (rear), 2 ...[more]
177	Mobile Containing stainless steel heated plate stacker holds 320mm plates
178	Lincat BS7W Wet Heat Baines Marie perfect for safely holding sauces, gravy & pre-cooked foods for up to 2 hours at serving temperature thermostatic heat control stainless steel 8 pint (4.5 litre) pots wet heat 600mmx 750mm x 290mm
179	Bonnet by Hobart gas range comprising of 2 x hot plates (B1A9CE+10FE+10FE-40MN) 2 x twin basket fryers and two ring gas hob YOM 2013
180	Moorwood Vulcan M Line 900MM MLS T90 ECO electric convection oven four tray on stainless stand Total Gas Rating: 36.6kW (NG) high efficiency open top burners semi-sealed to hob with low turn-down feature heavy duty painted cast iron pan supports low profile rear splashback 2 oven shelves, each takin ...[more]
181	Falcon Chieftain Manual tilt bratt pan in natural gas is a heavy duty, thermostatically controlled griddle, shallow fry, deep fry, boil, simmer and stew. the cast iron pan offers excellent heat distribution delivering great consistency whilst the manual, easy-to-turn handle, making it easy to tilt a ...[more]
182	MBM GTF77 solid top boiling table with gas oven 9kW burner power 6kW oven power maximum temperature 500°C 700mm x 730mm x 850mm
183	Moorwood Vulcan 900mm range MC90-MC4-RLP six burner gas range with oven total power: 36.6kw oven power: 8.4kw burner power: 6 x 4.7kw capacity: 210 litre 900mm x 710mm x 945mm
184	Blue Seal Evolution G56D six burner convection oven range 6 burners cooktop range 2/1 gn gas convection oven 6 x 7kw open burners heavy-duty stainless steel finish flame failure protection on all burners removable heavy-duty cast iron burners and vitreous enamel pot stands heavy-duty reinforced cont ...[more]
185	Cobra CR6DF gas four burner open top range 4 burner gas range static oven 4 x 5.5kW open burners Variable high to low controls Cast iron burners and vitreous enamel pot stands 1/1 GN gas static oven with 4 position racking High crown height Manual pilot ignition Side hinged door Welded vitreous enam ...[more]
186	Zanussi gas salamander grill 800mm x 350mm x 400mm
187	Falcon Dominator G2101 OT open top six burner gas range with oven energy efficient, high performance burners - quick heat up, lower energy use all stainless steel exterior panel construction - superior durability, easy to clean semi-sealed, pressed stainless steel hob - easy to remove and clean e ...[more]
188	Lincat HT7 4 plate boiling top fully pressed & sealed hob tops for easy cleaning automatic power reduction, if pan boils dry or is removed - prolonging hotplate life six position switches control each plate 180mm / 7" sealed hotplates power: 7kw power per hotplate: 2 x 1.5kw (rear), 2 x 2kw (fro ...[more]

189	Falcon E350/30 four hotplate range electric four high speed, circular hotplates oven dimensions: 500mm (w) x 440mm (d) x 360mm (h) five position cooking, two ant-tilt shelves supplied oven capacity: 0.08 cubic metres easy to clean, enamelled oven linings 11.2Kw rating 700mmx 650mm x 870mm
190	Lincat HT7 4 plate boiling top fully pressed & sealed hob tops for easy cleaning automatic power reduction, if pan boils dry or is removed - prolonging hotplate life six position switches control each plate 180mm / 7" sealed hotplates power: 7kw power per hotplate: 2 x 1.5kw (rear), 2 x 2kw (front) ...[more]
191	Ingredient bin mobile 500mm x 500mm
193	Tefcold FS1380W wine chiller fully automatic fan assisted cooling lock adjustable shelves adjustable feet interior light with switch temperature display replaceable door gasket displays up to 78 wine bottles temperature range: +1/+10C 595mm x 600mm x 1840mm
194	Marco model A60620 20 liter hot water boiler
195	Tekno Celik model Deluxespray 20 x 3 juice dispenser
196	Foster Xtra XR1300H stainless steel exterior / aluminium interior easy read digital controller auto defrost 6 shelves capacity 1300 litres r134a refrigerant temperature range +2-+8c 1390mm x 850mm x 1985mm (E5411197)
197	Zanussi MRVG2CI smooth plate gas griddle 700mm wide attractive hard chrome plating on a 12mm thick steel base gives a tough, easy-clean finish and even heat distribution reduced heat radiation into cooking area for comfortable working and lower energy costs fully-welded plates eliminate dirt traps i ...[more]
198	Zanussi twin tank twin basket freestanding electric fryer 800mm x 850mm
199	Blue Seal Vee Ray twin tank twin basket gas fryer 13 Ltr oil capacity per pan 25 kW , 85,300 Btu / hr 450mm x 830mm x 915mm
200	Bartlett Yeoman D11G302 electric single tank single basket freestanding fryer 13kw burner appliance category 11 2h 3p heat input 13kw oil capacity 13 ltrs chips p/hour 20kg
201	Hobart electric 3 phase twin tank twin basket freestanding fryer 700mm x 700mm
202	Lincat J6 Silverlink 600 free standing 9ltr single fryer 6kW, 400V, 22.5 amp 3 phase. fail safe temperature safety cut out output 26kg chips/hr from chilled 300mm x 600mm x 970mm
203	Lincat GSS TEV ribbed plate electric griddle 560mm 12mm thick machined steel plate solid 12mm thick machined steel plate ensures even heat distribution and excellent heat retention fully-welded plates eliminate dirt traps thermostatically controlled for consistent performance
204	Zanussi gas griddle 350mm x 700mm 12mm thick machined steel plate solid 12mm thick machined steel plate ensures even heat distribution and excellent heat retention fully-welded plates eliminate dirt traps thermostatically controlled for consistent performance
205	Stainless steel pull down gas salamander grill 750mm x 400mm
206	Thermodyne 300NDNL counter top holding unit 3.48 ft³ cubic capacity maximum operating temperature 110°C 444mm x 584mm x 658mm
207	Stainless steel mobile table with shelf upstand and drawer 900mm x 700mm

208	PAL Systems stainless steel insectocutor
209	Studio SH20V-NE display meat counter glass frontage rear holding load 1920mm x 880mm x 1280mm
210	Rational SCC101 Self Cooking Centre Oven Electric capacity full GN gastro pan capacity 9 Unique self cooking & 3 combi modes delay start function 1/2 Energy saving function full HACCP download function banqueting and finishing modes 50mm drain connection 6 Point IQT Sensor CalcDiagnosis ® system ...[more]
211	Moffat stainless steel two door cupboard 1000mm x 300mm
212	Williams HO2U - 2 Door Opal Counter 12.5cu ft/354 litres temperature range +1 / +4 two door bench 1420mm x 650mm x 845mm (019292643)
213	Foster H28600S stainless steel reach in merchandiser
214	AHT Frostech SD60-60 stainless steel reach in merchandiser mirror finish 304 stainless steel exterior stainless steel interior adjustable shelves adjustable feet night blind standard internal illumination tempered glass side panels 600mm depth fan assisted cooling fully automatic operation electron ...[more]
215	Moffat MD-2T mobile merchandiser refrigerator
216	Tefcold UF100 glass door under counter freezer temperature range -12/-24C 90 litre capacity 610mm x 540mm x 670mm
217	LEC CL157- 153 Litre capacity under counter catering refrigerator temperature range +1°C to +5°C 558mm x 600mm x 863mm
218	Proline PL167GWA undercounter refrigerator 164 litre capacity 550mm x 580mm x 850mm
219	Derby EK26ST 190 litre glass lid chest freezer temperature range -14C / -22C 724mm x 634mm x 880mm
220	Valera KBC100C glass door countertop refrigerator hinged door internal shelves capacity 92.5 litres / 3.3 cuft capacity 80 x 330ml cans temperature range +2 to +8c 497mm x 505mm x 840mm
223	Tefcold UF50G glass door white display freezer 50 litre capacity temperature range -12 / -24c adjustable shelves & adjustable feet interior light with switch self closing door with lock, not reversible 570mm x 530mm x 520mm
224	Tefcold UF200 single door upright white freezer 141 litre capacity temperature range -14 / -24C fixed static shelves adjustable feet & lockable door reversible door 600mm x 600mm x 850mm
225	Marco model A0627 hotwater water boiler 27 liter
226	Derby EK36 ST range sliding flat glass lid chest freezer flat sliding lids static cooling lock castors defrost drain fan assisted condenser 1014mm x 634mm x 880mm
227	Atosa YCF 9401 single glass door fridge 450 litre capacity temperature range +2°C /+8°C 600mm x 740mm x 1950mm
228	Atosa YCF 9401 single glass door fridge 450 litre capacity temperature range +2°C /+8°C 600mm x 740mm x 1950mm

229	Foster EcoPro G2 EP700H upright single door refrigerator stainless steel exterior / aluminium interior self closing doors to help retain consistent storage temperature highly robust construction means industry leading longevity, low maintenance and service costs fitted with +stayclear condenser - fo ...[more]
230	Foster EcoPro G2 EP700H upright single door refrigerator stainless steel exterior / aluminium interior self closing doors to help retain consistent storage temperature highly robust construction means industry leading longevity, low maintenance and service costs fitted with +stayclear condenser - fo ...[more]
231	MPS CA170 gastronorm refrigerated cabinet Constructed in high grade 304 stainless steel inside and out for maximum durability.operates in high temperatures of up to +43°C digital controller with integrated removable shelf supports for easy cleaning All doors have easily renewable baskets castors fit ...[more]
233	Gram K400 RUHC-6N 10967 350 litre compact commercial refrigerator temperature range 2°C to 12°C 595mm x 640mm x 1900mm (860400142)
234	Imetos PP8 potato peeler 8kg capacity 600W electric 410mm x 410mm x 795mm
235	Sharp XEA307 cash register large multi-line operator display Full size keyboard with 57 responsive raised keys SD card slot for data back-up 10,000 PLU/items locking cash draw with 5 note & 8 coin compartments 1 auto menu for 5 auto key
236	Sam 4s ER5200m cash register adjustable two-line alpha-numeric LCD display two standard RS-232c ports compatibility with datacap's datatran credit terminal reliable high-speed thermal receipt and journal printers drop-and-print paper loading wide 2-1/4" (58mm) paper lower total cost of ownership vs. ...[more]
237	Eazyzap 894 stainless steel insectocutor 30W
238	Mobile three tier rack 1800mm x 380mm x 1780mm
239	Instanta 6000-6 32 litre 6kw automatic water boiler
240	Lincat EB3 automatic water boiler higher hourly output. ideal even in busy establishments reliable electronic control system stylish contemporary design. ideal for front-of- water feed hose output per hour: 31 litres - 205 cups rapid draw off: 9 litres - 60 cups
241	Marco Aquarius 15 water boiler cups per hour: 156. immediate draw off: 13l. output per hour: 28.0l. power: 2.8kW 230v W280 x 320mm x 580mm height to tap: 215mm
242	Marco Aquarius 15 water boiler cups per hour: 156. immediate draw off: 13l. output per hour: 28.0l. power: 2.8kW 230v W280 x 320mm x 580mm height to tap: 215mm
243	AA First AA1500 3kW 12 litre water boiler high capacity table top boiler. 27 litres per hour with 11.5 litres instant draw off 235mm x 480mm x 592
244	Hosk Beverage Equipment Deluxspray cold beverage dispenser 240v single phase
245	Classic potato holding oven with 2 pot well top 240v electirc 460mm x 440mm x 450mm
246	Victorian Baking Oven PS 1515W hot drawer with 2 pot well top electric 420mm x 450mm x 370mm
247	Victorian Baking Oven Bertie 1515W hot drawer with 2 pot well top electric 420mm x 450mm x 370mm

248	Apollo ABC GS contact grill 1500W ribbed plates
249	Autonumis UG 52354 C1001 percal milk fridge
250	Zummit 7102 fresh citrus fruit juicer
251	Buffalo U626 250mm blade gravity meat slicer anodized aluminium body variable cutting thickness manually controlled food carriage with adjustable side dial integral blade sharpener voltage : 230-240v weight :
252	Lincat Lynx 400 LRB2W Bain Marie wet or dry heat operation from a single unit perfect for holding sauces, soups, gravy & pre-cooked foods for up to 2 hours at serving temperature adjustable heat control gives added versatility stainless steel round pots & lids 565mm x 400mm x 245mm
253	Buffalo L715 soup kettle 10 litre capacity Variable simmerstat maximum temperature: 98 deg C.wet heat only external black finish power type 400W, 220 - 240 V, 2 amp, single phas
254	Burco TSCNV01 commercial stainless steel twin feed conveyor toaster 13amp – 444448554 up to 400 slices per hour variable shade selection/speed control to enable the user/caterer to select the perfect shade of toast by simply adjusting the dial 365mm x 420mm x 575mm
255	ISA Bastia Umbra Metro VP129RV LS Vetrina Pasticceria refrigerated self serve mercahndiser 1295mm x 864mm x 1346mm
256	ISA Bastia Umbra Metro VP129RV VA Servita ARR Vetrina Pasticceria refrigerated serve over counter 1295mm x 864mm x 1346mm
257	Marco Filtro Shuttle 2.8Kw 3 brew coffee brewing system (03114416)
258	Bravilor Bonomat HWA50 coffee brewer 4.5 Litre capacity water boiler with thermostat
259	Polar U636 compact refrigerated counter two door model stainless steel construction 700mm depth 1/1 gastronorm interior supplied with two adjustable shelves and two floor protectors 2 shelves user friendly controls digital display lower located compressor automatic defrost function static cooling st ...[more]
260	Polar G622 3 door counter with compressor underneath 1/1 gastronorm interior user friendly controls with digital display cabinet temperature displayed at all times bottom compressor for a narrower fit easy to clean work top automatic defrost static cooling adjustable shelves and 3 floor protections ...[more]
261	Foster EcoPro G2 EP1/3M three door chill counter with top open access capacity 435 litres temperature +2 to +2c maximum ambient temperature 43c stainless steel exterior aluminium interior smart controls reduce energy consumption 60mm all-round insulation concealed refrigeration system comes with ...[more]
262	Lincat BM4W Wet Heat Bains Marie with 2 x 1/2 150mm deep gastronorm dishes perfect for safely holding sauces, gravy & pre-cooked foods for up to two hours at serving temperature 450mm x 600mm x 290mm
264	Eazyzap Y725 insectocutor 2 x 15 Watt tubes cover an effective area of 100 square metres
265	Foster FPS1/3HR-101 refrigerated prep counter offers a universal solution to the key area of food preparation of pizzas, sandwiches, salads, starters, desserts, or ethic dishes includes 6 x gn1/1 shelves, along with capacity for 7 x gn1/3 pans (or equivalent combination) gastronorm pans are not supp ...[more]

266	Infrico ME100011 stainless steel under counter double door fridge temperature range 0 / +6C fully automatic operation electronic controller fan assisted cooling system 978mm x 700mm x 885mm
267	Polar G211 68 Ltr chilled display cabinet stylish illuminated interior complete with 3 height adjustable shelves adjustable thermostat ideal for point of sale impulse purchases constructed from ABS and PVC power: 230V, 160W, 0.7A capacity: 68 litre temperature range: 2°C to 12°C 428mm x 386mm x 885m ...[more]
268	Classic Ice 18.18 counter top ice machine
269	Fortius TT300N Conveyor Toaster 300 slices per hour stainless steel easy load rack with 2 slice feed front or rear output chute option - for back of house use toast selector switch for bread, buns or off variable toasting colour control - enable the user to select the perfect shade of toast by simpl ...[more]
270	Fortius TT300N Conveyor Toaster 300 slices per hour stainless steel easy load rack with 2 slice feed front or rear output chute option - for back of house use toast selector switch for bread, buns or off variable toasting colour control - enable the user to select the perfect shade of toast by simpl ...[more]
271	Olivetti ECR7100 cash register 9-character LCD display numeric ink roll printer at 2.2 lps up to 200 programmable PLUs and 14 departments 8 operator codes 4 VAT rates possibility of working in training mode alphanumeric keyboard for highly functional programming easy X & Z reporting for anytime and ...[more]
272	Electrolux Dito TRS Vegetable Slicer TRS Vegetable Slicer - 1 Speed - 370W Performance (up to): 550 - kg/hour 500mm x 252mm x 502mm
273	Marco A0610 10 litre water boiler
274	Iberital Mafil burr bean grinder
275	Expobar coffee machine single group semi automatic commercial coffee built in motor pump with 2 retention valves and solid particle filter copper boiler 4 different programmable coffee doses per group dispensed coffee memory settings clock maximum precision temperature control using PID technol ...[more]
276	Nespresso Professional 702-CS220 coffee machine Gemini CS 220 PRO from Nespresso: share exceptional milk-based coffee recipes with your customers and employees. Fitted with the double head technology and milk frothing function, this machine is perfect for Latte lovers as the CS 220 PRO makes flawl ...[more]
277	Simonelli Nuova Aurelia II three group coffee machine with Mythos bean grinder Stainless steel with ABS insert Boiler capacity 17 lt (3 groups) Security valve No-vacuum valve Automatic water flow Volumetric pump Volumetric dosage Gauge (Bar pump) Water level indicator Thermo-compensated group SIS sy ...[more]
278	La Spaziale Seletron S40 automatic two group coffee machine with dosing 10 litre boiler 845mm x 560mm x 600mm an Anfin bean grinder 240/50
279	Expobar Elegance two group coffee machine with integral grinder automatic espresso coffee machine with 2 groups, electronic switchboard to control the coffee dosages volumetrically, with automatic water filling and copper boiler with 11,5 litres capacity with heat exchanger per group and cleaning va ...[more]
280	CIME two group coffee machine with bean grinder and knock out drawer heating circulation electronic infusion automatic cleaning of the groups dose regulations of hot water and coffee signal light detecting lack of water in boiler emptying tap of water in boiler 2 stainless steel steam jet nozzle 12 ...[more]

282	Hobart HSM40 easy to use bowl lift mixer with timer, bowl, beater, whip & hook fits to any standard table run without restricting working area front facing controls for ease of use fully guarded according to eec regulations corrosion proof 'tufrided' components – resistant to day to day soil and ...[more]
283	Hobart A120 planetary mixer 12 quart with bowl and tooling
284	Hobart A200N 20 litre planetary mixer (970203764)
285	Spiral dough mixer 25kg capacity 88.0kg / hr 40cm bowl 775mm x 735mm x 805mm
286	Spiral dough mixer 25kg capacity 88.0kg / hr 40cm bowl 775mm x 735mm x 805mm
287	Spiral dough mixer 30kg capacity bowl 775mm x 735mm x 805mm
288	Hobart A200 20 litre planetary mixer (97090143L)
289	Hobart AE200 20 quart planetary mixer
290	Brand new stainless steel 80 quart mixer bowl and whisk
291	Spiral dough mixer IBM 40 41 litre capacity will hold 35kg of dough - producing 112kg per hour powerful 1.5hp motor gear drive transmission in oil bath - quieter running and robust fitted with timer stainless steel bowl, spiral and safety guard bowl diameter = 450mm emergency stop button fitted wit ...[more]
292	Moffat VCRW3 Versicarte refrigerated display attractive mobile servery counter refrigerated display unit 3 x 1/1 GN containers capacity (not included) temperature range 2c to 8c automatic defrost re-circulating cold air lockable castors 1160mm x 680mm x 900mm
293	Brand New Lincat EB3F 9 Ltr Filterflow automatic water boiler output per hour: 31 litres - 205 cups rapid draw off: 9 litres - 60 cups boiling time from empty to full capacity: 26 mins unique built-in filtration ensures premium water quality & reduced scale build up filter life - approx 4000 litres ...[more]
294	Brand New Maestrowave MS250SG Slicer 10" blade chrome plated steel blade blade removal tool blade sharpener 0.2hp motor high precision slicing control 0-12mm cut thickness 0.15kw 520mm x 460mm x 380mm
295	Brand New Robot Coupe CL 50 vegetable preparation machine power: 230v, 13 amp plug in voltage: single phase 230v speed: 375 rpm dimensions: 590(h) x 350(w) x 320(d)mm motor base: polycarbonate load capacity: 2.2 litres cylindrical hopper (ø58mm) gross weight: 19.8 kg induction motor capable of slici ...[more]
296	Franchino two group coffee machine capacity 10 ltr boiler capacity 240 cappuccinos / 400 espressos per hour 40 to 50ltr hot water per hour material stainless steel output 2.85kw 580mm x 500mm x 485mm
297	Brand New Hobart VPU 200 veg prep machine capacity: 7 kg/minute, 50-700 portions/day machine housing, pusher plate, cutting chamber and discharge chute are made of aluminium thermal protection against overloading 2 incorporated safety switches 350rpm 0.37kw rating
298	Bonnet Optimum IB906FRC6DCE4 twin tank twin basket electric fryer brand new
299	Brand New Wolf W1S7PL4PG10 gas smooth griddle stainless steel commercial smooth plate griddle 545mm x 345mm plate size 5.kW gas 730mm x 1020mm

300	MBM G6SF972P 6 burner brand new The watertight pressed, 45mm deep, worktop is in 1.5 mm AISI 304 stainless steel with drawn edges allows an efficient burning and prevents liquid overflowing, ensuring easier cleaning operations. The removable burners in enameled cast iron and the brass burner caps of ...[more]
301	Wolf W1S1FFIR4PE induction hob brand new electric induction hob 400mm
302	Wolf W1S9CL4PE mirror finished smooth plate griddle brand new
303	MBM ET99 solid top boiling top with under cupboard brand new The worktop is in 2 mm AISI 304 stainless steel with pressed edges for liquid collection. The cooking plate with a surface area of 50 dm2 is in cast iron (10 mm thickness) with a removable central ring and it is powered by a 12 kW cast iro ...[more]
304	MBM EF477T counter top electric fryer brand new Fryer The worktop is in AISI 304 18/10 stainless steel of 1.5 mm thickness. The AISI 304 18/10 stainless steel tanks, moulded and with rounded corners, are fixed to the surface with continuous welding to facilitate cleaning operations and sanification. ...[more]
305	MBM EF477T counter top electric fryer brand new Fryer The worktop is in AISI 304 18/10 stainless steel of 1.5 mm thickness. The AISI 304 18/10 stainless steel tanks, moulded and with rounded corners, are fixed to the surface with continuous welding to facilitate cleaning operations and sanification. ...[more]
306	MBM G6SF972P 6 burner brand new The watertight pressed, 45mm deep, worktop is in 1.5 mm AISI 304 stainless steel with drawn edges allows an efficient burning and prevents liquid overflowing, ensuring easier cleaning operations. The removable burners in enameled cast iron and the brass burner caps of ...[more]
307	Bonnet Minijet B1MJ061E-40 6.3kW 3phase electric 6 level GN 1/1 electric oven VisioPAD® toughened glass control panel comprising a large colour LCD touch screen and coding knob CoreControl : Automatic power adjustment to match the actual product load being cooked in the so cooking is always spot on ...[more]
308	Milantoast model 16000X contact griddle
309	Bechilled 4 tier grab and go chilled display counter complete with night blind 960mm
312	Stainless sttel L shaped end counter unit / cashier station 1230/800mm (49)
313	2 x Prestine paper towel roll dispensers
314	Hobart H300 planetary mixer (36)
315	Mobile refrigerated carvery unit with illumination 1200mm x 780mm (44)
316	Falcon G5478 steam cupboard commercial steam oven 6 shelves included (560mmx440mm) 600mm x 900mm x 1570mm (21)
317	Mobile refrigerated carvery unit with illumination 1200mm x 780mm (43)
318	Lincat LD3 heated display with gantry thermostatic control food holding temp: min 72°C allows base heat to be adjusted to suit a variety of food products robust stainless steel construction. overhead gantry with halogen heat lamps give heating surface 1088mm x 500mm overall 1130mm x 538mm x 562mm (3 ...[more]

319	Cornelius 3GSS stainless steel milk pack dispenser 360mm x 430mm x 700mm
320	Stainless steel mobile preparation table with shelf 1800mm x 650mm
322	Crypto Peerless CC14 potato peeler 14lb capacity, powered by 1/3 hp motor. Pressure die cast aluminium body with a burnished finish providing protection against corrosion. Peeling plate and chamber Walls lined with close mesh carborundum abrasive. Drum can be rotated to any desired position. Waste o ...[more]
323	Crypto Peerless EC20 planetary mixer
326	Stainless steel mobile preparation table with undeself and drawer 1800mm x 650mm
327	Olympia insulated hot water flask
328	Lincat LD3 heated display with gantry thermostatic control food holding temp: min 72°C allows base heat to be adjusted to suit a variety of food products robust stainless steel construction. overhead gantry with halogen heat lamps give heating surface 1088mm x 500mm overall 1130mm x 538mm x 562mm (3 ...[more]
329	Victorian Baking Ovens PW potato warmer cast and glass construction (40)
330	Stainless steel server over counter 1960mm x 780mm (42)
331	Lincat J12 2 x 9 ltr twin tank fryer with 2 baskets front mounted controls ensure safe working practice hinging element with safety cut-out provides easy access to tank for cleaning high quality grade 304 stainless steel fryer tanks, fully welded to hobs for added strength & a smooth, easy clean sea ...[more]
332	Falcon Dominator G2117/2 two tier general purpose oven two tier oven thermostatically controlled with piezo ignition 5 shelf positions with 2 shelf cooking useable oven dimensions:700mm (w) x 540mm (d) x 400mm (h) vitreous enamelled oven lining 26,500btu/h 900mm x 770mm x 1700mm (12 / 13)
334	Electric sold top boiling table with oven 900mm x 770mm
335	Falcon G1112 forced air convection oven on stand (14)
336	Buffalo J616 planetary mixer
337	Victor Sovereign HD61-3T 3 drawer heated cabinet 220V/240V, 1 phase, 50 Hz, 1kW loading, 4.5 Amps
338	Montague EC-36-SHB-PL steakhouse broiler with plancha top Montague's range of steakhouse broilers with plancha tops offer a chef the best way to cook steak, burgers, chicken, fish, cheese and vegetables! This powerful broiler gets up to 1000 degrees celcius making it possible for any good chef to ac ...[more]
339	Victor Sovereign HD61-3T 3 drawer heated cabinet 220V/240V, 1 phase, 50 Hz, 1kW loading, 4.5 Amps
340	Hobart HX0-40 pass thru dishwasher with infeed wash down station (3)
341	Williams Gem 4 tier chilledopen front display server

342	Ideign heated drop in serve over unit 1880mm x 660mm
343	Zanussi commercial three drawer three door undercounter stainless steel bench chiller 2060mm x 700mm
344	Williams PW4/R290 refrigerated prep well capacity 4 x 1/3GN or 6 x 1/6 x 150mm gastronorm pans
345	Aspull Catering Equipment stainless steel double carvery pad double heat lamp 240v single phase
346	Blodgett solid state convection oven 10 tray slides electric 3 phase
347	Quest glass door drinks refrigerator 500mm x 520mm x 860mm
348	Osborne single door back bar cooler capacity 105 x 275ml bottles temperature range +2 to +8C 493mm x 540mm x 800mm
349	Classeq Hydro 500 glass washer 180 Plates per hour 400mm basket 450mm x 550mm x 750mm
350	Moffat Versicart V3 mobile carvery unit 3 lamp gantry holds 3 x GN 1/1
351	Moffat V3ITEM1-I serve over 2 door hot cabinet complete with 3 lamp heated gantry
352	Moffat Versicart V3 mobile carvery unit holds 3 x GN 1/1
353	Moffat Versicart V3 mobile carvery unit holds 3 x GN 1/1
354	Moffat Versicart V3 mobile carvery unit 3 lamp gantry holds 3 x GN 1/1
355	Moffat Versicarte V3 mobile hot cabinet with heated gantry
356	GGM GASTRO vegetable cutter model EMP300 year 2014
357	Hobart CAN-E S/N 864C29852 pass-through conveyorised dishwasher complete with infeed
358	Victor CARIBFRAME (S) ambient 2 door storage cupboard complete wit tray slide 1500mm x 900mm
359	Victor CARIBFRAME (S) +DRMT4WY chilled grab and go unit with tray slide 1600mm x 900mm
360	Victor BTREF-2 table top chilled unit
361	Victor CARIBFRAME (S) ambient 2 door storage cupboard complete wit tray slide 1500mm x 900mm
362	Victor CARIBFRAME (S) +DRMT4WY chilled grab and go unit with tray slide 1600mm x 900mm
363	Victor CARIBFRAME (S) + DLWL4CZ chilled island counter 1600mm x 900mm x 1440mm complete with tray slide

364	Victor CARIBFRAME (S) + DLWL4CZ chilled island counter 1600mm x 900mm x 1440mm complete with tray slide
365	True Single Glass Door Fridge Model: GDM-19T Excellent condition 5 x adjustable shelves Interior door light Top display light Removable compartment inserts W – 67.5, D – 63CM, H – 200cm s/n 6817500
366	Nesso Titan single glass door upright drinks display fridge 450 s/n 406007
367	Lincat Electric Convection Oven EC09 cook & hold modes to +80°C 1/1GN compatible manual water injection supplied with nickel plated wire grills twin fan oven for fast and even cooking double glazed door adjustable shelving position allows for 600 x 400mm baking trays to be inserted capacity 1/1 ...[more]
368	Curved glass table top stainless steel pie oven and warmer
369	Autonumis LG21777 refrigerated milk percale counter top dispenser
370	Cornelius 3GSS stainless steel milk pack dispenser 360mm x 430mm x 700mm
371	Hulme Martin Sontex table top sealer hand operated sealing jaw 250mm/245mm single phase (s/n 253649)
372	Stainless steel preparation table with undershelf 1800mm x 600mm
373	Stainless steel preparation table with undershelf 1800mm x 600mm
374	Burco CTGL01 (444448736) electric light duty salamander grill 2.8kW 610mm x 330mm x 294mm
375	Buffalo model L371B table top bain marie
376	Cornelius 3GSS stainless steel milk pack dispenser 360mm x 430mm x 700mm
377	Moffat Versicarte V3 mobile hot cabinet with heated gantry
378	Caravell curved glass chilled serve over deli counter refrigerated 940mm x 700mm x 1300mm
379	4 tier chilled grab and go unit with night blind 1000m
380	Stainless steel five tier kitchen trolley 1000mm x 450mm x 1050mm
381	Caravell Frulinox refrigerated blown air salad island counter 1480mm x 710mm
382	MKN Optima 850 electric clam char-grill precise thermostatic temperature control for consistent results and economical operation independently controlled cooking zones for greater flexibility and economy during quieter periods 2 separately adjustable heating zones digital timer on each clam plate en ...[more]
383	MKN Optima 850 electric clam char-grill precise thermostatic temperature control for consistent results and economical operation independently controlled cooking zones for greater flexibility and economy during quieter periods 2 separately adjustable heating zones digital timer on each clam plate en ...[more]

384	MKN Optima 850 electric clam char-grill precise thermostatic temperature control for consistent results and economical operation independently controlled cooking zones for greater flexibility and economy during quieter periods 2 separately adjustable heating zones digital timer on each clam plate en ...[more]
385	DCS Limited chilled patisserie display counter 1030mm x 900mm x 1030mm
386	DCS Limited chilled patisserie display counter 1530mm x 900mm x 1300mm
387	Moffat Versicarte V3 mobile hot cabinet with heated gantry
388	Moffat Versicarte V3 mobile hot cabinet with sneeze guard
389	Moffat Versi V3 Baine Marie holds 3 x GN 1/1 pans with overhead lighting gantry two door cupboard under 1190mm x 640
390	Moffat Versicart 3V3 mobile carvery unit 3 lamp gantry holds 3 x GN 1/1
391	Moffat Versicart V3 mobile carvery unit 3 lamp gantry holds 3 x GN 1/1
392	Moffat Royale 3 mobile carvery unit with cupboard under holds 3 x GN 1/1
393	Moffat Versicarte mobile ambient merchandiser 3 glass internal shelves and base open back cabinet side glass walls 1200mm x 640mm
394	Osborne 2500 stainless steel solid door back bar cooler 220 litre capacity temperature range 2 / 8°C 900mm x 900mm x 515mm
395	Chameleon Vega insectocutor electric fly killer
396	Tefcold SA910 refrigerated counter gastronorm sized counter fan assisted cooling digital temperature display temperature range +2/+10 c 1 stainless steel exterior finish 900mm x 700mm x 880mm
397	Osborne 2500 stainless steel solid door back bar cooler 220 litre capacity temperature range 2 / 8°C 900mm x 900mm x 515mm
398	Stainless steel gas salamander 930mm x 510mm
399	Moffat 3V3 two sliding door hot cupboard with Baine Marie top holds 3 x GN1/1 pans 1200mm x 640mm
400	Moffat 3V3 two sliding door hot cupboard with Baine Marie top holds 3 x GN1/1 pans 1200mm x 640mm
401	Moffat 3V3 two sliding door hot cupboard with Baine Marie top holds 3 x GN1/1 pans 1200mm x 640mm
402	Bonnet automatic tilt gas brat pan 80 dm2 well with a 15mm bimetal base (12 mm mild Steel + 3mm Stainless), 250 mm deep with a capacity of 170 litres, it will accept 4 GN 1/1 containers 820mm x 670mm x 250mm
403	Design Line stainless steel drop in unit with open front 1160mm
404	Zoin AW1080 grab and go chilled display counter with night blind 1000mm

405	Moffat 5Z3 carvery servery with hot cupboard under holds 4 x GN 1/1 and 1 x meat carvery pad 1800mm x 750mm x 1300mm
406	Orion OM5418B heated top ceran holds 6 x GN1/1 pans with heated gantry and sneeze guard 1900mm x 1100mm x 1400mm
407	Orion wet well Baine Marie carvery unit holds 3 x GN 1/1 1250mm x 850mm x 1400mm
408	Mobile granite topped tray holder holds 385mm x 545mm trays 1400mm x 780mm x 850mm.
409	Mobile granite topped tray holder holds 385mm x 545mm trays 1400mm x 780mm x 850mm.
410	Moffat Versicarte V3 mobile hot cabinet
411	Moffat mobile hot cabinet with 9 pot bain marie unit
412	Janymede Heatsor wet well Baine Marie holds 6 x GN 1/1 pans electric 240v mobile
413	MIWE Aeromat CS convection oven & proofer 400v 23Kw 600mm x 400mm trays x 8 grid with proofing cabinet under 3 phase (1999)
414	Inomak CE2140 PTL stainless steel double door fridge 1152 litre capacity temperature range: +1 to +10°c 1440mm x 768mm x 2115mm (29)
415	LTH Breza 125M reach in merchandiser refrigerated temperature range 0°C/+2°C 1340mm x 920mm x 1975mm (45)
416	Easy Reach-Express [R290] refrigerated merchandiser 214 litre capacity Smart defrosting system & accurate temperature control through EMD 654mm x 710mm x 1429mm
417	Gram Plus M 1270 double door stainless steel refrigerator temperature range -5/+12°C 863 litre capacity 1390mm x 876mm x 2000mm
418	Polar G594 1200 Ltr upright double door fridge stainless steel exterior and aluminium interior gastronorm 2/1 interior 6 sets guides led digital temperature display universal wheels polar compressor the removable seal on the door can be cleaned and replaced lockable castors dixell thermostatic contr ...[more]
419	Polar G594 1200 Ltr upright double door fridge stainless steel exterior and aluminium interior gastronorm 2/1 interior 6 sets guides led digital temperature display universal wheels polar compressor the removable seal on the door can be cleaned and replaced lockable castors dixell thermostatic contr ...[more]
420	L shaped cashier station counter 780/1200mm
421	L shaped cashier station counter 780/1200mm
422	L shaped cashier station counter 780/1200mm
423	Gas six burner open top range with oven Natural gas inlet 3/4" BSP Inlet pressure: 20 mbar Operating pressure: 15 mbar Flow rate: 4.1 m3/hr 6 x 19,900 btu/hr / 6 x 5.3kW hob burners Oven burner rating 26,600 btu/hr / 7.1kW (11)
424	Bonomat TH10 coffee percolator (41)

425 Brand New Lincat EB3F 9 Ltr Filterflow automatic water boiler output per hour: 31 litres - 205 cups rapid draw off: 9 litres - 60 cups
boiling time from empty to full capacity: 26 mins unique built-in filtration ensures premium water quality & reduced scale build up filter life
- approx 4000 litres ...[more]

426 Stainless steel preparation table 900mm x 600mm
