

Wignall Brownlow



MACHINE TOOLS and TOOLROOM EQUIPMENT

NO RESERVE AUCTION

Ended 15 Oct 2019 14:59 BST

PDG Machinery Services
Sunny View
Bath Road
Bridgwater
Somerset
TA7 8PE
United Kingdom

Lot	Description
1	A Colchester Mascot 1600 Centre Lathe, 17in Swing Over Bed, 10 1/2in Swing Over Cross Slide, 40in Between Centres, 3in Spindle Bore, Spindle Speeds 12-1600rpm, Imperial Dials, 3 Jaw Chuck, Taper Turning Attachment.
2	A Boxford Centre Lathe, 9in Diameter Swing Over Bed, 16in Between Centres, Speeds 40-1400rpm, 3 and 4 Jaw Chucks, Single Phase, 240v.
3	A Putsch Meniconi Type SVP 145 Vertical Wall Saw, Capacity 4200mm x 2200mm, Maximum Cutting Thickness 60mm, Blade Size 250mm, Blade Speed 5300rpm, Single Phase, 3kw Motor with An SIP No.01924 1HP Mobile Dust Collection Unit.
4	A Colchester Triumph 2000 Gap Bed Centre Lathe, swing over bed 15in, between centres, 50in, spindle speeds 25-2000rpm NB. this machine requires attention, the change gears are missing and the headstock is noisy.
5	A Le-Blond Regal Polishing Lathe, Spindle Bore 3in, Spindle Speeds 25 to 1000rpm, Swing Over Bed 16in, Between Centres 16ft, LOESE SF106 Polishing Unit with 6 Jaw Chuck.
6	A Kitchen and Walker E50-1400 Radial Arm Drill, 5 Morse Taper, Drilling Radius 1400mm, Speeds 25-1560rpm, Box Table 900 x 450 x 500mm, DC Telescopic Safety Brake.
7	An Asquith OD1 4ft Radial Arm Drill, spindle taper 5 morse, box table 36in x 20in x 20in high.
8	A Town Woodhouse 4ft 6in Radial Arm Drill, Spindle Taper 5 Morse (3in), Spindle Speeds 90-1000rpm, Box Table 36in x 24in x 22in.
9	A Meca 6 Spindle Turret Drill, Table 20in x 16in with Compound Table.
10	A Herbert V Type 3 Spindle Drill, Table 35in x 16in, 3 Morse Taper.
11	A Jones and Shipman 1305E Cylindrical Grinding Machine, 40in Between Centres, 10in Swing Over Bed, Wheelhead Speeds 1720 and 2000rpm, Swivel Table, Swivel Workhead.
12	A Jones and Shipman 1305E Cylindrical Grinding Machine, 40in Between Centres, 10in Swing Over Bed, Wheelhead Speeds 1500 and 1750rpm, Swivel Table, Swivel Workhead.
13	A Jones and Shipman Vertical Centre Grinder, Capacity 36in, Throat 6 1/2in, 3 x Speeds 1440-3000rpm, 3 Phase, 1/3HP.
14	An ALPA Type RVA 800 Vertical Spindle Surface Grinder, Table 31in x 10in, Magnetic Chuck 29 1/2in x 10in, Grinding Spindle Diameter 10in.

15	A Jones and Shipman Type 540AP Toolroom Surface Grinder, Capacity 18in x 6in with Optidress, Power Rise and Fall.
16	A Jones and Shipman Type 540 Toolroom Surface Grinder, Capacity 18in x 6in.
17	An ELB Type SWZ6 Programmable Tool Room Surface Grinder, Table 800mm x 400mm, Electro Magnetic Chuck Fine Pole 600mm x 400mm.
18	An ELB Type SWZ6 Programmable Tool Room Surface Grinder, Table 650mm x 250mm, Electro Magnetic Chuck Fine Pole 600mm x 300mm.
19	A BACH Duplex Twin Wheel Grinder, Wheel Size 20in, Compumotor RP240 Control with Spare Wheels.
20	A Europa Jainher Type JHC-12BN Centreless Grinder, Grinding Wheels Diameter 305 x 150 x 120mm, Grinding Wheel Speed 1900rpm, 7.5hp.
21	A Rusch Type HBS260 Horizontal Bandsaw, Variable Speed Gearbox.
22	A Startrite 20 RWS Vertical Bandsaw, Table Size 20 1/2in x 20 1/2in, Throat 20in, Daylight 10in, Blade Speeds 50-3000rpm, Sliding and Tilting Table, Blade Welder.
23	A Qualters and Smith Model HDS 8 Power Hacksaw, Capacity 8in Diameter, Blade Size 18in, Swivel Vice, 3 Phase Electrics.
24	A Sealey Model SM2254 Heavy Duty Cut off Saw, Blade Size 225mm, Capacity 65mm Tube, 80 x 55mm Flat, Swivel Head 0-45 Degrees, Single Phase, 230v.
25	A Qualters and Smith B7 Sawmaster Horizontal Bandsaw.
26	A Clarke Horizontal Bandsaw 4 1/2in Capacity, Single Phase with Vertical Table.
27	A Wadkin Type SP12 Panel Saw, Blade Diameter 12in, Blade to Outer Support 48in, Tilting Blade.
28	An Edwards Sheet Metal Treadle Guillotine, 36in x 18 SWG.
29	An F.J EDWARDS Manual Folding Machine, Max Sheet Length 36in, Max Opening 1 1/2in.
30	A Barnes Hydraulic Downstroke Sheet Metal Press Brake, Capacity 48in x 15 ton.
31	An RJH Grindingmaster Horizontal Belt Sander, 6in Wide x 32in Long, Rubber Drive Belt, Vertical Belt Sander, Max Belt to Sanding Head 3 1/2in with Extractor.
32	An RJH Pedestal Mounted Horizontal Bandfacer, 4in Wide x 10in Long, 3 Phase, 415v.
33	A Bridgeport BR2J Turret Milling Machine, Variable Speed Head, Table Size 42in x 9in, Spindle Taper R8, Spindle Speeds 50-3750rpm, Power Feed to Table, Power Feed to Spindle, Coolant System.
34	A JUARISTI Horizontal Boring Machine, Rotating Table 35 1/2in x 29in, Cross Traverse 30in, Long Traverse 39in, Spindle 2 1/2in, Spindle Speeds 28-1400rpm, 3 Axis DRO.

-
- 35 A Hurco Agemaspark 580 Toolroom Spark Erosion Machine, Tank Size 30in x 18in x 8in Deep.
-
- 36 An Agemaspark Eurospark Model H425 Spark Erosion Machine, Table 420mm x 300mm, Generator Eurospark AP10 Mk11.
-
- 37 A Cebora ART268 Spot Welding Machine, 20kVA. Throat 18in.
-
- 38 A Mandrian Type RPS/15A Spot Welding Machine, 15kVA, Throat 18in.
-
- 39 A Filtermist F13 Stand Mounted Industrial Mist Extractor.
-
- 40 A Filtermist F13 Stand Mounted Industrial Mist Extractor.
-
- 41 A TAFE JP-5000 HP HVOF Flame Spray System with Model 5120 Control Console and Hobart TAFE Type HVOF-ANLAGE Flame Spray System.
-
- 42 A Magnaflux Type HWSL 3700 Magnetic Partical Flaw Detection Machine (Designed to Process Disc/Ring Type Components Without Making Contact), Overall Length 2500mm, Overall Height 1500mm, Overall Depth 1400mm, Height to Working Surface 1000mm, Air Supply Regulator 4 BAR, Max Component Weight 100kg, M ...[more]
-
- 43 A Thermico Type MPS-25-HP Powder Feeder.
-
- 44 A Precisionlap Model 36 Lapping Machine, Table diameter 36in.
-
- 45 An Ormerod Toolroom Slotting Machine, Max Stroke 8in, Table Diameter 20in, Throat 16in.
-
- 46 A Raybrook Model 300 Precision Honing Machine, Capacity 0.088-3.5in Diameter, Drive Speeds 245, 380, 550 and 675rpm.
-
- 47 A Norton No.5 Fly Press on Stand, Throat 5 1/2in, Daylight 8in.
-
- 48 A Gallenkamp Type BS250 Size 2 Low Temperature Electric Oven, 40-260 Amp, Aperture 500 x 600 x 440mm Deep.
-
- 49 A Gallenkamp Type BS250 Size 2 Low Temperature Electric Oven, 40-260 Amp, Aperture 500 x 600 x 440mm Deep.
-
- 50 A Gallenkamp Type BS Size 1 Low Temperature Electric Oven, 40-280 Amp, Aperture 400 x 440 x 350mm Deep.
-
- 51 An Ingersoll Rand Type 7/20 Single Axle Mobile Diesel Engine Site Compressor, 2.4 BAR, Twin Port, Key Start.
-
- 52 A Gordian Model JK-2 Strapping Machine, Table Size 24in x 21in, Power 0.56kVA, Motor 240 volt (2016).
-
- 53 An ETS Bernard Type HB6120P Industrial Sealing Machine, Throat 12in, Daylight 47in, Power Capacity 1800w.
-
- 54 A Slingsby Heavy Duty Trolley, 660mm x 960mm x 240mm Height, Total Height of Handle 930mm.
-
- 55 A Powell Vertolifter Type VTR36 Hydraulic Tool Lift Truck, S.W.L. 360kg at 300mm Load Centre, Length of Fork 20in, Max Lift Height 75in.

56	A Sahara Model DF30DVS Industrial Fan, 110V-50Hz 340W Max, 220-240V-50Hz 378W Max, Diameter 830mm.
57	3 IMS Type VT Transformers, Electric/Gas Cabinet Model IMS1515 + BV T-001, 2 x Gas Inputs 12 x Gas Outputs, Electrical 415 Volts-230 Volts-110 Volts.
58	A Large Transformer: 220V, 360V, 420V, 480V and 575V, 50HZ and 60HZ, A.C.-D.C. Servo and D.C. Electric, Variable Servo and Electric Speeds.
59	A Bott 6 Drawer Tool Chest, 600mm x 630mm x 900mm High.
60	An 8 Drawer Tool Chest, 590mm x 660mm x 820mm High.
61	A Polstore 6 Drawer Tool Chest, 590mm x 660mm x 820mm High.
62	A 7 Drawer Tool Chest, 510mm x 630mm x 860mm High.
63	A 6 Drawer Tool Chest, 655mm x 590mm x 820mm High.
64	A 6 Drawer Tool Chest, 790mm x 750mm x 1090mm High.
65	A 6 Drawer Tool Chest, 650mm x 580mm x 820mm High.
66	A Double Door Tool Cabinet, 1000mm x 400mm x 1000 High.
67	A Double Door Tool Cabinet, 1000mm x 450mm x 770mm High.
68	A Versatool Double Door Tool Cabinet, 720mm x 470mm x 1060mm High.
69	A Double Door Tool Cabinet, 720mm x 470mm x 910mm High.
70	A Mobile Double Door Tool Cabinet, 1070mm x 470mm x 1060mm High.
71	A Double Door Tool Cabinet, 1430mm x 790mm x 1000mm High.
72	A Tool Cabinet, 540mm x 410mm x 920mm High.
73	A Double Door Tool Cabinet, 720mm x 470mm x 910mm High.
74	A Tool Cabinet, 760mm x 450mm x 880mm High.
75	A Tool Cabinet, 760mm x 450mm x 880mm High.
76	A Drop Leaf 3 tier Tool Trolley, Work Surface 740mm x 510mm, Extends to 1200mm x 510mm, Total Height 850mm.

77	A 3 tier Steel Tool Trolley with Cabinet, Work Area 1210mm x 550mm x 865mm Height, Total Height 940mm.
78	A Steel Tool Trolley with 3 Drawers and Cabinet, Work Area 905mm x 465mm x 740mm Height.
79	A 3 tier Steel Tool Trolley, Work Area 560mm x 920mm x 870mm Height, Total Height 940mm.
80	A Steel Framed Timber Top Mobile 2 tier Work Bench, 1380mm x 790mm x 790mm high.
81	A Large Stackable Stillage, Depth of Cage 590mm, Width of Cage 1690mm, Overall Height 1000mm, Overall Length 3100mm, Overall Width 1900, SWL 2500Kg.
82	A Large Stackable Stillage, Depth of Cage 590mm, Width of Cage 1690mm, Overall Height 1000mm, Overall Length 3100mm, Overall Width 1900, SWL 2500Kg.
83	A Double Pedestal Steel Desk with 4 Drawers, 1540mm x 790mm x 790mm Height.
84	A Lin Bin Cupboard, 970mm x 620mm x 1820mm High.
85	A Steelpact Tool Cabinet with Key, 770mm x 470mm x 900mm High.
86	A Jones and Shipman Type 540P Tool Room Surface Grinder, Capacity 18in x 6in, Power Rise & Fall to Wheelhead.
87	A Sapin Floor Standing Furnace, Aperture 6in x 4in x 12in Deep, Max Volt 500, Max Amps 60.
88	A Carl Bockwoldt Tube Crimping and Notching Machine with Tooling, Max Power 2.2kw.
89	A Morgan Rushworth BP50 Box and Pan Folding Machine, Capacity 50in x 10swg with 38in of Top Tooling.
