

## Workingman Capital Corp. / Capital Recovery Group / PPL Auctions

HIGH QUALITY COMPLETE BCTMP PULP PLANT - DAY

Massive 2-Day Webcast Auction of International Interest

4181 Chetwynd Pulp Mill Road V0C 1J0 Chetwynd British Columbia British Columbia Canada

Started 07 set 2022 09:00 PT (17:00 BST)

| Lot | Description  |
|-----|--|
| 1   | Lot of (2) 40 inch 3/4 drive 100-600 ft lb torque wrenches with cases (GROUND FLOOR)   |
| 1A  | Lot of (2) 40 inch 3/4 drive 100-600 ft lb torque wrenches with case (GROUND FLOOR)  |
| 1B  | Lot of (50) asst 3/4 drive sockets (GROUND FLOOR)  |
| 2   | Lot of asst torque wrenches, ratchets and sockets (GROUND FLOOR)   |
| 3   | Lot of (1) Proto torque multiplying head and (1) Gray Tools torque head (GROUND FLOOR)   |
| 4   | Lot of Greenlee tools including (2) 7806SB quick draw hydraulic punch drivers, 2201 circuit seeker kit, and asst knock outs (GROUND FLOOR)   |
| 5   | { Group of lots: 5, 6, 7 } Lot of (2) Lincoln battery operated Power Luber grease guns (GROUND FLOOR)  |
| 6   | { Group of lots: 5, 6, 7 } Lot of asst electric hand tools including saws, sawzall, right angle grinders, polishers, and small pumps (GROUND FLOOR)  |
| 7   | { Group of lots: 5, 6, 7 } Lot of asst hand tools including pneu impact guns, wire crimper, bolt cutters, conduit benders, pneumatic jackhammer, etc (GROUND FLOOR)  |
| 8   | { Group of lots: 8, 9 } Lot heavy duty pullers (GROUND FLOOR)  |
| 9   | { Group of lots: 8, 9 } Lot of asst testing tools and kits including Fluke 789 Process Meter, Fluke Pressure Calibrator, Simpson 260 volt meter, gas analyzer, sound calibrator, and cooling tester (GROUND FLOOR) |
| 12  | Lot of perishable tooling including drills, reamers,, hole saws, cutting discs, tap and dies, core cutters, etc (GROUND FLOOR)   |
| 13  | Greenlee 1990 dieless crimper with steel storage box (GROUND FLOOR)  |
| 14  | Ridgid HC450 hole cutter, 115 volt, 1 phase, 8 inch max cutting size with steel storage box (GROUND FLOOR)   |
| 15  | Power Team hydraulic unit with (2) asst jacks (GROUND FLOOR)   |

| 16  | { Group of lots: 16, 17, 18 } power hydraulic unit with (2) Enerpac jacks (GROUND FLOOR)  |
|-----|---|
| 17  | { Group of lots: 16, 17, 18 } Enerpac hydraulic hand pump with (2) flat jacks (GROUND FLOOR)  |
| 18  | { Group of lots: 16, 17, 18 } Enerpac hydraulic hand pump with (2) flat jacks (GROUND FLOOR)  |
| 19  | Lot of (3) asst SKF hydraulic hand pumps (GROUND FLOOR)   |
| 20  | Greenlee 800 one shot lightweight tube bender, 1/2 - 2 inch capacity with storage case (GROUND FLOOR)   |
| 21  | Autoclave engineers hydraulic tube bender, 1/4 - 1 inch capacity with Enerpac hydraulic hand pump and case (GROUND FLOOR)   |
| 22  | SKF THAP300 Air driven hydraulic oil injector with accessories and steel storage box (LOCATED GROUND FLOOR)   |
| 23  | Hilman 4pc 15 ton capacity machinery moving dolly set with case (GROUND FLOOR)  |
| 24  | Miller Dimension 652 CC/CV DC Welding power source, 72 max ocv, sn KK188665, 230/460/575 volts, 3 phase with cart (LOCATED GROUND FLOOR)                            |
| 25  | Miller Syncrowave 250 DX welding power source, sn MB330364L, 230/460/575 volts, 3 phase (LOCATED GROUND FLOOR)  |
| 26  | { Choice of lots: 26, 27 } Miller Syncrowave 250 CC AC/DC welding power source, 80 max ocv, sn KG195015, 230/460/575 volts, 3 phase (LOCATED GROUND FLOOR)          |
| 27  | { Choice of lots: 26, 27 } Miller Syncrowave 250 CC AC/DC welding power source, 80 max ocv, sn KH328588, 230/460/575 volts, 3 phase (LOCATED GROUND FLOOR)          |
| 28  | Miller Intelliweld 650 constant current DC arc welding power source, sn JH223471, 80 max ocv (LOCATED GROUND FLOOR)   |
| 29  | { Group of lots: 29, 29A, 29B } Acklands N-250 AC/DC arc welding power source, sn KC175943, 71 max ocv, (LOCATED GROUND FLOOR)                                      |
| 29A | { Group of lots: 29, 29A, 29B } Miller CP/CC-1500 constant current DC arc welder / power source, 80 max OCV, 1500 amps, 44 volts FOR PARTS OR REPAIR (GROUND FLOOR) |
| 29B | { Group of lots: 29, 29A, 29B } Miller Syncrowave 250 constant current arc welding power source, 80 max ocv, 230/460/575 volts FOR PARTS OR REPAIR (GROUND FLOOR)   |
| 30  | { Group of lots: 30, 32, 33 } Lot of (3) acetylene cutting torch carts with hose and gages (LOCATED GROUND FLOOR)   |
| 32  | { Group of lots: 30, 32, 33 } GreenLee 5 ft wide steel jobsite gang box (LOCATED 3RD FLOOR)   |
| 33  | { Group of lots: 30, 32, 33 } Greenlee 42 inch wide X 20 inch deep steel jobsite box (GROUND FLOOR)   |
| 34  | Hotsy Water Blast WB3004 port pressure washer with wand, 7.5 HP, 3 phase (GROUND FLOOR)   |

| 35 | { Group of lots: 35, 36, 37, 38 } JD Manufacturing VPC24-POWOSC, sn 0113, Extreme Air portable misting fan with PVC reservoir, 1 phase (LOCATED GROUND FLOOR)        |
|----|--|
| 36 | { Group of lots: 35, 36, 37, 38 } JD Manufacturing VPC24-POWOSC, sn 0313, Extreme Air portable misting fan with PVC reservoir, 1 phase (LOCATED 2ND FLOOR)           |
| 37 | { Group of lots: 35, 36, 37, 38 } JD Manufacturing VPC24-POWOSC, sn 0613, Extreme Air portable misting fan with PVC reservoir, 1 phase (LOCATED 2ND FLOOR)           |
| 38 | { Group of lots: 35, 36, 37, 38 } Hotsy APW-S7230-1 parts washer, portable with hot water cycle, 115 volt, 1 phase (LOCATED 3RD FLOOR)                               |
| 39 | { Group of lots: 39, 40 } Citation electric parts washer, 44 inch wide X 24 inch deep compartment, 120 volt, 1 phase (LOCATED GROUND FLOOR)                          |
| 40 | { Group of lots: 39, 40 } Fountain E-200 parts washer, 36 in wide X 24 inch deep wash bin, 1 phase (LOCATED 3RD FLOOR)   |
| 41 | { Group of lots: 41, 42, 43, 44 } PSC Cleaning Systems S429K448A-600 portable pressure washer, 600 volts, 3 phase, 7.5 HP motor, sn 9511 (GROUND FLOOR)              |
| 42 | { Group of lots: 41, 42, 43, 44 } PSC Cleaning Systems S429K448A-600 portable pressure washer, 600 volts, 3 phase, 7.5 HP motor, sn 11562 (LOCATED 3RD FLOOR)        |
| 43 | { Group of lots: 41, 42, 43, 44 } PSC Cleaning Systems S429K448A-600 portable pressure washer, 600 volts, 3 phase, 7.5 HP motor, sn<br>11564 (LOCATED 3RD FLOOR)     |
| 44 | { Group of lots: 41, 42, 43, 44 } PSC Cleaning Systems S429K448A-600 portable pressure washer, 600 volts, 3 phase, 7.5 HP motor, sn<br>11567 (LOCATED 3RD FLOOR)     |
| 45 | Ridgid 1822-IC electric portable pipe threadder,, 120 volt, 16/45 rpm, with oiler pan and foot pedal control (LOCATED GROUND FLOOR)                                  |
| 46 | Ridgid 300T2 portable electric pipe threadder with stand, oiler pan and foot controls, 1 phase (LOCATED 3RD FLOOR)   |
| 47 | Power Team SPP55, 55 ton H-Frame hydraulic press, with hydraulic unit and protective cage (LOCATED GROUND FLOOR)   |
| 48 | T-Jaw TJ-6000, 24 inch vertical bandsaw, 220 volt, 3 phase with blade welder/sharpener/grinder attachment (LOCATED GROUND FLOOR)                                     |
| 49 | King KC-2102C, 21 inch, 2 speed vertical bandsaw, 2 HP, 1 phase, with RIP Fence (LOCATED GROUND FLOOR)   |
| 50 | Roper Whitney 8 ft manual bending brake, 16 gage capacity, on casters (LOCATED 3RD FLOOR)  |
| 51 | { Group of lots: 51, 52 } 2014 Sennebogen 830 wheeled hydraulic material handler, 5804 hours, 6.7 Cummins Diesel engine, s/n<br>830.0.1768 (LOCATED FRONT YARD AREA) |
| 52 | { Group of lots: 51, 52 } Aspen 30 ft X 108 inch off road log trailer with pintel style hook receiver (LOCATED FRONT YARD AREA)                                      |

| 53 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Debarking Line (wet side) consisting of Lots 54 to 61 sold as entire package (LOCATED WOOD BLDG) - subject to piecemeal bids lots 54 to 61   |
|----|--|
| 54 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } dual drag chain log feeder decks and lift, approx 40 ft long and 10 ft wide with auto index log feed (LOCATED WOOD BLDG) - subject to entirety bid lot 53  |
| 55 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } electronic metal detector, 45 inch wide X 36 in tall X 36 inch deep with approx 36 inch wide belt X 14 ft long conveyor (LOCATED WOOD BLDG) - subject to entirety bid lot 53   |
| 56 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } hydraulic reject log kicker with approx 8 ft wide X 40 ft long discharge drag chain conveyor (LOCATED WOOD BLDG)- subject to entirety bid lot 53   |
| 57 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Nicholson A5A-27-A5-RH ring log debarker, twin feed work grippers with infeed conveyor (LOCATED WOOD BLDG) - subject to entirety bid lot 53  |
| 58 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Nicholson 96-12K-SOS 96 inch disc chipper with Siemens type RGS drive motor 1250 HP, 4000 volt 1176 RPM, Falk 2140Y1-L gear drive 1200 RPM input / 435.1 output (LOCATED WOOD BLDG) - subject to entiret[more]       |
| 59 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Rader 30X35ESW chip feeder, s/n E1192 with chip hopper and blower (LOCATED WOOD BLDG) - subject to entirety bid lot 53   |
| 60 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } 2014 Hymac stainless steel screw feeder with 10 hp drive (LOCATED WOOD BLDG) - subject to entirety bid lot 53  |
| 61 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Control tower including Siemens Simatec multi panel PLC controls (LOCATED WOOD BLDG) - subject to entirety bid lot 53  |
| 62 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Debarking Line (dry side) consisting of Lots 63 through 71 sold as entire package (LOCATED WOOD BLDG) - subject to piecemeal bid lots 63 to 71   |
| 63 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } drag chain log feeder deck and lift, approx 40 ft long and 10 ft wide with auto index log feed (LOCATED WOOD BLDG) - subject to entirety bid lot 62  |
| 64 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } electronic metal detector, 45 inch wide X 36 in tall X 36 inch deep with approx 32 inch wide belt X 14 ft long conveyor (LOCATED WOOD BLDG) - subject to entirety bid lot 62   |
| 65 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } hydraulic reject log kicker with gantry crane take off, Demag 2 ton electric chain hoist (LOCATED WOOD BLDG) - subject to entirety bid lot 62  |
| 66 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Nicholson A5A-27-A5-RH ring log debarker, twin feed work grippers with infeed conveyor (LOCATED WOOD BLDG) - subject to entirety bid lot 62  |
| 67 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Nicholson 96-12K-SOS 96 inch disc chipper<br>with Siemens type RGS drive motor 1250 HP, 4000 volt 1176 RPM, Falk 2140Y1-L gear drive 1200 RPM input / 435.1 output<br>(LOCATED WOOD BLDG) - subject to entiret[more] |
| 68 | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Rader 30X35ESW rotary chip feeder, and cyclone hopper (LOCATED WOOD BLDG) - subject to entirety bid lot 62   |
|    |  |

| 69  | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } 2014 Hymac stainless steel screw feeder with 10 hp drive (LOCATED WOOD BLDG) - subject to entirety bid lot 62  |
|-----|--|
| 70  | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Control tower including Siemens Simatec multi panel PLC controls (LOCATED WOOD BLDG) - subject to entirety bid lot 62  |
| 71  | { Group of lots: 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 } Hog Fuel scrap wood system including Rader<br>36 X 48 wood Hog with Siemens 300 hp drive motor, 4000 volt, 1785 RPM, approx 40 ft long by 42 inch wide steel incline belt conveyor<br>with Eirez natural magnet (LO[more]  |
| 72  | Reclaim Screen system including (2) Acrowood Spiroll 8 X 12 ft diamond roll screens and Rader 8 ft diameter chip cyclone (LOCATED WOOD BLDG)   |
| 74  | Rader chip reclaim and radial stacking system with in and outbound pneumatic transport systems consiting of (2) Holmes reverse air<br>blowers with 500 HP Siemens Type RAZS 500 HP 4,000V 1180 RPM drive motors, (2) Rader 30 X 45 ESW chip feeders, 600 linear ft.<br>16" diameter twin steel transfer tubes on s[more] |
| 75  | { Choice of lots: 75, 76, 77, 78 } Lot of 100 concrete Bin blocks, 60 in long X 30 in deep X 24 in high (AROUND STACKER SYSTEM)  |
| 76  | { Choice of lots: 75, 76, 77, 78 } Lot of 100 concrete Bin blocks, 60 in long X 30 in deep X 24 in high (AROUND STACKER SYSTEM)  |
| 77  | { Choice of lots: 75, 76, 77, 78 } Lot of 100 concrete Bin blocks, 60 in long X 30 in deep X 24 in high (AROUND STACKER SYSTEM)  |
| 78  | { Choice of lots: 75, 76, 77, 78 } Lot of 50 concrete Bin blocks, 60 in long X 30 in deep X 24 in high (AROUND STACKER SYSTEM)   |
| 79  | Hymac twin wire dewatering press mn PT-13-5, 12 ft wide, (3) tension rolls, (3) pinch rolls, drive roll set with dual 150 HP drives, Hymac 345SR 5.636:1/ 139 HP rated gear reducers, Nielsen end stageshredding roll and control cabinet (3RD FLOOR)  |
| 80  | Hymac twin wire dewatering press mn PT-13-5, 12 ft wide, (3) tension rolls, (3) pinch rolls, drive roll set with dual 150 HP drives, Hymac 345SR 5.636:1/ 139 HP rated gear reducers, Nielsen end stageshredding roll and control cabinet (3RD FLOOR)  |
| 80A | Lot of asst twin wire press parts, contents of (3) pallet racks and asst rolls (LOCATED 3RD FLOOR)   |
| 81  | Lot of asst (NEW) wire press wires including (6) Albany Filtra Tech 22A rolls 145.67" x 68.34', (1) Albany Dura Tech 312B roll 145.67" x 27.67', and (4) asst Asten Johnson rolls (2) 145" x 68'4", 145" x 72.6", 144" x 27.8' (3RD FLOOR)   |
| 82  | Lot of (2) Hymac twin wire dewatering presses (PARTS ONLY) (3RD FLOOR)   |
| 83  | Impregnation Line consisting of Lots 84-90 (LOCATED ON 2ND AND 3RD FLOORS) - subject to piecemeal bids lots 84-90  |
| 84  | { Choice of lots: 84 } Hymac double vertical impregnator screw, sn 6981, with twin chip drainers with drives (LOCATED ON 3RD FLOOR) - subject to entirety bid lot 83   |
| 85  | { Choice of lots: 85 } Hymac CS-2420 stainless steel screw conveyor, 24 ft long X 20 in screw, sn 621-124 (discharge conveyor)<br>(LOCATED ON 3RD FLOOR) - subject to entirety bid lot 83  |
| 86  | A and F Industries screw conveyor approx 24 ft X 24 inch screw, info plate not on item (bypass conveyor) (LOCATED ON 3RD FLOOR) - subject to entirety bid lot 83   |

| 87   | Impregnator hydraulic pump set with 125 HP motor, 1800 RPM with push button control( LOCATED ON 2ND FLOOR) - subject to entirety bid lot 83   |
|------|---|
| 88   | Hymac hydraulic plug screw feeder (LOCATED 2ND FLOOR) - subject to entirety bid lot 83  |
| 89   | Enerfin DC drive motor (LOCATED 2ND FLOOR) - subject to entirety bid lot 83   |
| 90   | Reliance 1200 HP motor 1150 max rpm, and Hansen transmission (LOCATED 2ND FLOOR) - subject to entirety bid lot 83   |
| 91   | Celleco 316 stainless steel disc filter / thickener, total of (36) 12 ft diameter segmented discs with stainless steel mesh, 1,200 TPD capacity PLC controls and asst metering gages as pictured (LOCATED ON 3RD FLOOR) |
| 91A  | Wire Tech spare 12 ft diameter segmented discs with stainless steel mesh (CONTENTS OF 4 CRATES)   |
| 92   | Hymac approx 24 ft long X 20 inch wide stainless steel screw conveyor (LOCATED 3RD FLOOR)   |
| 93   | Lot of (3) asst blowers with 25 HP, 15 HP and 5 HP (LOCATED 3RD FLOOR)  |
| 94   | { Choice of lots: 94, 96 } Thune 316 stainless steel dewatering screw press, mn SP70, sn 89-6036, with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)      |
| 95   | { Choice of lots: 95, 97 } Thune 316 stainless steel dewatering screw press, mn SP70, sn 89-6035 with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)       |
| 96   | { Choice of lots: 94, 96 } Thune 316 stainless steel dewatering screw press, mn SP70, sn 90-0036 with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)       |
| 97   | { Choice of lots: 95, 97 } Thune 316 stainless steel dewatering screw press, mn SP70, sn N/A with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)           |
| 98   | { Choice of lots: 98 } Thune 316 stainless steel dewatering screw press, mn SP70, sn N/A , with Hagglunds Denison hydraulic drive, 250<br>HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)          |
| 99   | { Choice of lots: 99, 100 } Thune 316 stainless steel dewatering screw press, mn SP70, sn 90-0035 , with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)    |
| 100  | { Choice of lots: 99, 100 } Thune 316 stainless steel dewatering screw press, mn SP70, sn 89-6038 , with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)    |
| 101  | Thune 316 stainless steel dewatering screw press, mn SP70, sn 89-6037, with Hagglunds Denison hydraulic drive, 250 HP Siemens type RGZ-VF2-575 V-motor and pedestal control (3RD FLOOR)                                 |
| 101A | Siemens 250 HP dewatering press hydraulic drive spare motor (3RD FLOOR)   |
| 102  | Lot of (4) stainless steel dewatering screw press split baskets, size 34 wide X 47 in. tall x 27 1/2 in. inside diameter (LOCATED 3RD FLOOR)  |
|      |   |

| 104 | Hagglunds Marathon high torque hydraulic motor, mn MA-283-N-01-00 (MAIN WAREHOUSE FLOOR)   |
|-----|--|
| 105 | Hagglunds Marathon high torque hydraulic motor, mn UK-43-03300-AO-RN-01-00 (MAIN WAREHOUSE FLOOR)  |
| 106 | Hymac SC-2424, 24 ft long X 24 inch stainless steel screw conveyor (LOCATED MAIN STAIRCASE BETWEEN 2ND AND 3RD FLOOR)  |
| 107 | Hymac SC-2424, 24 ft long X 24 inch stainless steel screw conveyor (LOCATED MAIN STAIRCASE BETWEEN 2ND AND 3RD FLOOR)  |
| 108 | 2002 Metso RF41-987-0984-01 Refiner, sn 42107015-1, 42 inch refiner with Toshiba TIKE type 2000 HP motor, 1780 RPM, 4160 volt, 3 phase (LOCATED 2ND FLOOR MEZZ)          |
| 109 | 2000 Valmet JC-041-9870666-01 Refiner, 42 inch refiner with Reliance type P 2000 HP motor, 1788 RPM, 4000 volt, 3 phase (LOCATED 2ND FLOOR MEZZ)                         |
| 110 | { Choice of lots: 110, 111 } Nilsen 36 inch fluffer mixer, sn 8910 with 200 HP motor (LOCATED 2ND FLOOR MEZZ)  |
| 111 | { Choice of lots: 110, 111 } Nilsen 36 inch fluffer mixer, (NO PLATE) with 200 HP motor (LOCATED 2ND FLOOR MEZZ)   |
| 112 | { Group of lots: 112, 113 } approx 24 inch X 15 ft stainless steel screw feeder with 20 hp motor (LOCATED 2ND FLOOR MEZZ FROM MIXER TO TANK)                             |
| 113 | { Group of lots: 112, 113 } approx 24 inch X 15 ft stainless steel screw feeder with 20 hp motor (LOCATED 2ND FLOOR MEZZ FROM MIXER TO TANK)                             |
| 114 | Lot of (6) asst Celleco Cleanpac stainless steel cleaning filter banks with PVC cones including (3) 72 cone, (1) 28 cone, (1) 10 cone and (1) 7 cone (LOCATED 2ND FLOOR) |
| 115 | { Choice of lots: 115, 116 } Bird 400 stainless steel pressure screen, sn ST13090, 125 HP motor, with asst valves and metering readouts (LOCATED 2ND FLOOR)              |
| 116 | { Choice of lots: 115, 116 } Bird 400 stainless steel pressure screen, sn ST13100, 125 HP motor, with asst valves and metering readouts (LOCATED 2ND FLOOR)              |
| 117 | Bird 400 stainless steel pressure screen, sn ST13110, 125 HP motor, with asst valves and metering readouts (LOCATED 2ND FLOOR)   |
| 118 | Ingersoll Rand stainless steel Centrisorter pressure screen with 200 HP motor (LOCATED 2ND FLOOR)  |
| 119 | { Choice of lots: 119, 120 } Sulzer 16 X 16 inch centrifugal pump with Siemens 450 HP motor (north feed) (LOCATED 2ND FLOOR)   |
| 120 | { Choice of lots: 119, 120 } Sulzer 16 X 16 inch centrifugal pump with Siemens 450 HP motor (south feed) (LOCATED 2ND FLOOR)   |
| 121 | Filter Solutions stainless steel two station filter system, sn 5813A and 5813B, 150 psi at 225 F max pressure, -20 F at 150 psi minimum temp. (LOCATED 2ND FLOOR)        |

| 123  | { Group of lots: 123, 124 } Lot of (4) Metso 10 inch valves, mn ND826-1 (LOCATED ON 2ND FLOOR)  |
|------|---|
| 124  | { Group of lots: 123, 124 } Lot of (8) Velan CF8M 10 inch valves, mn A, 275 psi at 100 F, (LOCATED ON 2ND FLOOR)  |
| 125  | Hymac APC-63 stainless steel 63 inch cyclone steam condenser (LOCATED 2ND FLOOR)  |
| 126  | skid mounted twin pump set, with digital controls (LOCATED 2ND FLOOR)   |
| 127  | Hymac CS-3021 stainless steel 30 inch X 21 ft long screw conveyor (interstage conveyor) (LOCATED UP STAIRCASE NEXT TO LOT 125 2ND FLOOR)  |
| 127A | Entirety Lot of (6) Hymac 72 inch stainless steel side hill screens, extended fabricated shoot, and Hymac CS-2422 stainless steel screw conveyor 24 inch X 22 ft long (CONSISTS OF LOTS 128-134 LOCATED ON 2ND FLOOR) - subject to piecemeal bids lots 128 to 134 |
| 128  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) - subject to entirety bid lot 127A   |
| 129  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) - subject to entirety bid lot 127A   |
| 130  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) -<br>subject to entirety bid lot 127A  |
| 131  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) -<br>subject to entirety bid lot 127A  |
| 132  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) -<br>subject to entirety bid lot 127A  |
| 133  | { Choice of lots: 128, 129, 130, 131, 132, 133 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 2ND FLOOR) -<br>subject to entirety bid lot 127A  |
| 134  | Hymac CS-2422 stainless steel screw conveyor, 24 inch X 22 ft long (LOCATED 2ND FLOOR) - subject to entirety bid lot 127A   |
| 135  | { Choice of lots: 135, 136, 137, 138, 139 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 1ST FLOOR)   |
| 136  | { Choice of lots: 135, 136, 137, 138, 139 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 1ST FLOOR)   |
| 137  | { Choice of lots: 135, 136, 137, 138, 139 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 1ST FLOOR)   |
| 138  | { Choice of lots: 135, 136, 137, 138, 139 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 1ST FLOOR)   |
| 139  | { Choice of lots: 135, 136, 137, 138, 139 } Hymac SHS-3500 72 inch stainless steel side hill screen (LOCATED 1ST FLOOR)   |
| 140  | { Choice of lots: 140, 141 } Hymac PC-5427 54 inch stainless steel cyclone steam scrubber, sn 6642, MAWP 75 psi at 320 F, MDMT 40 F at 75 psi (LOCATED 1ST FLOOR)   |

| 141  | { Choice of lots: 140, 141 } Hymac PC-5427 54 inch stainless steel cyclone steam scrubber, sn 6644, MAWP 75 psi at 320 F, MDMT 40 F at 75 psi (LOCATED 1ST FLOOR)  |
|------|--|
| 142  | { Choice of lots: 142, 143 } Hymac PSF-16 stainless steel plug screw feeder, sn 6858, 16 inch diameter screw, Hymac PSF-160<br>hydraulic back press discharge shute mn PSF-1619, and Siemens 300 HP motor 1150/1700 RPM, 500 volts, 3 phase (LOCATED 1ST<br>FLOOR) |
| 143  | { Choice of lots: 142, 143 } Hymac PSF-16 stainless steel plug screw feeder, sn 6859, 16 inch diameter screw, Hymac PSF-1619 hydraulic back press discharge shute, and Siemens 300 HP motor 1150/1700 RPM, 500 volts, 3 phase (LOCATED 1ST FLOOR)                  |
| 143A | 6 ft X 16 inch diameter stainless plug screw with stand (LOCATED 1ST FLOOR)  |
| 144  | { Choice of lots: 144, 145, 146, 147, 148 } Hymac stainless steel tapered plug screw feeder, 18-12 inch diameter tapered screw, Hymac PPSF-27 back press discharge shute, and 150 HP motor 500 volts, 3 phase (MISSING GEAR BOX) (LOCATED 1ST FLOOR)               |
| 145  | { Choice of lots: 144, 145, 146, 147, 148 } Hymac stainless steel tapered plug screw feeder, 18-12 inch diameter tapered screw, Hymac PPSF-27 back press discharge shute, and 150 HP motor 500 volts, 3 phase (MISSING GEAR BOX) (LOCATED 1ST FLOOR)               |
| 146  | { Choice of lots: 144, 145, 146, 147, 148 } Hymac stainless steel tapered plug screw feeder, 18-12 inch diameter tapered screw, Hymac back press discharge shute, and 100 HP motor 500 volts, 3 phase (LOCATED 1ST FLOOR)  |
| 147  | { Choice of lots: 144, 145, 146, 147, 148 } Hymac stainless steel tapered plug screw feeder, 18-12 inch diameter tapered screw, Hymac back press discharge shute, and 100 HP motor 500 volts, 3 phase (LOCATED 1ST FLOOR)  |
| 148  | { Choice of lots: 144, 145, 146, 147, 148 } Hymac stainless steel tapered plug screw feeder, 18-12 inch diameter tapered screw, 100 HP motor 500 volts, 3 phase (LOCATED 1ST FLOOR)  |
| 150  | { Group of lots: 150, 151 } Lundberg Industries scrubber separator jacketed tank, Shell MAWP 75 psi at 400 F, Shell min temp 20 F at 50 psi (LOCATED 1ST FLOOR)  |
| 151  | { Group of lots: 150, 151 } 24 inch X 14 ft long stainless steel screw conveyor with approx 20 HP motor (LOCATED 1ST FLOOR)  |
| 152  | Trane CGWD0405CG0NAD101FF0CG Chiller, 450 high / 350 low refrigerant pressure, 575 volts, 3 phase with Sulzer 2 X 3 inch pump with motor (LOCATED 1ST FLOOR  |
| 153  | Hayward 596FAB stainless steel strainer screen 32 inch diameter X 5 ft tall, max pressure 150 psi at 14 F, max temp 40 F at 150 psi<br>(LOCATED 1ST FLOOR)   |
| 154  | Peacock 10 ft tall X 6 ft diameter 304 stainless steel storage tank, 9047 liter capacity (LOCATED 1ST FLOOR)   |
| 155  | Lot of (4) 14 inch knife style gate valves (LOCATED 1ST FLOOR 3 AT SCREEN AND 1 AT RESIDUAL WATER TANK)  |
| 156  | Sulzer 10 X 12 centrifugal pump with 500 HP Siemens motor (LOCATED 1ST FLOOR)  |
| 157  | { Group of lots: 157, 158, 159 } Sulzer 8 X 10 centrifugal pump with 125 HP motor (LOCATED 1ST FLOOR)  |
| 158  | { Group of lots: 157, 158, 159 } Sulzer 4 X 6 centrifugal pump with 100 HP motor (LOCATED 1ST FLOOR)   |

| 160 | 12 ft tall X 5 ft diameter stainless steel cone bottom cleaner/reject tank with Sulzer 2 X 4 inch pump and 3 hp motor (LOCATED 1ST FLOOR)   |
|-----|---|
| 161 | { Group of lots: 161, 162, 163 } Ahlstrom 8 X 10 inch centrifugal pump with 75 HP motor (LOCATED 1ST FLOOR)   |
| 162 | { Group of lots: 161, 162, 163 } Ahlstrom 6 X 9 inch centrifugal pump with 75 HP motor (LOCATED 1ST FLOOR)  |
| 163 | { Group of lots: 161, 162, 163 } Ahlstrom 4 X 6 inch centrifugal pump with 50 HP motor (LOCATED 1ST FLOOR)  |
| 164 | Lot of asst valves including (1) Metso Neves 12 inch control valve, (1) Metso Neves 4 inch control valve, (1) Metso Neves 3 inch control valve and (2) Velan manual valves (LOCATED 1ST FLOOR)  |
| 165 | { Group of lots: 165, 166, 167, 168 } Metso Neves 12 inch controlled valve (LOCATED 1ST FLOOR)  |
| 166 | { Group of lots: 165, 166, 167, 168 } Lot of (6) asst manual knife valves including, (1) 14 inch, (2) 12 inch, (1) 10 inch and (2) 8 inch (LOCATED 1ST FLOOR)   |
| 167 | { Group of lots: 165, 166, 167, 168 } Lot of asst valves including (2) 12 inch manual valves, (1) 8 inch manual valve, and (2) 2 inch manual valves (LOCATED 1ST FLOOR)   |
| 168 | { Group of lots: 165, 166, 167, 168 } Lot of asst valves including (2) Metso Neves 6 inch controlled valves, (1) Metso Neves 4 inch stainless steel controlled valve, (2) 6 inch manual valves and (1) 4 inch manual valve (LOCATED 1ST FLOOR)  |
| 169 | { Group of lots: 169, 170, 171, 172 } Fisher 6 inch 316 stainless steel controlled valve (LOCATED 1ST FLOOR)  |
| 170 | { Group of lots: 169, 170, 171, 172 } Lot of asst valves including, (1) 12 inch Velan manual valve, (2) 10 inch Velan manual valves, (1) 8 inch Velan manual valves and (2) 10 inch manual valves (LOCATED 1ST FLOOR)                           |
| 171 | { Group of lots: 169, 170, 171, 172 } Lot of asst valves including (3) 10 inch manual knife valves and (2) 6 inch manual valves (LOCATED 1ST FLOOR)   |
| 172 | { Group of lots: 169, 170, 171, 172 } Lot of valves including, (1) 6 inch manual, (4) 4 inch manual, and (1) 3 inch maual (LOCATED 1ST FLOOR)   |
| 173 | { Group of lots: 173, 174, 175, 176 } Lot of valves including (2) Metso Neves 2 inch controlled valves, (2) 12 inch manual knife valves,<br>(1) 8 inch valve, (2) 5 inch valves, and (1) 4 inch stainless valve (LOCATED 1ST FLOOR)             |
| 174 | { Group of lots: 173, 174, 175, 176 } Lot of (2) Metso Neves 6 inch controlled valves and (2) 8 inch manual valves (LOCATED 1ST FLOOR)  |
| 175 | { Group of lots: 173, 174, 175, 176 } Lot of valves including (1) Metso Neles 2 inch stainless steel controlled valve, and (2) 10 inch manual valves, and (2) 2 inch manual valves (LOCATED 1ST FLOOR)  |
| 176 | { Group of lots: 173, 174, 175, 176 } Lot of asst valves including, (1) 6 inch and (1) 8 inch Metso Neves controlled valves, and (10) asst<br>manual valves (1) 16 inch, (2) 12 inch, (4) 8 inch, (3) 6 inch and (1) 4 inch (LOCATED 1ST FLOOR) |

{ Group of lots: 157, 158, 159 } Sulzer 2 X 3 centrifugal pump with 40 HP motor (LOCATED 1ST FLOOR)

159

| 177 | { Choice of lots: 177, 178, 179, 180 } Hymac HSD-64 TMP 64 inch Refiner, sn 631-120-6865 including Siemens 1DL 7641-8FF-82-Z water cooled drive motor 14,000 HP, 13,800 volts, 1800 rpm, with Siemens Exciter panel, hydraulic and auto lube units below, agitated cyclone feeder, and control console (LOC[more]  |
|-----|--|
| 178 | { Choice of lots: 177, 178, 179, 180 } Hymac HSD-64 TMP 64 inch Refiner, sn 631-140-6866 including Siemens 1DL 7641-8FF-82-Z water cooled drive motor 14,000 HP, 13,800 volts, 1800 rpm, with Siemens Exciter panel, hydraulic and auto lube units below, agitated cyclone feeder, and control console (LOC[more]  |
| 179 | { Choice of lots: 177, 178, 179, 180 } Hymac HSD-64 TMP 64 inch Refiner, sn 631-220-6867 including Siemens 1DL 7641-8FF-82-Z water cooled drive motor 14,000 HP, 13,800 volts, 1800 rpm, with Siemens Exciter panel, hydraulic and auto lube units below, agitated cyclone feeder, and control console (LOC[more]  |
| 180 | { Choice of lots: 177, 178, 179, 180 } Hymac HSD-64 TMP 64 inch Refiner, sn 631-240-6868 including Siemens 1DL 7641-8FF-82-Z water cooled drive motor 14,000 HP, 13,800 volts, 1800 rpm, with Siemens Exciter panel, hydraulic and auto lube units below, agitated cyclone feeder, and control console (LOC[more]  |
| 181 | Hymac HSD-64 TMP 64 inch Refiner, sn 631-320-6869 including Siemens 1DL 7641-8FF-82-Z water cooled drive motor 14,000 HP, 13,800 volts, 1800 rpm, (motor inoperable, requires repair) with Siemens Exciter panel, hydraulic and auto lube units below, agitated cyclone feeder, and control console (LOCATED[more] |
| 182 | Lot of (20) asst Bailey EQN25 temperature transmitters (GROUND FLOOR UNDER MEZZ)   |
| 183 | Lot of (20) asst Bailey temperature transmitters (GROUND FLOOR UNDER MEZZ)   |
| 184 | { Group of lots: 184, 185 } Lot of refiner parts including (1) rotary assembly with element and stand, (3) elements with rack, (4) cases of spare element plates, mounting jig table and extra stand (LOCATED GROUND FLOOR MEZZ)   |
| 185 | { Group of lots: 184, 185 } Refiner repair area including (2) lube units, steel bench with vise and grinder, flame proof cabinet, heavy duty pneu impact guns, ratchets and sockets, etc (LOCARED GROUND FLOOR MEZZ)   |
| 186 | Thermal Care Accu-chill portable chiller with digital controls (no plate) (LOCATED GROUND FLOOR MEZZ)  |
| 187 | Stock Chest, stainless steel construction, approx 175 ft long X 25 ft wide X 28 ft tall, 3-segments, with stainless steel floor, INCLUDING LOTS 188-197, (8) AGITATORS, PUMP AND KNIFE VALVE WITH THIS LOT. If there is no bulk bid for the complete stock chest, the agitators, pump and knife valve, will[more]  |
| 188 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6891, 150 HP (LOCATED GROUND FLOOR)  |
| 189 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6892, 150 HP (LOCATED GROUND FLOOR)  |
| 190 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6894, 150 HP (LOCATED GROUND FLOOR)  |
| 191 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6895, 150 (LOCATED GROUND FLOOR)   |
| 192 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6896, 150 HP (LOCATED GROUND FLOOR)  |

| 193 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FE3150 horizontal agitator, sn 6897, 150 HP (LOCATED GROUND FLOOR)  |
|-----|--|
| 194 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FD3075 horizontal agitator, sn 6983, 150 HP (NEEDS REPAIR)<br>(LOCATED GROUND FLOOR)  |
| 195 | { Choice of lots: 188, 189, 190, 191, 192, 193, 194, 195 } Hymac 42FD3075 horizontal agitator, sn 6982, 150 HP (LOCATED GROUND FLOOR)  |
| 196 | { Group of lots: 196, 197 } Sulzer 16 X 20 centrifugal pump with Siemens 450 HP drive motor (LOCATED GROUND FLOOR)   |
| 197 | { Group of lots: 196, 197 } 28 inch pneumatic knife valve (LOCATED GROUND FLOOR)   |
| 198 | Hymac skidded sealing Water filtration system including, (2) Goulds LF3196 pumps 32 gpm, 1 X 2-10, with 30 HP motors, Alfa Laval M6-FH plate heat exchanger, 6 ft high X 4 ft wide stainless steel tank (LOCATED GROUND FLOOR) |
| 199 | Alfa Laval plate heat exchanger (LOCATED GROUND FLOOR)   |
| 200 | { Group of lots: 200, 201, 202, 203 } Sulzer 4 X 6 centrifugal pump with 25 HP motor (LOCATED GROUND FLOOR)  |
| 201 | { Group of lots: 200, 201, 202, 203 } Hymac 42FE3150 horizontal agitator, sn 6893, 150 HP (LOCATED GROUND FLOOR)   |
| 202 | { Group of lots: 200, 201, 202, 203 } Sulzer 4 X 6 inch centrifugal pump with 100 HP motor (LOCATED GROUND FLOOR)  |
| 203 | { Group of lots: 200, 201, 202, 203 } Ahlstrom 4 X 6 inch centrifugal pump with 100 HP motor (LOCATED GROUND FLOOR)  |
| 204 | { Group of lots: 204, 205, 206, 207, 208, 209 } Lot of (2) 14 inch manual knife valves (LOCATED GROUND FLOOR)  |
| 205 | { Group of lots: 204, 205, 206, 207, 208, 209 } Lot of asst valves including, (4) asst control valves, (2) 4 inch manual valves and (2) 2 inch manual valves (LOCATED GROUND FLOOR)  |
| 206 | { Group of lots: 204, 205, 206, 207, 208, 209 } Hymac 42FE3150 horizontal agitator, sn 6895, 150 HP (LOCATED GROUND FLOOR)   |
| 207 | { Group of lots: 204, 205, 206, 207, 208, 209 } Sulzer 8 X 10 centrifugal pump with 125 HP motor (LOCATED GROUND FLOOR)  |
| 208 | { Group of lots: 204, 205, 206, 207, 208, 209 } Sulzer 8 X 10 centrifugal pump with 125 HP motor (LOCATED GROUND FLOOR)  |
| 209 | { Group of lots: 204, 205, 206, 207, 208, 209 } Lot of (2) 16 inch manual knife valves (LOCATED GROUND FLOOR)  |
| 210 | { Group of lots: 210, 211, 212, 213 } Lot of asst valves including, (7) asst control valves, (1) pneumatic knife valve, (6) asst small manual valves and (1) Krohne ball valve (LOCATED GROUND FLOOR)                          |
| 211 | { Group of lots: 210, 211, 212, 213 } Ahlstrom 8 X 10 centrifugal pump with 300 HP motor (LOCATED GROUND FLOOR)  |
| 212 | { Group of lots: 210, 211, 212, 213 } Ahlstrom 4 X 6 inch centrifugal pump with 100 HP motor (LOCATED GROUND FLOOR)  |

| 213 | { Group of lots: 210, 211, 212, 213 } Lot of asst valves including (1) control valve and (5) asst manual valves (LOCATED GROUND FLOOR)                            |
|-----|---|
| 214 | { Group of lots: 214, 216, 218 } Lot of (2) Hymac stainless steel screw conveyors, 30 inch wide X 20 ft long and 30 inch wide X 16 ft long (LOCATED GROUND FLOOR) |
| 216 | { Group of lots: 214, 216, 218 } Sulzer 8 X 12 inch centrifugal pump with 100 HP G.E. motor   |
| 218 | { Group of lots: 214, 216, 218 } Lot of valves including (1) 3 inch control valve and (3) asst manual gate valves   |
| 239 | { Group of lots: 239, 240, 241, 242 } Sulzer 10 X 12 inch centrifugal pump with 250 HP motor (GROUND FLOOR HOLDING TANK AREA)                                     |
| 240 | { Group of lots: 239, 240, 241, 242 } Ahlstrom 12 X 16 inch centrifugal pump with 100 HP motor (GROUND FLOOR HOLDING TANK AREA)                                   |
| 241 | { Group of lots: 239, 240, 241, 242 } Sulzer 8 X 12 inch centrifugal pump with 100 HP motor (GROUND FLOOR HOLDING TANK AREA)                                      |
| 242 | { Group of lots: 239, 240, 241, 242 } Sulzer 4 X 6 inch centrifugal pump with 75 HP motor (GROUND FLOOR HOLDING TANK AREA)  |
| 243 | { Group of lots: 243, 244, 245, 246, 247 } 24 inch manual knife valve (GROUND FLOOR HOLDING TANK AREA)  |
| 244 | { Group of lots: 243, 244, 245, 246, 247 } 20 inch manual knife valve (GROUND FLOOR HOLDING TANK AREA)  |
| 245 | { Group of lots: 243, 244, 245, 246, 247 } 14 inch manual knife valve (GROUND FLOOR HOLDING TANK AREA)  |
| 246 | { Group of lots: 243, 244, 245, 246, 247 } Lot of (5) asst manual valves (GROUND FLOOR HOLDING TANK AREA)   |
| 247 | { Group of lots: 243, 244, 245, 246, 247 } Lot of (5) asst manual valves (GROUND FLOOR HOLDING TANK AREA)   |
| 248 | { Group of lots: 248, 249, 250, 251 } Ahlstrom 24 X 24 inch centrifugal pump with Siemens 700 HP motor (GROUND FLOOR HOLDING TANK AREA)                           |
| 249 | { Group of lots: 248, 249, 250, 251 } Ahlstrom 10 X 20 inch centrifugal pump with 200 HP motor (GROUND FLOOR HOLDING TANK AREA)                                   |
| 250 | { Group of lots: 248, 249, 250, 251 } Ahlstrom 6 X 8 centrifugal pump with 100 HP motor (GROUND FLOOR TANK AREA)  |
| 251 | { Group of lots: 248, 249, 250, 251 } Ahlstrom 4 X 6 centrifugal pump with 60 HP motor (GROUND FLOOR TANK AREA)   |
| 252 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } Lot of (2) asst Neles control valves, (1) 16 inch and (1) 12 inch (GROUND FLOOR TANK AREA)                   |
| 253 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } Lot of (3) asst Neles control valves, (1) 10 inch (1) 8 inch and (1) 6 inch (GROUND FLOOR TANK AREA)         |

| 255 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } 16 inch stainless steel knife valve (GROUND FLOOR TANK AREA)                                    |
|-----|--|
| 256 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } Lot of (3) asst manual valves (GROUND FLOOR TANK AREA)  |
| 257 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } Lot of (2) Neles control valves, (1) 8 inch and (1) 4 inch (GROUND FLOOR TANK AREA)             |
| 258 | { Group of lots: 252, 253, 254, 255, 256, 257, 258 } Lot of (4) asst manual valves (GROUND FLOOR TANK AREA)  |
| 259 | { Group of lots: 259, 260, 261, 262, 263, 264 } Hymac 42FE3150 horizontal agitator, sn 6984, 150 HP (LOCATED GROUND FLOOR)                           |
| 260 | { Group of lots: 259, 260, 261, 262, 263, 264 } Ahlstrom pump with 125 HP motor (GROUND FLOOR TANK AREA)   |
| 261 | { Group of lots: 259, 260, 261, 262, 263, 264 } Ahlstrom pump with 125 HP motor (GROUND FLOOR TANK AREA)   |
| 262 | { Group of lots: 259, 260, 261, 262, 263, 264 } Lot of (2) pneumatic knife valves (GROUND FLOOR TANK AREA)   |
| 263 | { Group of lots: 259, 260, 261, 262, 263, 264 } Lot of (5) asst control valves (GROUND FLOOR TANK AREA)  |
| 264 | { Group of lots: 259, 260, 261, 262, 263, 264 } Lot of (10) asst manual valves (GROUND FLOOR TANK AREA)  |
| 265 | Triple M cooling water collection tank, sn 35579-1, reinforced resin tank, 30 C design temp, approx. 5,000 gal. (GROUND FLOOR TANK AREA)             |
| 266 | { Group of lots: 266, 267, 268 } Ahlstrom pump with 75 hp motor (GROUND FLOOR TANK AREA)   |
| 267 | { Group of lots: 266, 267, 268 } Ahlstrom pump with 40 HP motor (GROUND FLOOR TANK AREA)   |
| 268 | { Group of lots: 266, 267, 268 } Lot of (5) asst manual valves (GROUND FLOOR TANK AREA)  |
| 269 | 24 ft long X 20 inch stainless steel screw conveyors (GROUND LEVEL ON TOP OF TANK ACROOS FROM ELEVATOR)  |
| 270 | { Group of lots: 270, 271, 272 } SWH mn GPD110-28-01-13 under tank agitator (GROUND LEVEL ON TOP OF TANK ACROSS FROM ELEVATOR)                       |
| 271 | { Group of lots: 270, 271, 272 } SWH mn P618-SHW under tank agitator (1ST FLOOR PRE-STEAMING)  |
| 272 | { Group of lots: 270, 271, 272 } SWH GPD50-12-V05 under tank agitator, (1ST FLOOR REACTION BIN TANK)   |
| 273 | Fluid Engineering mn 726 filter screen with scrapers, max pressure 150 psi , size 16/10, temp 32 - 150 F with controls (LOCATED NEAR FRONT ENTRANCE) |
| 277 | Atlas Copco dryer tank sn CMG4A93-073, mawp 160 psi at 392F, min 32F at 160 psi (FRONT DOOR)   |

| 278 | 2004 Fabrication Delta Inc 40 ft high X 11 1/2 ft diameter 44W carbon steel Lime silo , 1/4 inch (5X) shell course, 100 ton capacity, with stainless steel mixing tank with Lightning mixer, Goulds 1 X 2 inch pump, control valve etc (OUTSIDE IN ALLEY WAY)              |
|-----|--|
| 279 | { Choice of lots: 279, 280 } 22 ft high X 16 ft diameter aluminum hydrogen peroxide tank, aprox. 33,000 gal. capacity (OUTSIDE WAREHOUSE)  |
| 280 | { Choice of lots: 279, 280 } 22 ft high X 16 ft diameter aluminum hydrogen peroxide tank, aprox. 33,000 gal. capacity (OUTSIDE WAREHOUSE)  |
| 281 | Camfil Farr GS20 dust collection unit, 11900 cfm, approx size 6 X 8 ft, with framework and platform (OUTSIDE AT POWDER PULP STORAGE)   |
| 282 | Portable heavy duty triple piston water pump, Detroit Diesel engine, 20,000 psi, self contained in sea container, with asst hoses (OUTSIDE OF WATER FILTRATION BLDG)   |
| 283 | Nebraska NSE53 natural gas fired package steam boiler, 50,000 lbs / hr at 350 psi, 4700 sq ft heating surface, with associated gaging and valves (WOOD ROOM)   |
| 284 | Keeler Dorr-Oliver Hog Fuel water tube steam boiler, 150,000 lbs / hr at 350 psi with electrostatic precipators, Allied Steel deaerator water storage tank, hog fuel feed bin with (12) motorized feed screws, blowers, duct work, valves and gages associated (WOOD ROOM) |
| 285 | Babcock and Wilcox recovery boiler, 150,000 lbs / hr at 350 psi, with B and W Diamond soot blower (WATER FILTRATION)   |
| 286 | { Choice of lots: 286, 287, 288, 289 } Allis Chalmers D36JR MVR centrifugal vapor recovery compressor with 2,000 HP 4,000V 1,785 RPM drive motor, and hydraulic unit (WATER FILTRATION)  |
| 287 | { Choice of lots: 286, 287, 288, 289 } Allis Chalmers D36JR MVR centrifugal vapor recovery compressor with 2,000 HP 4,000V 1,785 RPM drive motor, and hydraulic unit (WATER FILTRATION)  |
| 288 | { Choice of lots: 286, 287, 288, 289 } Allis Chalmers D36JR MVR centrifugal vapor recovery compressor with 2,000 HP 4,000V 1,785 RPM drive motor, and hydraulic unit (WATER FILTRATION)  |
| 289 | { Choice of lots: 286, 287, 288, 289 } Allis Chalmers D36JR MVR centrifugal vapor recovery compressor with 2,000 HP 4,000V 1,785<br>RPM drive motor, and hydraulic unit (WATER FILTRATION)   |
| 290 | Westvaco vapor absorber, sn 3521 with Ceilcoye air pollution control (WATER FILTRATION)  |
| 291 | { Group of lots: 291, 292, 293, 294 } Ahlstrom 4 X 6 inch centrifugal pump with 100 HP motor (WATER FILTRATION)  |
| 292 | { Group of lots: 291, 292, 293, 294 } Ahlstrom 3102, 20 X 24 inch centrifugal pump with Siemens 300 HP, 4000 volt, 705 rpm motor (WATER FILTRATION)  |
| 293 | { Group of lots: 291, 292, 293, 294 } Ahlstrom 8 X 10 inch centrifugal pump with 40 HP motor (WATER FILTRATION)  |
| 294 | { Group of lots: 291, 292, 293, 294 } Lot of (2) Ahlstrom centrifugal pumps, (1) 4 X 6 inch with 40 HP motor and (1) 1 X 3 inch with 3 HP motor (WATER FILTRATION)   |

| 295 | { Group of lots: 295, 299, 300 } Ahlstrom 3102 centrifugal pump, 20 X 20 X 24, 20,800 GPM, with Siemens 300 HP motor 4000 volts 705 rpm (WATER FILTRATION) |
|-----|--|
| 296 | Bird 200 Centrifilter pressure screen, sn STC-15080 (WATER FILTRATION)   |
| 297 | Lot of (2) steel storage tanks and (2) asst pumps with motors (WATER FILTRATION)   |
| 298 | Sulzer 24 inch X 24 inch centrifugal pump with 250 HP motor (WATER FILTRATION)   |
| 299 | { Group of lots: 295, 299, 300 } Ahlstrom APT54-20 centrifugal pump, 6950 GPM, with 150 HP motor (WATER FILTRATION)  |
| 300 | { Group of lots: 295, 299, 300 } Ahlstrom APT22-3 centrifugal pump, 300 GPM output with 20 HP motor (WATER FILTRATION)                                     |
| 301 | { Group of lots: 301, 302, 303, 304 } Ahlstrom 20 X 24 centrifugal pump, mn APT61-24 with approx 200 HP motor, 10800 GPM (WATER FILTRATION)                |
| 302 | { Group of lots: 301, 302, 303, 304 } Ahlstrom 20 X 24 centrifugal pump, mn APT61-24 with approx 200 HP motor, 10800 GPM (WATER FILTRATION)                |
| 303 | { Group of lots: 301, 302, 303, 304 } Ahlstrom 20 X 24 centrifugal pump, mn APT61-24 with approx 200 HP motor, 10800 GPM (WATER FILTRATION)                |
| 304 | { Group of lots: 301, 302, 303, 304 } Ahlstrom 20 X 24 centrifugal pump, mn APT61-24 with approx 200 HP motor, 10800 GPM (WATER FILTRATION)                |
| 305 | { Group of lots: 305, 306 } Lot of (6) Jamesbury VPVL300SR6BD spring return valve (WATER FILTRATION)   |
| 306 | { Group of lots: 305, 306 } Lot of (5) Jamesbury VPVL300SR6BD spring return valve (WATER FILTRATION)   |
| 307 | { Group of lots: 307, 308 } Ahlstrom 8 X 10 inch centrifugal pump with 75 HP motor (WATER FILTRATION)  |
| 308 | { Group of lots: 307, 308 } Ahlstrom 8 X 10 inch centrifugal pump with 75 HP motor (WATER FILTRATION)  |
| 309 | Westvaco vapor absorber, sn 4219 with Ceilcote CMHR16 air pollution controller (WATER FILTRATION)  |
| 310 | Lot of asst steel pipe and asst stock on (2) cantilever racks and (3) sections of pallet racking with asst parts contents on racks (WATER FILTRATION)      |
| 311 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Goulds 3175L centrifugal pump, 14 X 14 X 18 inch, 4800 gpm with 125 HP motor (WATER FILTRATION)       |
| 312 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Goulds 3175L centrifugal pump, 14 X 14 X 18 inch, 4800 gpm with 125 HP motor (WATER FILTRATION)       |
| 313 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Durco 1 X 2 inch centrifugal pump (no plate), with 15 HP motor (WATER FILTRATION)                     |

| 314 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Durco 504-1085 centrifugal pump, 1 X 2 inch, 80 gpm with 15 HP motor (WATER FILTRATION)           |
|-----|--|
| 315 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Goulds 3310 6-stage water pump, 2 1/2 X 3 inch, 3600 gpm, with 150 HP motor (WATER FILTRATION)    |
| 316 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Sulzer APT207 6-stage water pump, 2 X 3 inch, 3500 rpm, with 100 HP motor (WATER FILTRATION)      |
| 317 | { Group of lots: 311, 312, 313, 314, 315, 316, 317 } Sulzer APT11-2 condensate transfer pump, 2 X 3 inch, 1700 rpm, with 5 HP motor (WATER FILTRATION) |
| 318 | { Group of lots: 318, 319, 320 } Lot of (12) Velan CF8M asst 6 inch valves (WATER FILTRATION)  |
| 319 | { Group of lots: 318, 319, 320 } Robbins and Myers CDQ progressive cavity pump with 20 HP motor (PUMP ROOM BIG TANK OUTSIDE)                           |
| 320 | { Group of lots: 318, 319, 320 } Robbins and Myers CDQ progressive cavity pump with 20 HP motor (PUMP ROOM BIG OUTSIDE TANK)                           |
| 321 | { Choice of lots: 321, 322 } Lennox KCA240S4BN2G 20 Ton AC compressor, R410A refrigerant, 460 volt 3 phase, 7.5 HP motor (OUTSIDE ALLEY WAY)           |
| 322 | { Choice of lots: 321, 322 } Lennox KCA240S4BN2G 20 Ton AC compressor, R410A refrigerant, 460 volt 3 phase, 7.5 HP motor (OUSIDE ALLEY WAY)            |
| 323 | { Group of lots: 323, 324, 325, 326, 327 } Goulds 3316 water pump, 3 X 4 inch, 365 gpm (WOOD ROOM)   |
| 324 | { Group of lots: 323, 324, 325, 326, 327 } Goulds 3316 water pump, 3 X 4 inch, 365 gpm (WOOD ROOM)   |
| 325 | { Group of lots: 323, 324, 325, 326, 327 } Sulzer 3 X 4 inch centrifugal pump with 25 HP motor (WOOD ROOM)   |
| 326 | { Group of lots: 323, 324, 325, 326, 327 } Ahlstrom 3 X 4 inch centrifugal pump with 25 HP motor (WOOD ROOM)   |
| 327 | { Group of lots: 323, 324, 325, 326, 327 } Sulzer 4 X 6 inch centrifugal pump with 3 HP motor (WOOD ROOM)  |
| 328 | Big Max TC-200 hydraulic telescopic crane with controls NEW never installed (WOOD ROOM)  |
| 329 | Westvaco vapor absorber sn 3520 with Ceilcote air pollution control mn CMHR-8 (WOOD ROOM)  |
| 330 | James Brinkley Co. bale wire coiler, sn JB-20740 (GROUND FLOOR)  |
| 331 | Lot of (6) asst electric industrial blowers, (3) Vortex confined space fans, (2) Air Systems torpedo style fans and (1) heated blower (OPEN LOTS AREA) |
| 332 | Strapping cart with tools (OPENING LOTS AREA)  |

| 333 | { Group of lots: 333, 334 } Lot of (4) asst pumps including (3) diaphragm pumps and (1) submersible pump (OPENING LOTS AREA)   |
|-----|--|
| 334 | { Group of lots: 333, 334 } Lot of (2) Honda gas powered portable pumps (OPENING LOTS AREA)  |
| 335 | Enervac oil filtration cart (OPENING LOTS AREA)  |
| 336 | Lot of (5) 3/4 inch impact guns and asst sockets, right angle adapters, heavy duty sockets, etc (contents on side of rack) (TOOL CRIB ROOM)  |
| 337 | { Group of lots: 337, 338, 339, 340 } Lot of +/- 50 heavy duty wrenches from 1 1/4 - 2 1/2 inch, +/- 20 closed face heavy duty wrenches and 2 bolt cutters (TOOL CRIB ROOM)  |
| 338 | { Group of lots: 337, 338, 339, 340 } Lot of asst pullers, parts, cutters and (2) hydraulic pumps (TOOL CRIB ROOM)   |
| 339 | { Group of lots: 337, 338, 339, 340 } Lot of asst threadding dies and pipe cutters (TOOL CRIB ROOM)  |
| 340 | { Group of lots: 337, 338, 339, 340 } Lot of asst items including shim stock, bearing heater, belt splicer, etc. contents of (3) sections metal shelving (TOOL CRIB ROOM)  |
| 341 | { Group of lots: 341, 342 } Lot of asst nylon and steel rope slings and lifting accessories (TOOL CRIB ROOM)   |
| 342 | { Group of lots: 341, 342 } Lot of hand-op chain hoists, trolleys, shackles, wrenches, tool cart with vise etc. (TOOL CRIB ROOM)   |
| 343 | { Choice of lots: 343, 344, 345 } Stanley Vidmar 7-drawer parts cabinet (TOOL CRIB ROOM)   |
| 344 | { Choice of lots: 343, 344, 345 } Stanley Vidmar 8-drawer parts cabinet (TOOL CRIB ROOM)   |
| 345 | { Choice of lots: 343, 344, 345 } Stanley Vidmar 8-drawer parts cabinet (TOOL CRIB ROOM)   |
| 346 | Lot of perishable tooling including threadded rods, nuts and bolts, gaskets, O-rings etc (OUTSIDE TOOL CRIB WALL)  |
| 347 | Nederman 600441 portable fume/dust collector (WELD ROOM)   |
| 348 | { Group of lots: 348, 349, 350, 351, 352 } Lot of welding accessories and supplies including Miller 60 wire feeder, acetylene torch tank cart, electrodes, gages, rod oven, gouging torch, etc, contents of both welding tables NO VISES OR PIPE CLAMP (WELD ROOM) |
| 349 | { Group of lots: 348, 349, 350, 351, 352 } Lot of welding wire, gages, welding leads etc contents of cabinet (WELD ROOM)   |
| 350 | { Group of lots: 348, 349, 350, 351, 352 } Lot of (2) Keen and Drigard rod ovens, 1 phase (WELD ROOM)  |
| 351 | { Group of lots: 348, 349, 350, 351, 352 } Nederman wall mounted fume extractor with approx 12 ft flex hose arm, filter box and vac pump (WELD ROOM)   |
| 352 | { Group of lots: 348, 349, 350, 351, 352 } Nederman wall mounted fume extractor with approx 12 ft flex hose arm, filter box and vac pump (WELD ROOM)   |
|     |  |

| 354 | 4 X 8 ft welding table with 6 inch vise and Ridgid chain vise. 1 inch think plate on table (WELD ROOM)  |
|-----|---|
| 355 | { Choice of lots: 355 } 4 X 8 ft welding table with 6 inch vise. 1 inch think plate on table (WELD ROOM)  |
| 356 | Industre Meccaniche TIPOIM32, 24 inch pedestal drill press, 85-2400 rpm, 575 volt 3 phase (OPEN LOTS AREA)  |
| 357 | Lot of (2) asst flame proof storage cabinets (OPEN LOTS AREA)   |
| 358 | { Group of lots: 358, 359, 360 } Expansion seal pop a plug system for heat exchangers with booklet and box (OPEN LOTS AREA)                             |
| 359 | { Group of lots: 358, 359, 360 } Flex Tech repair kit with MAX THERMO control (OPEN LOTS AREA)  |
| 360 | { Group of lots: 358, 359, 360 } Aurora ASP22 dryer press, 14 X 40 inch surface NEW IN PACKING CRATE (OPEN LOTS AREA)                                   |
| 361 | { Group of lots: 361, 362, 363 } 40 inch vernier caliper with case (OPEN LOTS AREA)   |
| 362 | { Group of lots: 361, 362, 363 } Mitutoyo 0-12 inch O.D. mic set with case (0-1 inch mic missing) (OPEN LOTS AREA)                                      |
| 363 | { Group of lots: 361, 362, 363 } Mitutoyo 100mm-300mm O.D. metric mic set with case (under 100mm mics are missing) (OPEN LOTS AREA)                     |
| 364 | { Group of lots: 364, 365, 366 } Starrett 18-24 inch O.D. mic set with case (OPEN LOTS AREA)  |
| 365 | { Group of lots: 364, 365, 366 } Starrett 12-18 inch O.D. mic set with case (OPEN LOTS AREA)  |
| 366 | { Group of lots: 364, 365, 366 } Lot of (2) Mitutoyo I.D. mic sets, 0-11 inch and 25-275mm, Starrett 1-32 inch depth gage set (OPEN LOTS AREA)          |
| 367 | Lot of inspection tools including (2) precision levels, (2) Starrett digital mics, (2) 0-6 inch O.D. mic sets, dial gage and mag stand (OPEN LOTS AREA) |
| 368 | Hach DR/2010 portable data logging spectrophotometer (OPEN LOTS AREA)   |
| 369 | { Group of lots: 369, 370, 371, 372 } Lot of (3) Druck pressure calibrators (OPEN LOTS AREA)  |
| 370 | { Group of lots: 369, 370, 371, 372 } Lot of asst digital testers and calibrators (OPEN LOTS AREA)  |
| 371 | { Group of lots: 369, 370, 371, 372 } Lot of asst testing, analyzing and probe kits (OPEN LOTS AREA)  |
| 372 | { Group of lots: 369, 370, 371, 372 } Lot of (2) wall mounted test stations (OPEN LOTS AREA)  |
| 373 | Kroy tube making kit and (2) Brady label making machines (OPEN LOTS AREA)   |
|     |   |

| 374 | Lot of pressure testing kits and dial indicators (OPEN LOTS AREA)  |
|-----|--|
| 375 | { Choice of lots: 375 } Rousseau 8-drawer parts cabinet with contents (OPEN LOTS AREA)   |
| 376 | { Choice of lots: 376, 378 } Rousseau 8-drawer parts cabinet with contents (OPEN LOTS AREA)  |
| 377 | Rousseau 6-drawer parts cabinet with contents (OPEN LOTS AREA)   |
| 378 | { Choice of lots: 376, 378 } Rousseau 8-drawer parts cabinet with contents (OPEN LOTS AREA)  |
| 379 | Lot of asst multimeters, power supplies, Metso power back ups, splice tape, scotch seal compound, etc. (KEY CABINET NOT PART OF LOT) (OPEN LOTS AREA)  |
| 380 | Lot of ass't safety harnesses and fall restraints  |
| 436 | WATER TREATMENT Electrical Substation bulk bid from LOTS 437-459 [*EXCLUDING LOT 448 REMOVED FROM AUCTION] Items as listed and no wire included, late removal by appointment when ready (WATER TREATMENT BLDG) |
| 437 | Valmet 8-door 4-panel electrical control box (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT)<br>(WATER TREATMENT)   |
| 438 | Vibration monitor panel, 502-1170 (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 439 | Metso Nelles 8-door 4-panel electrical control box (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT)<br>(WATER TREATMENT)   |
| 440 | (MCC-4B1) Siemens MCC, 600 volts, with 20 breakers (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY<br>APPT) (WATER TREATMENT)   |
| 441 | (MCC-4B2) Siemens MCC, 600 volts, 14 breakers (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT)<br>(WATER TREATMENT)  |
| 442 | (MCC-4B2 rear)Siemens MCC, 600 volts, 18 breakers (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY<br>APPT) (WATER TREATMENT)  |
| 443 | (MCC-4B4) Siemens MCC, 600 volts, 24 breakers, transfer switch controller (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 444 | (MCC-4B3) Siemens MCC, 600 volts, 32 breakers, Toshiba DRO control (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
| 445 | (MCC-4B3 rear) Siemens MCC, 600 volts, 23 breakers, (SUBJECT TO BULK BID ON LOT 436, NO WIRE AND LATE REMOVAL BY<br>APPT) (WATER TREATMENT)  |
| 446 | Hammond transformer 10,000 / 13,000 kva, 13,800 volts, 4160/2402V, with (6) cooling fans (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT)   |
|     |  |

| 447 | Siemens 8100 Series twin MCC's with 7 panels, and 12 breakers, 4160 volts, relays and controllers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
|-----|--|
| 449 | Lot of (2) Siemens 600 volt switch gear units, (5) and (4) breakers, with (6) MCGG controllers, (2) Power Measurements 3710ACM D.R.O.'s and (2) DSA meters (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 450 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (2) Lennox digital commercial controllers with (2) Siemens shutoff/splitter boxes (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 451 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (10) wall mounted sensors, heat tracers, and Siemens electrical control boxes (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 452 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Hampton Vari-frequency controller, 502-1010 VFC (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
| 453 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Toshiba 502-1510 VFC panel (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 454 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (2) Simplex 4100 fire alarm control panels (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
| 455 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Toshiba G7 true torque control and G3 transistor inverter (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
| 456 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (9) asst transformers including (4) Magnetic 45 kva 600 volt,<br>(1) Siemens 30 kva 600 volt, (1) Hammond 112.5 kva 600 volt, (1) Beaver 75 kva 600 volt, (1) Beaver 75 kva 575 volt, and (1)<br>Magnetec 45 kva 600 volt (SUBJECT TO[more] |
| 457 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (7) ITE circuit breaker panel boards (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)  |
| 458 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Siemens 48FM248-5 AC contactor (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 459 | { Group of lots: 450, 451, 452, 453, 454, 455, 456, 457, 458, 459 } Lot of (2) breaker box lift dollies, fiberglass ladder, and storage cabinets (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WATER TREATMENT)   |
| 460 | WET LOG LINE #1 Electrical Substation bulk bid from LOTS 461-477 Items as listed and no wire included, late removal by appointment when ready (WOOD ROOM BLDG)   |
| 461 | (MCC-5A2) Siemens Series 8100 MCC, 4 breakers, 4160 volts, (2) Multilin 369 motor mgmt relays and (2) Multilin 169 motor mgmt relays (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 462 | (MCC-4A1) Siemens MCC, 600 volt with 23 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 463 | (MCC-4A3 rear) Siemens MCC, 600 volts with 8 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT)<br>(WOOD ROOM BDLG)  |
|     |  |

| 464 | (MCC-4A2 rear) Siemens MCC, 600 volts with 19 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
|-----|--|
| 465 | (MCC-4A3) Siemens MCC, 600 volts with30 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 466 | (MCC-4A2) Siemens MCC, 600 volts with 20 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 467 | Furnas SYSTEM89 twin side MCC, 600 volts with 11 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT)<br>(WOOD ROOM BDLG)  |
| 468 | MCC I/O cabinet (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 469 | Reliance Electric 271-236 , drives hog fuel discharges, DC cubicle with (4) Mitsubishi digital controls (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 470 | McBurney Barker boiler PLC I/O panel (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 471 | Siemens 97H35 AC contactor (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 472 | Toshiba G7 true torque control transistor converter, mn TIC-OMS (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 473 | Lot of (2) Mitsubishi Freqrol-2200 control panels mn 421-165-01 and 421-160-01 with reset panel (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 474 | { Group of lots: 474, 475, 476, 477 } Lot of (12) asst wall mounted controls, PLC, shock relays, and regulator panels (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 475 | { Group of lots: 474, 475, 476, 477 } Lot of items including breaker lift truck, supply cabinet, ladder and flash cabinet (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 476 | { Group of lots: 474, 475, 476, 477 } Lot of (8) transformers including Magnatek 600 volt 45 kva, Polygon Jefferson 600 volt 75 kva, (2)<br>Rex 600 volt 30 kva, (3) Magnates 600 volt 30 kva, and Hammond 600 volt 30 kva (SUBJECT TO BULK BID, NO WIRE AND LATE<br>REMOVAL BY APPT) (WOOD ROOM BDLG) |
| 477 | { Group of lots: 474, 475, 476, 477 } Lot of (5) ITE circuit breaker panels (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 478 | DRY LOG LINE #2 Electrical Substation bulk bid from LOTS 479-487 Items as listed and no wire included, late removal by appointment when ready (WOOD ROOM BLDG)   |
| 479 | { Group of lots: 479, 480, 481 } (MCC-4A6 rear) Allen Bradley MCC, 600 volts with 20 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 480 | { Group of lots: 479, 480, 481 } (MCC-4A6) Allen Bradley MCC, 600 volts with 17 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
|     |  |

| 481 | { Group of lots: 479, 480, 481 } MCC I/O cabinet for Log Handling line 2, (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL<br>BY APPT) (WOOD ROOM BDLG)   |
|-----|---|
| 482 | (MCC-5A4) Siemens MCC, 4160 volts with Multilin 269 plus motor mgmt relays, hugger and chipper drives (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 483 | Lot of (2) Siemens transformers, 600 volt 30 kva and 600 volt 75 kva (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 484 | PLC I/O cabinet 431-8000 with APC power backup, parts cabinet, and Arc flash cabinet (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 485 | Lot of (8) asst wall mounted breaker boxes (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 486 | Lot of (2) Siemens breaker control boxes (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)   |
| 487 | Toshiba G7 true torque control transistor inverter(SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (WOOD ROOM BDLG)  |
| 488 | RECOVERY BOILER Electrical Substation bulk bid from LOTS 489-500 Items as listed and no wire included, late removal by appointment when ready (RECOVERY BUILDING)   |
| 489 | { Group of lots: 489, 490, 491, 492 } Simplex 4100 MINIPLEX fire alarm panel (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)  |
| 490 | { Group of lots: 489, 490, 491, 492 } Metso ACN OCS cabinet, Incinerator boiler controls with (6) electrical cabinets unmarked, and Valmet circuit boards (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BDLG) |
| 491 | { Group of lots: 489, 490, 491, 492 } Fossil Power Systems burner management PLC panel / relay panel (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BDLG)  |
| 492 | { Group of lots: 489, 490, 491, 492 } Soot blower control panel and supply cabinet (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BDLG)  |
| 493 | { Group of lots: 493, 494, 495 } (MCC-4BS) Allen Bradley MCC 600 volts and 38 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)  |
| 494 | { Group of lots: 493, 494, 495 } (MCC-4AS) Allen Bradley MCC 600 volts and 25 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)  |
| 495 | { Group of lots: 493, 494, 495 } (MCC-4A4A) Allen Bradley MCC 600 volts and 30 breakers (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)   |
| 496 | { Group of lots: 496, 497, 498, 499, 500 } Toshiba H7 true torque control panel 504-1120 (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)  |

| 497 | { Group of lots: 496, 497, 498, 499, 500 } Siemens Micromaster 440 control panel with relay junction box, Toshiba 504-1085 TOSVERT controller and Toshiba 504-1075 controller with boxes (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)  |
|-----|---|
| 498 | { Group of lots: 496, 497, 498, 499, 500 } Environmental Elements Corp breaker panels and digital Optiplus controls (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)   |
| 499 | { Group of lots: 496, 497, 498, 499, 500 } Lot of (7) transformers including Siemens 600 volt 15 kva, Hammond 600 volt 15 kva, Delta<br>600 volt 15 kva, Siemens 600 volt 75 kva, Siemens 600 volt 30 kva, Beaver 600 volt 15 kva and Siemens 600 volt 15 kva (SUBJECT<br>TO BULK BID, NO WIRE AND LATE REMOVAL B[more] |
| 500 | { Group of lots: 496, 497, 498, 499, 500 } Lot of (8) asst Siemens panel boards (SUBJECT TO BULK BID, NO WIRE AND LATE REMOVAL BY APPT) (RECOVERY BUILDING)   |