## **Gordon Brothers**



## HONDA OF THE UK MANUFACTURING SYNCHRO MOTORSPORT TEAM ASSETS

Swindon, UK

United Kingdom

Ended 23 set 2021 15:51 BST

Lot	Description
1	Honda Civic Endurance 20L FK8 type R left hand drive racing car, red and black paint finish, 2018, build, full Motec electronics, full roll cage, 120L fuel tank, ohlin dampers, AP disc brakes & pedal box, standard engine and gearbox (engine needs rebuild) Including 40 x 18 x 10 team dynamic whee[more]
2	Honda Civic 1.5L sprint car left hand drive, Black paint finish, 2018 model, Cobra motorsport race seat, fire marshal fire suppression system, 6 speed gearbox and 16,380 recorded mileage, fitted with uprated dampers and standard type R brakes, full roll cage and standard fuel tank and 8 x 18" x 235/[more]
3	Honda Civic FK8 type R left hand drive race car, White paint finish, 2017 build, standard Type R engine and 6 speed gearbox, fitted with 20" x 8.5" wheels and 245/30/ZR20 tyres also Including 18 x 20" x 8.5" spare alloy wheels. This car has had a front right hand side impact after a racing crash the[more]
4	Honda Jazz left-hand drive race car, 2009 built Red paint finish, with 2.0L petrol Type R engine, Motec electronics and 100L fuel tank, fitted with carbon fibre bonnet, ready to race including 1 x flight case with some spare parts (see photos) Plus 16 x team dynamic spare wheels 15 x 8 Please note:[more]
5	Sparco WTXJ-5i open face racing helmet with microphone and connector with cover and storage bag size XL - 61 (Used)
6	Sparco WTXJ-5i open face racing helmet with microphone and connector with cover and storage bag size M - 58 (Used)
7	Sparco WTXJ-5i open face racing helmet with microphone and connector with cover and storage bag size XL - 61 (Used)
8	Sparco ECR22.05 open face racing helmet size 59-60 (Unused)
10	AP Racing floating front brake discs (Qty 6) Type CP5772-2069CG8, and AP Racing rear brake discs (Qty 3) Type CP2866-243CG8:BTCC, Pagid Racing - Racing disc pads type S8222LO1001RSL 1(Qty 1) and Pagid Racing - Racing disc pads type1 E1587 290 10 RSL 29 (Qty 1)
11	Hopkins Motorsport modified Gray Adams model type GADD3T/8 racing car event transporter trailer with living area, tri axles each with a weight limit of 8000 Kg, trailer length 13.6m x trailer width 2.55m, hydraulic tailgate lifter, lower and upper deck levels for car and equipment storage, two side[more]
12	Brian James Trailers covered race car transporter 4 trailer with drive up ramp with side door, 5.3m x 2.4m, twin Axel. 3000kg capacity (2007) - Collection date to be confirmed
13	Brian James Trailers clubman Twin Axel car trailer CM7-T-048, 2600kg capacity. 4.9m x 1.9m - Collection date to be confirmed
14	Honda TRX500 Fourtrax Foreman Rubicon 4x4 quad bike, recorded mileage 181 miles. including Moose top box, VIN No. 1HFTE45DOH4200288. Please note: No V5 available so not suitable for road use (2002).

15	Tengtool box code CMONSTER-02, mobile 9 drawer toolbox with a 10 drawer top box toolbox, including contents please view photos. Tools include: screwdrivers, sockets, ratchet sets, grips and files, Allen keys, ratchet, metric & imperial spanners, sockets metric & imperial, snips, cutters, mi[more]
16	Tengtool box code CMONSTER-02, mobile 9 drawer toolbox with a 10 drawer top box toolbox, including contents please view photos. Tools include  screwdrivers, sockets, ratchet sets, grips and files, Allen keys, ratchet metric & imperial spanners, sockets metric & imperial, snips, cutters, micr[more]
17	Sealey Premier 8 drawer mobile toolbox including the following tools, metric sockets 10-32mm, 1/2" drive 8-22mm, 3/8" drive 4mm - 9mm, 1/4" drive screwdrivers, Allen keys, spanners 8mm-19mm, adjustable spanners, pliers, circlip pliers, files, ratchet spanners, pipe spanner 6mm-21mm, punches, tap[more]
18	Sealey 10 drawer mobile toolbox including the following tools, rings and open ended spanners 7mm-19mm, ratchet spanners 6mm-17mm, pipe spanners 6-19mm, Allen keys and sockets, ratchet and sockets 8mm-32mm, Philips and flat bladed screwdrivers, pliers, rivet gun, files, Allen key bars, circlip pliers[more]
19	Tengtools TMO35NF 6 drawer toolbox including the following tools, hammer, grips, adjustable spanner, 3 x socket sets (4mm-13mm, 8mm-22mm, 10-32mm), pliers, ring and open ended spanners 8mm-19mm, Philips and flat blade screwdrivers
20	Sealey AP920M mobile tool parts trolley, capacity 150kg
21	Sealey Superline pro workshop bench tool storage cabinets and cupboards in 3 sections. To include 2 x 4 drawer tool chests, 4 x double door cupboards, 1 x single door cupboard. Size 2.92m x 2.93m x 950mm x 465mm deep
22	Sealey Superline pro workshop bench and tool storage cabinets and a cupboard, to include 2 x 4 drawer tool chests, 1 x double door cupboard size 2.050m x 950mm x 465mm, 1 x full size cupboard 1.9M x 910mm x 460mm and 1 x single door cupboard 1.9m x 600mm x 460mm
23	Five workshop benches, dimensions as follows 2m x 750mm (Qty 1), 2m x 760mm with Record No. 8 engineers vice (Qty 1), 1.5m x 600mm (Qty 1) and 2m x 750mm (Qty 2) and a COSHH flammable liquids yellow double door cupboard 1.83m x 910mm x 450mm.
24	A range of hand tools to include, metric sockets, spanners, ratchet adjustable spanners, files, torx keys, torque wrenches, plies, wire cutters, taps and dies
25	2 x Optimum Life PO4 TM290 lithium 12.8 volt microprocessor controlled battery charger and tester 230 volts
26	Powered hand tools to include 1 x Dynabrade 57502 pneumatic sander polisher, 1 x Pmax MR-2310B pneumatic 3/8" drive nut runner, 2 x Fuji FRW-550 pneumatic 3/8" drive nut runners, 1 x Clarke pneumatic nibbler,[more]
27	Sealey professional tools VSE 210 fuel injection pressure test kit
28	Seiko S149-4A00 system stopwatch with two Sull-4A00 time pocket system stop watch interface units, 3 x Seiko 300 lap/split memory stop watches with a printer interface all stored in Pelican 1300 hard storage case
29	Sealey professional tools VSE 3156 petrol or Diesel compression leakage and TDC test kit
30	Two inspection scopes to include 1 x Moritex MSHS-1000-11 endoscope fibre light scope in case s/No. 0304043 and a Fischer Periscope MPO for measuring non magnetic coatings on ferromagnetic materials please note incomplete set.

31	Sykes - Pickavant 318 series car cooling system tester
32	6 x ratchet straps
33	8 x Laser led lights 12 & 24 volts
34	20 x caster wheels mixed used and unused
35	Sumore SP2124-1 Bench type centre lathe with 3 jaw chuck, spindle speeds (A) 100-1100 R.P.M, (B) 200-2200 R.P.M, distance between centre 550mm, including drill check and turning tools, 240 volts. S/No. 1310491.
36	Clarke Metalworker CDP101B bench pedestal drill, 5 spindle speeds, 500-2500 R.P.M.
37	Sealey GDM1-40FX pillar drill with 12 spindle speeds, from 210-2580 R.P.M, with 16mm drill check. S/No. 04009 (2011).
38	Sealey Imig-180 trolley mounted mig welder (Please note: Wire feed in torch is faulty) S/No. 16013410324.
39	Nuair Sip Airmate 3HP-200 SRB receiver mounted air compressor, 7 bar. S/No. 365089-0009 (2017).
40	Honda EU65iS inverter mobile petrol generator, rated power 5.5kw, 230 volts, 23.9A, (2014).
41	Hofmann Geodyna 5501 wheel balancer, 240 volts. S/No. 6417593. (1998).
42	Draper TC100 semi automatic tyre changer. S/No. 201608FTG43. (2015).
43	Honda EU Inverter 10i portable petrol generator, 0.9kw, 230 volts. S/No. EZGA 3035883. (2000).
44	Sealey Super Snap Hydraulic Strongarm body frame repair kit including hand operated power pack and ram.
45	Clarke Strongarm CFC500E mobile hydraulic engine crane, 500kg maximum capacity. S/No. 15R 5461.
46	Clarke Strongarm CHC1000DF mobile hydraulic engine Crain, 1000kg maximum capacity. S/No. 43033E2004.
47	Halfords advanced hydraulic trolley jack, 2 tonne capacity (Qty.2). Including Halfords advanced 2 x pairs of ratchet axle stands, 1 tonne per stand. adjustable height from 28.2cm to 40.5cm
48	Halfords advanced hydraulic trolley jack, 2 tonne capacity (Qty.2). Including Halfords advanced 2 x pairs of ratchet axle stands, 1 tonne per stand. adjustable height from 28.2cm to 40.5cm
49	Sealey RJA1500 1.5 tonne hydraulic trolley jack and a Halfords mobile crawler board.
50	Expert E200144, two pairs of 6 tonne ratchet axle stands.
51	Gas bottle trolleys including 1 x BOC nitrogen regulator, AP racing air jack lance and 1 x Longace 60 PSI tyre pressure gauge with damaged gauge. (Please Note: Gas bottles and covers are not included)

52	Trem battery changer- motor racing car starting station on mobile trolley
53	Zendex Go Jack 5000 set of 4 car moving caster with a maximum pay load capacity of 565kg per caster.
54	Earl Strain Gauging fuel electronic fuel bowser weighing, pumping and transfer station. used for weighing the fuel on race cars, maximum 105kg.
55	Clarke BC200N battery charger and starter on mobile trolley, 230 volts. S/No. H-13-126360.
56	Numax P/N 121000 battery charger, DC. 12V/10A input, AC 100-240 volts. Rohs/CE marked. S/No. B13051465.(Please note 12volt cable is damaged at case entry and may need replacing)
57	Elephant feet, set of 4 for use with 230mm air jack for lifting a racing car - AP air jacks is not included
58	Elephant feet, set of 4 for use with 230mm air jack (for lifting a racing car - AP air jacks is not included
59	Elephant feet, set of 3 for use with 230mm air jack (for lifting race car - AP air jacks is not included
60	Snap-On CTEU8850 1/2" (13mm) drive 18 volt battery impact wrench including CTC720 charger - (Qty 2)
61	Snap-On CTEU8850 1/2" (13mm) drive battery 18 volt impact wrench including CTC720 charger, (Qty 2)
62	Clarke CIR220 1/2" drive 24 volt battery impact wrench including CIR220 charger, maximum torque 220Nm, (Qty 2)
63	Clarke CIR220 1/2" drive 24 volt battery impact wrench including CIR220 charger, maximum torque 220Nm, (Qty 2)
64	Clarke Strong-Arm 10 tonne 'H' frame bearing press with hand operated hydraulic power pack, capacity 360mm width x 300mm maximum height
65	ATL Racing 25 Litres refuelling fuel cell, (Qty 3)
66	Clarke Strongarm AWDI vehicle skate set, (Qty 4) 500kg per skate. 2000kg capacity per set
67	Battery hand tools to include 2 x Hitachi DV18 DGL cordless combi drills, 1 x Titan T1-526com cordless combi drill, 1 x DeWalt DC988 cordless combi drill, 1 x Hitachi WR 12DMR impact guns all with chargers but no cases
68	Rapid racking adjustable shelving (Qty. 9) Size 1.85M x 1.83M x 470mm and 3 x steel adjustable racks, 1.8M x 900mm x 410mm.(Please note that the contents on the racking is not included with this lot)
69	Sealey 10 drawer mobile tool box (Qty 2)
70	Four mobile flight cases,1 x 1.5m x 1.33m x 650mm, 1 x 1m x 830mm x 830mm, 1 x 1.5M x 650mm x 1.04m, 1 x 1.18m x 730mm x 1.03m
71	16 x garden LX Zero gravity rocker garden chairs in Flight case, 1.34m x 1.08m x 1.38m

72	Mobile catering flight case with upper serving counter including 2 x Zanussi TT160C under counter fridges, Size 1.66m x 1.22 x 560mm, also including 2 x counter hotplates, a Vonshef 1000w ceramic hob, a sharp R-21 ATP 1000w microwave, a coffee machine and Chefmaster 20 Litre electric 2600 watt, 230[more]
73	2 x Sealey ADB300 electric air blower dryer floor fans, maximum airflow 10mtr/min, 356 CFM, 230 volts
74	Master B 15 EPA electric fan heater, 400 volt 3ph., 15kw. S/No. 073500287
75	Hexagon Gazebo approx. size is 6 metres across the middle including side panels. approx. packed size 1.7m x 650mm x 570mm including flight storage case
76	Hexagon Gazebo approx. size is 6 metres across the middle including side panels. approx. packed size 1.7m x 650mm x 570mm including flight storage case
77	Race day chrome plated mobile wheel storage rack, suitable for storing 14 x 18" x 10" wheels, with tow hitch (Qty 2)
78	Bauer SKW-ET250 mobile fork truck tipper skip and four banks of 5 pigeon hole personal lockers
79	COSHH double door heavy duty yellow petroleum mixture storage cupboard. 1.43m x 1.43m x 1.43m
80	Higer Kentucky camping foldaway arm chairs (Qty 9)
81	20 x Michelin Pilot Sport Cup 2 - 245/30/ZR20 extra load unused car tyres
82	3 x 20 litre Sunoco Race fuel containers and 5 x VP Racing Sur Can gasoline race fuel containers 5 gallon capacity including 2 x fuel stands
83	Flight case fitted with 2 x Samsung 32" colour tv monitors
84	A double door storage cupboard 1.6m x 680mm x 330mm deep and a mobile flight case 1230mm x 480mm x 965mm
85	A Snap-On mobile engine frame and a Clarke manual metal bender
88	Surf and Turf folding aluminium table 2.85m x 600mm wide
89	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size XXL- 63 (Used)
90	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size XL- 61 (Used)
91	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size XL- 61 (Used)
92	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size L- 63 (Used)
93	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size L- 63 (Used)
94	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size M - 58 (Used)

95	Sparco Jet Pro 2013 open face racing helmet with cover and storage bag size S - 56 (Used)
96	Shoel TXR acu approved motorcycle helmet size XL - 68
97	Shoel TXR acu approved motorcycle helmet size S - 57
98	Skid Lid U70 tucker rocky flat black bikers choice helmet size - M
99	Skid Lid U70 tucker rocky flat black bikers choice helmet size - M (unused)
100	Honda Fourtrax ES TRX420FE 4x4 petrol 18.3 Kw quad bike, 182 recorded hours fitted with Logic snow plough DOM. 2006 - Please note surface rust on underbody, No V5 available so not suitable for road use
101	Honda Fourtrax ES TRX350TE 4x4 petrol 14.3 Kw quad bike, 2335 recorded Km fitted with Logic snow plough DOM. 2000 - Please note surface rust on underbody sold without a V5 document
102	Honda Big Red 300 4 x 4 quad bike fitted with Logic 1500mm snow plough, 422 recorded hours on the 09/11/20 sold without a V5 document
103	Deso Cube 2500 Litre capacity diesel fuel bowser with fitted Cube 56/33 pump 230 Volt, and delivery system including fuel quantity delivery recorder, S/No. 1042801, 2006 sold without a V5 document
104	Steel Shipping container, 6m x 2.4m x 2.6m High with 3 Boltless Steel Pallet Racks (contents not included)
106	Exhaust fume extraction system comprising 3x No. retractable hoses, ducting and Kemper extraction fan
112	Nederman, Filterbox fume extractor, item No. 12632463, DOM: 2010
118	Bilsom Hearing audiometric hearing test booth 1020mm x 930mm x 2100mm including 2 x Bilsom CA850 series 4 automatic audio meters with printer, calibrated in July 2020. S/No. 221247.
119	Keystone 1136-AF vision screener VSII, equipment no. AS127. S/No. 25422 (2002).
120	Seca GmbH height measuring unit up to 210cm including case. (2018)
121	Viasys Healthcare micro lab lug capacity and function machine (Qty 2) S/No 52409 & S/No. 52407 2007
122	Bilsom Hearing audiometric hearing test booth 1020mm x 930mm x 2100mm including 1 x Bilsom CA850 series 4 automatic audio meter with HP Deskjet 400 printer, calibrated in July 2020
123	Keystone 1136-AF vision screener VSII. S/No. 31050
124	Seca height measuring unit 210cm capacity and a set of Seca 150kg capacity weighing scales
125	Plinth 2000 adjustable electric rehab bed. maximum capacity 160kg. S/No. 5038N18074886

126	Gym Gear Elite C-95 B6 upright bike, with weight loss and aerobic training modes, 230 volts S/No. B180200015
127	Gym Gear Elite X-95 Elliptical E6 cross-trainer, 230 volts, S/No. E180200001
128	StarTrack 763250CEPO soft track treadmill running machine with polar heart monitoring option, 230 volts, S/No. AP61117437 (2006).
129	Concept 2 Model D rowing machine. S/No. 050907A-3000 90288-0
130	Concept 2 Model D rowing machine. S/No. 050907A-300092436-0
131	Inspire FT1 Fit multigym for wide and narrow grips can be used for the following  grip chin up, chest balance, stability exercise, arm/triceps, front lat pulldown, back lat pulldown, chest, legs, curl and squat
132	Inspire M5 multigym for lat pulldown  static row, high pulley, golf swing, hyper extension, abdominal crunch, triceps pushdown, bicep curl, preacher curl. S/No. 4-17-12 210553
133	Gymgear adjustable gym bench, black upholstery, 60mm thick padding.
134	Follo Diem MTT adjustable gym bench. Blue padded upholstery. S/No. 70739
135	A set of 7 pairs of steel chrome plates dumbbells. 0.5kg-5kg including mobile storage stand
136	60 assorted barbell weights to include 3 x 10kg York steel, 45 x 5kg York steel, 4 x 2.5kg York steel, 2 x 1. 1/4 kg York steel, 6 x 5kg plastic, including 1 x mobile weight storage trolley + Bailey push frame and Valrara whole body range of motion checking system.
137	30 x padded gym flooring tiles, total fllor coverage approx. 2.67m x 3.16m also including 2 x dumbbells (1 x 10kg and 1 x 15kg) with interchangeable weight (4 x 0.5kg, 2 x 5kg, 2 x 2.15kg).
138	2 Follo Futura adjustable height step up benches. 560mm x 500mm x 410mm high.
139	Exercise floor equipment to include, frame mounted set of 3 gym or yoga balls with storage frame, Gymgear medicine balls 0.5kg, 1kg and 5kg, 4 x foam massage rollers of various sizes, 6 x bean bags, 4 x Blonx professional support floor exercise mats, a fitness 1000mm diameter, trampoline, a Gymgear[more]
140	Plinth 2000 hydraulic adjusted massage therapy couch maximum weight 160kg, 230 volts and a 2 tier equipment trolley (contents not included)
141	Plinth 2000 hydraulic adjusted massage therapy couch maximum weight 160kg and a 2 tier equipment trolley, (contents not included)
142	Medical Itilia US50 ultrasound machine 1MHZ & 3MHZ outputs, including Modello TV 1-3 probe and a 3 tier mobile storage trolley. S/No. 030063.
143	Tech Medical Job Sim system for basic adjustable dynamic lifting tasks a shelving system for material handling checks and evaluation.  Under medical conditions & a Seca 150kg weighing scales.
146	Plinth 2000 hydraulic adjusted massage therapy couch maximum weight 160kg, (Qty 2)

147	Doherty treatment room adjustable therapy chair
150	Python, Wall Mounted Swivel Jib Crane, approx. 4000mm swing, SWL 1000kg with Morris, Travelling Wire Rope Hoist, 1 Ton Capacity and Pendant Control (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
151	Hughes Safety Showers, Emergency Shower Enclosure, 900 (W) x 900 (D) x 2300mm (H) (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
152	Hughes Safety Showers, Emergency Shower Enclosure, 900 (W) x 900 (D) x 2300mm (H) (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
153	Mobile Lifting Gantry, approx. 5000 (W) x 3100mm (H), SWL 3 Ton with Tractel, Chain Hoist, Capacity 3 Ton (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
154	Lifting Gantry, approx. 3800 (W) x 3200mm (H), SWL 1 Ton with Tractel, Chain Hoist, Capacity 1 Ton (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
155	Mobile Lifting Gantry, approx. 1950 (W) x 2150mm (H), SWL 500kg with Tractel, Chain Hoist, Capacity 1 Ton (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
156	Pramac, Hydraulic Pallet Truck, Capacity 2500kg (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
157	Drum Handling Trolley (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
158	Euroblock, Travelling Wire Rope Hoist, Capacity 3500kg with Remote Control (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
159	Mobile Lifting Gantry, approx. 2100 (W) x 2140mm (H), SWL 500kg with Yale, Chain Hoist, Capacity 1 Ton (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
160	Twelve Tread Mobile Safety Steps, Overall Height approx. 3900mm (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
161	Tractel Pioneer, High Lift Hydraulic Pallet Truck, Capacity 1000kg (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
162	2x No. Hydraulic Pallet Trucks (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)
163	Pedestrian powered box trailer, twin axle, steel constructed body work, 1500mm x 730mm x 200mm deep. (Please note this not is located in the top floor plant room and will require a risk assesment and method statement)
164	European Handling HPTD 2500kg hydraulic pallet truck. (2014). (Please note this lot is located at high level in the top floor plant room and will require a risk assessment and method statement)